HECHT®

made for garden



2023

catalogue







2 000000 003740

ABOUT COMPANY

The company HECHT MOTORS Ltd. was established in 1994 by two Czech owners. The product range was introduced under its own brand HECHT® focusing on high quality products. Now we are developing our business activities in more than 35 countries wordwide. We focus on building up our private net of retail shops in the four countries – Czech Republic, Slovakia, Hungary and Poland. We have more than 900 employees in our portfolio and more than 50 000 square meters of warehouse space. We are building a new warehouse now. There will be used an intelligent automatic – robotic system for storage.

WHERE YOU CAN FIND US

• Czech Republic – The headquarters of HECHT MOTORS Ltd.

The headquarters is located very close to the capital city of Prague in Tehovec. The total area of this areal is about 20,000 square meters, of which 12,000 square meters are buildings. There you can find a large warehouse, company store, offices and a central service for the Czech Republic. By the end of 2022 there were 48 stores widespread throughout the country.





• Slovakia

We built our new warehouse HECHT SK in the Prievidza town in 2011. Central offices and service for the Slovak Republic are also located there. We have built a network of our stores and the number of stores has increased to 14 by the end of 2022.

• Poland

A new warehause in Poland was built in 2012. We are building a new Polish headquarters now in the city of GORZOW. The picture from this project you can find below. Polish market is also very important for our expansion activities and where we are building our net of retail shops there.





• Hungary

A new warehouse HECHT Hungary was finished in 2016. The warehouse, central offices and central service for the Hungary are located here. We plan to build a new headquarters in Budapest city. We would like to finish this project till the end of 2022.

OUR STORES

Hecht Motors owns 80 stores in the European Union. Each store has its own warehouse and service department. The almost 900 square meters of each branch allows to exhibit a large part of the products, that Hecht Motors offers in its range.





SERVICE

HECHT MOTORS company provides professional and quality service including delivery of spare parts. We have around 170 authorized servicing organizations in the Czech Republic and another 300 service partners abroad. We are able deliver spare parts within 24 hours. We have around 50 000 items of spare parts on stock for immediate delivery. Our goal is to have high qualitty professional service support for our customers.

EXPORT

The HECHT Motors exports its products to more than 30 countries such as:

Germany - Sweden - Slovenia - Portugal - Spain - Moldova - Lithuania - Austria - Italy - Ireland - Finland - Kosovo - Estonia - Bulgaria - Belgium - Georgia - Denmark - Norway - Netherlands - Switzerland - Romania - Ukraine - Macedonia - Mongolia - Latvia - Croatia - United Kingdom - France - Armenia - Greece - Egypt - Turkey ...

CONTENT

LAWN & GROUND CARE
MOWERS 5
TRACTORS 18
SPREADERS & TRAILERS 22
SERVICE KITS, LUBRICANTS & ACCESSORIES 23
AERATORS 24
TILLERS 26

WOODWORKING
HEDGE TRIMMERS 31
PRUNNIG SAWS 35
CHAINSAWS 36
CHAINSAWS ACCESSORIES 40
AXES 42
LOG SAWS & WEDGE SPLITTERS 43
SHREDDERS 46
LEAF VACS / BLOWERS 48

ACCU PROGRAM
62 V 51
40 V 52
20 V 54
1278 56

CLEANING SOLUTIONS
ACCESSORIES 58
WEED SWEEPERS & GRASS TRIMMERS 59
BRUSHCUTTERS & EARTH AUGER 60
PETROL SWEEPERS 64
SNOW THROWERS & ACCESSORIES 65
SNOW SCRAPERS 67
SPREADERS & COMPOSTERS 68
GARDEN TOOLS & RAKES 70

WATER PROGRAM
SPRAYERS & ACCESSORIES 72
GARDEN PUMPS 75
CONNECTIONS, EXTENSIONS & GUNS 78
HIGH PRESSURE WASHERS & ACCESSORIES 80
GREENHOUSES 82

BUILDING MACHINERY & EQUIPMENT
VACUUM CLEANERS 84
HOISTS 85
GENERATORS & INVERTORS 86
COMPACTORS 88
TRANSPORTERS 89
CONCRETE MIXERS & STIRRERS 90

WORKSHOP EQUIPMENT
BATTERY CHARGERS 91
WORKBENCHES, HAND TOOLS 92
AIR GUNS & COMPRESSORS ACCESSORIES 93
COMPRESSORS 94
POWER TOOLS 96
LATHES & WELDING TOOLS 107

THERMAL COMFORT & INDOOR AIR QUALITY
HEATERS 108

GARDEN FURNITURE, STOVES & GRILLS
AIR COOLERS & AIR CONDITIONERS 111
WOOD STOVES & ACCESSORIES 113
GARDEN GRILLS & ACCESSORIES 115
GARDEN FURNITURE 118
STORAGE BOXES, CHAIR & BENCH SWINGS 127
PARASOLS 129
PERGOLAS 130
GARDEN SHEDS 131

SWIMMING POOLS & RELAX
GARDEN POOLS & FILTRATION PUMPS 133
POOL ACCESSORIES 134
INFRASAUNAS 137

KIDS WORLD
TRAMPOLINES 140
PEDAL CARS 141
ACCU CARS & BIKES 142

VEHICLES
ACCU & PETROL QUADS & BIKES 146
HECHT BATTERIES 148
ATV ACCESSORIES 153
E-BICYCLES 154
E-SCOOTERS & ACCESSORIES 156

PET SUPPLIES & PET FOOD
CAT TINS / GRANULES 164
DOG TINS / GRANULES 165
ANIMAL HOUSES 166

ACTIVITIES



RETAIL WHOLESALE ON-LINE EXPORT SERVIS X-PETS

ACCESSORIES, EXTENSION CORDS

HECHT 500046
Special lawn mower „TURBO" blade 46 cm for prod. year till 2019

For models:
HECHT 548 SW (from 2014), 5484 SX, 548 SWE, 5484 SXE



HECHT 500051
Special lawn mower „TURBO" blade 51 cm for prod. year till 2019

For models:
HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART

HECHT 502046
Special lawn mower „TURBO" blade 46 cm for prod. year from 2020


For models:
HECHT 548 SW, 5483 SWE



HECHT 502051
Special lawn mower „TURBO" blade 51 cm for prod. year from 2020

For models:
HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE

HECHT 502056
Special lawn mower „TURBO" blade 56 cm for prod. year from 2020



For models:
HECHT 5564 SX, 5564 SXE, 5563 SXE

Patented wheels HECHT

The brand new design of wheels HECHT improves traction on wet grass and helps with self-cleaning properties.



HECHT 50437
MOWER WITH SOUND - TOY



„Made in Italy"

With sound while moving



6 PCS

weight	0,9 kg	dimensions	50 × 27,5 × 52 cm

120153
EXTENSION CORD



cable length	20 m
electric	230 V/50 Hz
3 × 1,5 mm²	

130153
EXTENSION CORD



cable length	30 m
electric	230 V/50 Hz
3 × 1,5 mm²	

121153
CABLE REEL



cable length	20 m
electric	230 V/50 Hz
3 × 1,5 mm²	

420153
CABLE REEL WITH 4 SOCKETS



cable length	20 m
electric	230 V/50 Hz
3 × 1,5 mm²	

150153
CABLE REEL



cable length	50 m
electric	230 V/50 Hz
3 × 1,5 mm²	

450153
CABLE REEL WITH 4 SOCKETS



cable length	50 m
electric	230 V/50 Hz
3 × 1,5 mm²	

CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 5030

CYLINDER LAWN MOWER

Contact knife cylinder

Blade thickness 2 mm



pushed			height adjustment	10–36 mm
working width	30 cm		chassis	steel contact
weight	7,8 kg		collecting box	15 l
			blade thickness	2 mm

HECHT 504

CYLINDER LAWN MOWER

Contact knife cylinder

Blade thickness 2 mm



pushed			height adjustment	17–43 mm
working width	40 cm		chassis	steel contact
weight	8,8 kg		collecting box	15 l
			blade thickness	2 mm

HECHT 514 PROFI

CYLINDER LAWN MOWER

Contactless knife cylinder

Blade thickness 3 mm



pushed			height adjustment	24–75 mm
working width	46 cm		chassis	steel contactless
weight	17,2 kg		collecting box	50 l
			blade thickness	3 mm

HECHT 1000

ELECTRIC LAWN MOWER

Powerful high torque electric motor “TURBO motor“



pushed		height adjustment	25–55 mm	
electric	230 V/50 Hz	chassis	plastic	
power input	1000 W	collecting box	35 l	
working width	32 cm	wheels (front/rear)	5/5“	
weight	8,8 kg			

HECHT 1233

ELECTRIC LAWN MOWER

Powerful high torque electric motor “TURBO motor“



pushed		height adjustment	20–60 mm	
electric	230 V/50 Hz	chassis	plastic	
power input	1300 W	collecting box	30 l	
working width	33 cm	wheels (front/rear)	5,5/5,5“	
weight	7,1 kg			

HECHT 1434

ELECTRIC LAWN MOWER

Powerful high torque electric motor “TURBO motor“



pushed		height adjustment	25–65 mm	
electric	230 V/50 Hz	chassis	plastic	
power input	1400 W	weight	12 kg	
working width	34 cm	collecting box	35 l	
central adjustment of cutting height		wheels (front/rear)	5,5/6“	

HECHT 1638 R

ELECTRIC LAWN MOWER

Powerful high torque electric motor “TURBO motor“



pushed		height adjustment	25–65 mm	
electric	230 V/50 Hz	chassis	plastic	
power input	1600 W	weight	13 kg	
working width	38 cm	collecting box	45 l	
central adjustment of cutting height		wheels (front/rear)	5,5/7“	

ELECTRIC LAWN MOWERS

HECHT 1844
ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"



pushed		height adjustment	25–85 mm	
electric	230 V/50 Hz	chassis	plastic	
power input	1800 W	weight	15,5 kg	
working width	42 cm	collecting box	50 l	
central adjustment of cutting height		wheels (front/rear)	6/8"	

HECHT 2044
ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"



pushed		height adjustment	20–70 mm	
electric	230 V/50 Hz	chassis	plastic	
power input	2000 W	collecting box	50 l	
working width	43 cm	wheels (front/rear)	6 / 9,5"	
weight	13,4 kg	central adjustment of cutting height		

HECHT 1640
ELECTRIC LAWN MOWER

Induction brushless motor



pushed		height adjustment	25-75 mm	
electric	230 V/50 Hz	chassis	steel	
power input	1600 W	collecting box	45 l	
working width	40 cm	wheels (front/rear)	6/8"	
weight	20 kg	central adjustment of cutting height		

Patented wheel design

HECHT 1641
ELECTRIC LAWN MOWER

Mulching kit included

Powerful high torque electric motor "TURBO motor"



pushed		height adjustment	30–75 mm	
electric	230 V/50 Hz	chassis	steel	
power input	1600 W	collecting box	50 l	
working width	41 cm	wheels (front/rear)	7/8"	
weight	21,3 kg	central adjustment of cutting height		

Patented wheel design

HECHT 1845
ELECTRIC LAWN MOWER

Mulching kit included

Powerful high torque electric motor "TURBO motor"



pushed		height adjustment	30–75 mm	
electric	230 V/50 Hz	chassis	steel	
power input	1800 W	collecting box	60 l	
working width	46 cm	wheels (front/rear)	8/11"	
weight	23,8 kg	central adjustment of cutting height		

HECHT 1802 S
ELECTRIC LAWN MOWER

Induction brushless motor



self propelled	3,3 km/h	height adjustment	25–75 mm	
electric	230 V/50 Hz	chassis	steel	
power input	1800 W	collecting box	50 l	
working width	46 cm	wheels (front/rear)	7/10"	
weight	27 kg	✓	alternative side ejection + mulching kit	
central adjustment of cutting height				

www.hecht.cz

EXPLANATION: ball bearings in all wheels

HECHT 1803 S 5 in 1

ELECTRIC LAWN MOWER

Patented wheel design



Powerful high torque electric motor "TURBO motor"

	self propelled	3,6 km/h		height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	26,4 kg	✓	alternative side ejection + mulching kit	
	central adjustment of cutting height				

HECHT 1805 S 5 in 1

ELECTRIC LAWN MOWER

Patented wheel design



Induction brushless motor



	self propelled	3,6 km/h		height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	31,2 kg	✓	alternative side ejection + mulching kit	
	central adjustment of cutting height				

HECHT 5406

PETROL LAWN MOWER



	pushed			height adjustment	25–65 mm
	engine HECHT	OHV	Nm	max.torque	3,6 Nm
	displacement	80 cm³		chassis	plastic
	working width	41 cm		collecting box	45 l
	weight	17,5 kg		wheels (front/rear)	6/6"

HECHT 540

PETROL LAWN MOWER

Patented wheel design



Steel chasis

	pushed			height adjustment	25-75 mm
	engine	OHV	Nm	max.torque	6,8 Nm
	displacement	127 cm³		chassis	steel
	working width	40,6 cm		collecting box	40 l
	weight	20 kg		wheels (front/rear)	7/7"

HECHT 543

PETROL LAWN MOWER

Patented wheel design



	pushed			height adjustment	25-65 mm
	engine HECHT	OHV	Nm	max.torque	4,7 Nm
	displacement	139 cm³		chassis	steel
	working width	43 cm		collecting box	45 l
	weight	20,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

HECHT 546 C

PETROL LAWN MOWER



	pushed			height adjustment	25-75 mm
	engine	OHV	Nm	max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	29 kg		wheels (front/rear)	7/8"

EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS

HECHT 5511
PETROL LAWN MOWER

Side ejection

Patented wheel design



	pushed			height adjustment	30-80 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel
	working width	51 cm		side ejection only	
	weight	23 kg		wheels (front/rear)	7/10"

HECHT 5511 BS
PETROL LAWN MOWER

Side ejection

Patented wheel design



	pushed			height adjustment	30-80 mm
	engine B&S	Series 450 E		max.torque	5,9 Nm
	displacement	125 cm³		chassis	steel
	working width	51 cm		side ejection only	
	weight	23 kg		wheels (front/rear)	7/10"

HECHT 546
PETROL LAWN MOWER

Patented wheel design



	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	31 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

HECHT 541 SW
PETROL LAWN MOWER

Patented wheels design



	self propelled	3,4 km/h		height adjustment	25–75 mm
	engine	OHV		max.torque	6,8 Nm
	displacement	127 cm³		chassis	steel
	working width	40 cm		collecting box	40 l
	weight	23,5 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				

HECHT 541 BSW
PETROL LAWN MOWER



	self propelled	3,45 km/h		height adjustment	25–75 mm
	engine B&S	Series 450 E		max.torque	5,93 Nm
	displacement	125 cm³		chassis	steel
	working width	40 cm		collecting box	40 l
	weight	25 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				

HECHT 543 SX
PETROL LAWN MOWER

Patented wheel design



	self propelled	3,25 km/h		height adjustment	25–65 mm
	engine	OHV		max.torque	7,2 Nm
	displacement	139 cm³		chassis	steel
	working width	42,5 cm		collecting box	45 l
	weight	26 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

www.hecht.cz

EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS

HECHT 543 SW
5 in 1
PETROL LAWN MOWER

Patented wheels design

Gearbox



self propelled	3,6 km/h		height adjustment	25-75 mm
engine HECHT	OHV		max.torque	5,1 Nm
displacement	98,5 cm³		steel chassis	5 in 1
working width	43 cm		collecting box	50 l
weight	30 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 543 SWE
5 in 1
PETROL LAWN MOWER

Patented wheels design

EASY ELECTRIC START • JUST PRESS THE BUTTON •

Gearbox



self propelled	3,6 km/h		height adjustment	25-75 mm
engine HECHT	OHV		max.torque	5,1 Nm
displacement	98,5 cm³		steel chassis	5 in 1
working width	43 cm		collecting box	50 l
weight	33,7 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 546 SC
PETROL LAWN MOWER



self propelled	3,2 km/h		height adjustment	25-75 mm
engine	OHV		max.torque	7,8 Nm
displacement	144 cm³		chassis	steel
working width	46 cm		collecting box	60 l
weight	31 kg		wheels (front/rear)	7/8"
central adjustment of cutting height				

HECHT 546 SCW
5 in 1
PETROL LAWN MOWER



self propelled	3,2 km/h		height adjustment	25-75 mm
engine	OHV		max.torque	7,8 Nm
displacement	144 cm³		chassis	steel
working width	46 cm		collecting box	60 l
weight	31,5 kg		wheels (front/rear)	7/8"
central adjustment of cutting height				

HECHT 546 SX
PETROL LAWN MOWER

Patented wheel design



self propelled	3,5 km/h		height adjustment	25–75 mm
engine	OHV		max.torque	7,8 Nm
displacement	150 cm³		chassis	steel
working width	46 cm		collecting box	55 l
weight	32 kg		wheels (front/rear)	7/10"
central adjustment of cutting height				

HECHT 547 SXW
5 in 1
PETROL LAWN MOWER

Patented wheel design



self propelled	3,6 km/h		height adjustment	25–75 mm
engine	OHV		max.torque	7,8 Nm
displacement	150 cm³		chassis	steel
working width	46 cm		collecting box	55 l
collecting box	32 kg		wheels (front/rear)	7/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS

HECHT 547 SWR 5 in 1

PETROL LAWN MOWER

Patented wheel design

Plastic grass catcher



self propelled	3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV		max.torque	7,8 Nm
displacement	150 cm³		chassis	steel
working width	46 cm		collecting box	55 l
collecting box	34,5 kg		wheels (front/rear)	7/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 547 SWE 5 in 1

PETROL LAWN MOWER

Patented wheel design

EASY ELECTRIC START · JUST PRESS THE BUTTON ·



self propelled	3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV		max.torque	7,8 Nm
displacement	150 cm³		chassis	steel
working width	46 cm		collecting box	55 l
collecting box	34,5 kg		wheels (front/rear)	7/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 546 BSW 5 in 1

PETROL LAWN MOWER

Patented wheel design

BRIGGS & STRATTON



self propelled	3,35 km/h		height adjustment	30-80 mm
engine B&S	Series 500 E		max.torque	6,8 Nm
displacement	140 cm³		chassis	steel
working width	46 cm		collecting box	60 l
collecting box	29,9 kg		wheels (front/rear)	7/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 548 SW 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

Gearbox



self propelled	3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV		max.torque	7 Nm
displacement	135 cm³		chassis	steel 5 in 1
working width	46 cm		collecting box	60 l
weight	35,6 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 5484 SX 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

VARIATOR

Gearbox

4 speed



self propelled	3-4,5 km/h		height adjustment	25–75 mm
engine HECHT	OHV		max.torque	7 Nm
displacement	135 cm³		chassis	steel 5 in 1
working width	46 cm		collecting box	60 l
weight	36,7 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 548 SWE 5 in 1

PETROL LAWN MOWER

Heimwerker 1,4

EDGE CUTTING
ability of mowing at fence or wall

Patented wheels design

EASY ELECTRIC START · JUST TURN THE KEY ·

Gearbox



self propelled	3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV		max.torque	7 Nm
displacement	135 cm³		chassis	steel 5 in 1
working width	46 cm		collecting box	60 l
weight	39 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	
battery 12 V DC, 4,5 Ah				

www.hecht.cz

EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS

HECHT 5484 SXE 5 in 1

PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheels design

VARIATOR

Gearbox

4 speed



self propelled	3-4,5 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	7 Nm
displacement	135 cm³		steel chassis	5 in 1
working width	46 cm		collecting box	60 l
weight	39,6 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	
battery 12 V DC, 4,5 Ah				

HECHT 550 SW 5 in 1

PETROL LAWN MOWER

Plastic grass catcher



self propelled	3,2 km/h		height adjustment	25-75 mm
engine HECHT	OHV	Nm	max.torque	10 Nm
displacement	170 cm³		chassis	steel 5 in 1
working width	48 cm		collecting box	60 l
weight	35,5 kg		wheels (front/rear)	8/11,5"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 551 SX 5 in 1

PETROL LAWN MOWER



self propelled	3,2–3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	9,4 Nm
displacement	175 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	70 l
weight	37 kg		wheels (front/rear)	8/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 551 BS 5 in 1

PETROL LAWN MOWER

BRIGGS&STRATTON



self propelled			height adjustment	25–75 mm
engine B&S	Series 750 EX	Nm	max.torque	9,5 Nm
displacement	161 cm³		chassis	steel
working width	51 cm		collecting box	70 l
alternative side ejection + mulching kit			wheels (front/rear)	8/10"
central adjustment of cutting height				

HECHT 553 SW 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

Gearbox



self propelled	3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	8,5 Nm
displacement	173 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	60 l
weight	38,1 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 551 SXE 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

EASY ELECTRIC START · JUST TURN THE KEY ·



Model 2023

self propelled	3,6 km/h		height adjustment	25-75 mm
engine HECHT	OHV	Nm	max.torque	11,2 Nm
displacement	200 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	65 l
weight	40 kg		wheels (front/rear)	8/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS

HECHT 5534 SX 5 in 1
PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

VARIATOR Gearbox

4 speed



self propelled	3-4,5 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	10 Nm
displacement	173 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	60 l
weight	38,7 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 5534 SWE 5 in 1
PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheels design

VARIATOR Gearbox

4 speed



self propelled	3-4,5 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	8,5 Nm
displacement	173 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	60 l
weight	42,3 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	
battery 12 V DC, 4,5 Ah				

HECHT 554 SX 5 in 1
PETROL LAWN MOWER

Patented wheel design

EDGE CUTTING ability of mowing at fence or wall

Model 2023



self propelled	3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	12,2 Nm
displacement	224 cm³		chassis	steel 5 in 1
working width	53 cm		collecting box	75 l
weight	40 kg		wheels (front/rear)	8/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 554 SXE 5 in 1
PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheel design

Model 2023



self propelled	3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	12,2 Nm
displacement	224 cm³		chassis	steel 5 in 1
working width	53 cm		collecting box	75 l
weight	41 kg		wheels (front/rear)	8/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 5564 SX 5 in 1
PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

Powered By LONCIN

VARIATOR Gearbox

4 speed



self propelled	3-4,5 km/h		height adjustment	25–75 mm
engine Loncin	OHV	Nm	max.torque	10,5 Nm
displacement	196 cm³		chassis	steel 5 in 1
working width	56 cm		collecting box	70 l
weight	40,6 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 5564 SXE 5 in 1
PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheels design

Powered By LONCIN

VARIATOR Gearbox

4 speed



self propelled	3-4,5 km/h		height adjustment	25–75 mm
engine Loncin	OHV	Nm	max.torque	10,5 Nm
displacement	196 cm³		chassis	steel 5 in 1
working width	56 cm		collecting box	70 l
weight	45,2 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	
battery 12 V DC, 7 Ah				

www.hecht.cz

**** **5 in 1** marks a lawn mower which has the following functions: 1) mowing 2) grass collection 3) self-propulsion 4) mulching 5) side discharge

PETROL AND ELECTRIC LAWN MOWERS

HECHT 1863 S
5 in 1
ELECTRIC LAWN MOWER

Patented wheels design

Induction brushless motor





360° rotating front wheel

	self propelled	3,6 km/h		height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	33 kg	✓	alternative side ejection + mulching kit	
	central adjustment of cutting height				

HECHT 5433 SW
5 in 1
PETROL LAWN MOWER

Patented wheels design

360° rotating front wheel





	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV	Nm	max.torque	5,1 Nm
	displacement	98,5 cm³		chassis	steel 5 in 1
	working width	43 cm		collecting box	50 l
	weight	31 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 5483 SW
5 in 1
PETROL LAWN MOWER

Patented wheels design

360° rotating front wheel





	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV	Nm	max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 5483 SWE
5 in 1
PETROL LAWN MOWER

Patented wheels design

Electric starter

EASY ELECTRIC START · JUST PRESS THE BUTTON ·

360° rotating front wheel





	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV	Nm	max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	41,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 5533 SW
5 in 1
PETROL LAWN MOWER

Patented wheels design

360° rotating front wheel





	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV	Nm	max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	39,2 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 5543 SXE
5 in 1
PETROL LAWN MOWER

360° rotating front wheel



EASY ELECTRIC START · JUST PRESS THE BUTTON ·



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV	Nm	max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51		collecting box	60 l
	weight	43,5 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	

PETROL AND ROBOTIC LAWN MOWERS

HECHT 5563 SXE 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



EASY ELECTRIC START · JUST PRESS THE BUTTON ·

self propelled	3-4,5 km/h		height adjustment	25-75 mm
engine HECHT	OHV	Nm	max.torque	10 Nm
displacement	173 cm³		chassis	steel 5 in 1
working width	56 cm		collecting box	60 l
weight	46 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 546 XR 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



self propelled	3,5 km/h		height adjustment	25-75 mm
engine HECHT	OHV	Nm	max.torque	7,8 Nm
displacement	144 cm³		chassis	steel 5 in 1
working width	46 cm		collecting box	60 l
weight	32,9 kg		wheels (front/rear)	7/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 551 XR 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



self propelled	3,5 km/h		height adjustment	25-75 mm
engine HECHT	OHV	Nm	max.torque	10 Nm
displacement	209 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	75 l
weight	37,3 kg		wheels (front/rear)	7/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

Accessories

HECHT 005612

PROTECTIVE ROOF FOR MODELS HECHT 5605, 5608, 5612, 5615



HECHT 005615W

Boundary wire 100 m (18 AWG) - for HECHT 5615



HECHT005612W

Boundary wire 100 m (20 AWG) - for HECHT 5605, 5608, 5612

HECHT005612K

Knife and screw set (3+3 pcs) - for HECHT 5605, 5608, 5612, 5615



HECHT005612P

Demarcation pin (120 pcs) - for HECHT 5605, 5608, 5612, 5615



HECHT005612C

Connection connector (2 pcs) - for HECHT 5605, 5608, 5612, 5615





Wire 100 m, 20 AWG

HECHT 5605

ACCU ROBOTIC LAWN MOWER

MOBILE APP

Ke stažení na App Store

Ke stažení na Google Play

3 carbon brushless motors

3 knives

Front charge

LED display



AUTOMATIC

accu Li-Ion	DC 20 V		chassis	plastic	
Accu	2 Ah		recommended area	max. 500 m²	
working width	180 mm	✓	bluetooth app		
height adjustment	20-60 mm	✓	charging base		
wire: length / diameter / cross section	AWG 20: 100 m / 0,8118 mm / 0,5176 mm²				



Wire 130 m, 20 AWG

HECHT 5608

ACCU ROBOTIC LAWN MOWER

MOBILE APP

Ke stažení na App Store

Ke stažení na Google Play

3 carbon brushless motors

3 knives

Front charge

LED display



AUTOMATIC

accu Li-Ion	DC 20 V		chassis	plastic	
Accu	2,5 Ah		recommended area	max. 800 m²	
working width	180 mm	✓	bluetooth app		
height adjustment	20-60 mm	✓	charging base		
wire: length / diameter / cross section	AWG 20: 130 m / 0,8118 mm / 0,5176 mm²				

www.hecht.cz

EXPLANATION: ball bearings in all wheels

HECHT 5612

ACCU ROBOTIC LAWN MOWER

MOBILE APP

Ke stažení na App Store

Ke stažení na Google Play

Wire 200 m, 20 AWG

3 carbon brushless motors

3 knives

Front charge

LED display



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	max. 1200 m²
	working width	180 mm	✓	bluetooth app	
	height adjustment	20-60 mm	✓	charging base	
	wire: length / diameter / cross section		AWG 20: 200 m / 0,8118 mm / 0,5176 mm²		

HECHT 5615

ACCU ROBOTIC LAWN MOWER

MOBILE APP

Ke stažení na App Store

Ke stažení na Google Play

Wire 220 m, 18 AWG

3 carbon brushless motors

3 knives

Front charge

LED display



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	max. 1500 m²
	working width	180 mm	✓	bluetooth app	
	height adjustment	20-60 mm	✓	charging base	
	wire: length / diameter / cross section		AWG 18: 220 m / 1,0237 mm / 0,8230 mm²		

HECHT 5025

ACCU LAWN MOWER

ACCU program 6020

Li-ion Powered



Battery and charger not included

	pushed			height adjustment	25–65 mm
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	2x 2,5 Ah		collecting box	26 l
	working width	32 cm		central adjustment of cutting height	
	weight	9,5 kg		charging time	120 min.
	wheels (front/rear)	5,5/6"		working time	≤ 20 min.

HECHT 5034

ACCU LAWN MOWER

ACCU program 5040

Li-ion Powered



Battery and charger not included

	pushed			height adjustment	20-65 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	35 l
	working width	34 cm		central adjustment of cutting height	
	weight	9,9 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/7"		working time	≤ 30 min.

HECHT 5038

ACCU LAWN MOWER

Li-ion Powered

ACCU program 5040



Battery and charger not included

	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	40 l
	working width	38 cm		central adjustment of cutting height	
	weight	16,4 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 60 min.

HECHT 5043

ACCU LAWN MOWER

Li-ion Powered

ACCU program 5040



Battery and charger not included

	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	43 cm		central adjustment of cutting height	
	weight	14 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 64 min.

EXPLANATION: ball bearings in all wheels

ACCU LAWN MOWERS

HECHT 5070
ACCU LAWN MOWER

Battery and charger not included

Mulching kit included

Available from 4/23



NEW

pushed		height adjustment	25–75 mm	
accu Li-Ion	DC 20+20 V	chassis	plastic	
Li-Ion	2× 2/4/6 Ah	collecting box	40 l	
working width	40 cm	central adjustment of cutting height		
weight	17,4 kg	charging time	≤ 130 min.	
wheels (front/rear)	6/8"	working time	≤ 25 min.	

HECHT 5041
ACCU LAWN MOWER

Patented wheels design

Battery and charger not included

Mulching kit included



pushed		height adjustment	25–75 mm	
accu Li-Ion	DC 40 V	chassis	steel	
Li-Ion	1x 2,5 / 4 / 5 Ah	collecting box	50 l	
working width	41 cm	central adjustment of cutting height		
weight	18,6 kg	charging time	≤ 150 min.	
wheels (front/rear)	7/8"	working time	≤ 66 min.	

HECHT 5041 S
ACCU LAWN MOWER

Patented wheels design

Battery and charger not included

Mulching kit included



self propelled	3,5 km/h	height adjustment	25–75 mm	
accu Li-Ion	DC 40 V	chassis	steel	
Li-Ion	1x 2,5 / 4 / 5 Ah	collecting box	50 l	
working width	41 cm	central adjustment of cutting height		
weight	21,3 kg	charging time	≤ 150 min.	
wheels (front/rear)	7/8"	working time	≤ 44 min.	

HECHT 5045 S
ACCU LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall



self propelled	3,5 km/h	height adjustment	25–75 mm	
accu Li-Ion	DC 40 V	chassis	steel	
Li-Ion	1x 2,5 / 4 / 5 Ah	collecting box	60 l	
working width	46 cm	central adjustment of cutting height		
weight	23,6 kg	charging time	≤ 150 min.	
wheels (front/rear)	7/8"	working time	≤ 40 min.	
✓ alternative side ejection + mulching kit		battery and charger not included		

HECHT 5046 S 5 in 1
ACCU LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall



self propelled	3,3 km/h	height adjustment	25-75 mm	
accu Li-Ion	DC 40 V	chassis	steel	
Li-Ion	2x 2,5 / 4 / 5 Ah	collecting box	60 l	
working width	46 cm	central adjustment of cutting height		
weight	26 kg	charging time	≤ 150 min.	
wheels (front/rear)	8/11"	working time	≤ 80 min.	
✓ alternative side ejection + mulching kit		battery and charger not included		

HECHT 5051 S 5in1
ACCU LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall



self propelled	3,3 km/h	height adjustment	25-75 mm	
accu Li-Ion	DC 40 V	chassis	steel	
Li-Ion	2x 2,5 / 4 / 5 Ah	collecting box	60 l	
working width	51 cm	central adjustment of cutting height		
weight	27,7 kg	charging time	≤ 150 min.	
wheels (front/rear)	8/11"	working time	≤ 64 min.	
✓ alternative side ejection + mulching kit		battery and charger not included		

www.hecht.cz

EXPLANATION: ball bearings in all wheels * Maximum working time without load with 2 Ah battery.

ACCU AND PETROL LAWN MOWERS

HECHT 6246 S
5 in 1
ACCU LAWN MOWER



Li-ion Powered

ACCU program 6260

NEW

Available from 2/23

	self-propelled			height adjustment	25–75 mm
	accu Li-Ion	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	32 kg		charging time	≤ 75 min.
	wheels (front/rear)	8/11"		working time	≤ 58 min.

HECHT 6251 S
5 in 1
ACCU LAWN MOWER



Li-ion Powered

ACCU program 6260

NEW

Available from 2/23

	self-propelled			height adjustment	25–75 mm
	accu Li-Ion	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	33 kg		charging time	≤ 75 min.
	wheels (front/rear)	8/11"		working time	≤ 50 min.

HECHT 5056
HAND-HELD TRIMMER



Tilting handle

4 trimmer strings

Diameter 4 mm

	pushed			height	42,8 / 61,8 / 101,3 mm
	engine HECHT	OHV		max.torque	10,9 Nm
	displacement	174 cm³		chassis	steel
	working width	56 cm		wheels	14"
	weight	33 kg			

HECHT 587
SICKLE BAR MOWER



Powered By LONCIN

Cutting bar made of one piece

Laser cut blade

	self propelled			height adjustment	30-80 mm
	engine Loncin	OHV		max.torque	10,5 Nm
	displacement	196 cm³		chassis	steel
	working width	87 cm		wheels	13"
	weight	59 kg			

HECHT 5060
MOTORIZED SELF-SEEDED WEED TRIMMER



SPEED 3 KM/H

MADE IN THE CZECH REPUBLIC

	self propelled			height	35 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel
	working width	60 cm		wheels	16x3,5-8"
	weight	52 kg			

HECHT 5812
FLAIL MOWER



Powered By LONCIN

32× Y-shaped blades



	self propelled			height	20-80 mm
	engine Loncin	OHV		max.torque	15,6 Nm
	displacement	252 cm³		chassis	steel
	working width	60 cm		drive, 3 gears forward, 1 gear reverse	
	weight	130 kg		wheels	8/13"
	central adjustment of cutting height				

EXPLANATION: ball bearings in all wheels

HECHT 5161
LAWN TRACTOR



Powered By LONCIN

EASY ELECTRIC START - JUST TURN THE KEY -

self propelled			height adjustment	35–75 mm
engine Loncin	OHV		max.torque	11 Nm
displacement	196 cm³		chassis	steel
working width	61 cm		collecting box	150 l
weight	115 kg		fuel tank volume	2 l
central adjustment of cutting height			max. speed: forward / reverse	4,6 / 2,3 km/h
wheels (front/rear)	10/13"		engine Loncin	

HECHT 5162
LAWN TRACTOR



BRIGGS&STRATTON

EASY ELECTRIC START - JUST TURN THE KEY -

Gearbox PEERLESS GEAR

self propelled			height adjustment	30–90 mm
engine B&S	Series 950		max.torque	11,5 Nm
displacement	224 cm³		chassis	steel
working width	62 cm		basket	130 l
weight	125 kg		fuel tank volume	1,8 l
central adjustment of cutting height			max. speed: forward/reverse	4,5 / 1,5 km/h
wheels Ø (front/rear)	11 / 13"		engine Briggs&Stratton	

HECHT 5114
LAWN TRACTOR



Powered By LONCIN

EASY ELECTRIC START - JUST TURN THE KEY -

Gearbox PEERLESS GEAR

Side ejection only

self propelled			height adjustment	30–90 mm
engine Loncin	OHV, 1 válec		chassis	steel
displacement	432 cm³		fuel tank volume	7,5 l
engine power	12 HP		wheels Ø (front/rear)	15/18"
working width	98 cm		max. speed: forward/reverse	8,3 / 1,5 km/h
weight	165 kg		central adjustment of cutting height	
gearbox Peerless Gear			engine Loncin	

www.hecht.cz

HECHT 5169
LAWN TRACTOR



WORKING WIDTH 69 CM

EASY ELECTRIC START - JUST TURN THE KEY -

Powered By LONCIN

	self propelled			height adjustment	35–75 mm
	engine	Loncin		chassis	steel
	displacement	224 cm³ 1 cylinder		collecting box	220 l
HP	engine power	6,8 HP	litres	fuel tank volume	1,4 l
	working width	69 cm		wheels (front/rear)	13 / 15"
	weight	173 kg		max. speed: forward/reverse	7,6 / 2,2 km/h
	engine Loncin, electromagnetic clutch				

HECHT 5184
LAWN TRACTOR



WORKING WIDTH 84 CM

EASY ELECTRIC START - JUST TURN THE KEY -

Powered By LONCIN

	self propelled			height adjustment	35–75 mm
	engine	Loncin		chassis	steel
	displacement	352 cm³ 1 cylinder		collecting box	220 l
HP	engine power	7,9 HP	litres	fuel tank volume	5 l
	working width	84 cm		wheels (front/rear)	13 / 15"
	weight	186 kg		max. speed: forward/reverse	7,6 / 2,2 km/h
	engine Loncin, electromagnetic clutch				

HECHT 5196
LAWN TRACTOR



WORKING WIDTH 96 CM

EASY ELECTRIC START - JUST TURN THE KEY -

Powered By LONCIN

	self propelled			height adjustment	35–75 mm
	engine	Loncin		chassis	steel
	displacement	452 cm³ 1 cylinder		collecting box	220 l
HP	engine power	10,9 HP	litres	fuel tank volume	5 l
	working width	96 cm		wheels (front/rear)	13 / 18"
	weight	190 kg		max. speed: forward/reverse	8,7 / 3 km/h
	engine Loncin, electromagnetic clutch				

HECHT 5176
LAWN TRACTOR



Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

BRIGGS&STRATTON INTEK

WORKING WIDTH 102 CM

hydrostatic self propelled		height adjustment	30–90 mm
engine B&S	INTEK 31R7 Series 4	max.torque	30,7 Nm
displacement	500 cm³ 1 cylinder	chassis	steel
engine power	13,3 HP	collecting box	270 l
working width	102 cm	fuel tank volume	7,5 l
weight	220 kg	wheels (front/rear)	15/18"
central adjustment of cutting height		max. speed: forward/reverse	8,8 / 3,8 km/h
Hydro-Gear gearbox		engine Briggs&Stratton	

HECHT 5186
LAWN TRACTOR



Gearbox HYDRO-GEAR

Powered By LONCIN

EASY ELECTRIC START - JUST TURN THE KEY -

WORKING WIDTH 86 CM

Available from 4/23

NEW

hydrostatic self propelled		height adjustment	30–90 mm
engine power	9,2 kW	max.torque	40–45 Nm
displacement	452 cm³ 1 cylinder	chassis	steel
working width	86 cm	collecting box	245 l
weight	190 kg	fuel tank volume	7,5 l
central adjustment of cutting height		wheels (front/rear)	15/18"
Hydro-Gear gearbox		max. speed: forward/reverse	8,8 / 4,5 km/h

HECHT 5192
LAWN TRACTOR



Gearbox HYDRO-GEAR

Powered By LONCIN

EASY ELECTRIC START - JUST TURN THE KEY -

WORKING WIDTH 92 CM

Available from 4/23

NEW

hydrostatic self propelled		height adjustment	30–90 mm
engine power	9,2 kW	max.torque	40–45 Nm
displacement	452 cm³ 1 cylinder	chassis	steel
working width	92 cm	collecting box	245 l
weight	167 kg	fuel tank volume	7,5 l
central adjustment of cutting height		wheels (front/rear)	15/18"
Hydro-Gear gearbox		max. speed: forward/reverse	8,8 / 4,5 km/h

www.hecht.cz

HECHT 5102 TWIN
LAWN TRACTOR



Gearbox HYDRO-GEAR

Powered By LONCIN

EASY ELECTRIC START - JUST TURN THE KEY -

2 CYLINDERS

WORKING WIDTH 102 CM

NEW

Available from 4/23

hydrostatic self propelled			height adjustment	30–90 mm
engine power	12,5 kW		max.torque	40–45 Nm
displacement	586 cm³ 2 cylinder		chassis	steel
working width	102 cm		collecting box	245 l
weight	197 kg		fuel tank volume	7,5 l
central adjustment of cutting height			wheels (front/rear)	15/18"
Hydro-Gear gearbox			max. speed: forward/reverse	8,8 / 4,5 km/h

HECHT 5227
LAWN TRACTOR



Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

BRIGGS&STRATTON PROFESSIONAL

2 CYLINDERS

WORKING WIDTH 102 CM

hydrostatic self propelled		height adjustment	30–90 mm	
engine B&S	44U8 Professional series	max.torque	47,5 Nm	
displacement	724 cm³ 2 cylinders	chassis	steel	
engine power	20,5 HP	collecting box	270 l	
working width	102 cm	fuel tank volume	7,5 l	
weight	230 kg	wheels (front/rear)	15/18"	
central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h	
Hydro-Gear gearbox		engine Briggs&Stratton		

Suitable for mowing large areas and football fields.

HECHT 5927
LAWN TRACTOR



Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

BRIGGS&STRATTON PROFESSIONAL

2 CYLINDERS

WORKING WIDTH 112 CM

hydrostatic self propelled		height adjustment	30–90 mm	
engine B&S	44U8 Professional series	max. torque	47,5 Nm	
displacement	724 cm³ 2 cylinders	chassis	steel	
engine power	20,5 HP	collecting box	270 l	
working width	112 cm	fuel tank volume	7,5 l	
weight	235 kg	wheels (front/rear)	15/18"	
central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h	
Hydro-Gear gearbox		engine Briggs&Stratton		

Suitable for mowing large areas and football fields.

EXPLANATION: ball bearings in all wheels

HECHT 260
SPREADING CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors



Tow-behind spreader for large areas of ground



Spreading regulation

Bin cover included

Tested with corn grains

	pulled			max capacity	60 l
	weight	12,6 kg	max.	max. width of spreading	4 m*
	wheels	12×3"			

HECHT 2620
ACCU WHEELBARROW



Available from 3/23

	self-propelled			max capacity	80 l
	accu Li-Ion	20,5–27 V		max speed	6 km/h
	power input	500 W		weight	40 kg
	wheel	5.00–8"		charging time	7 h
				working time	2-10 h

HECHT 52145
GARDEN CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

TILTING



Possible to use as trailer for lawn tractor



	body dimensions	93 × 50 × 21 cm / 75 l		wheels	10"× 350-4
	weight	14 kg		max. load	150 kg

HECHT 52184
GARDEN CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

180 L



Possible to use as trailer for lawn tractor



	body dimensions	97 × 51,5 × 42 cm / 180 l		wheels	10"× 350-4
	weight	23 kg		max. load	250 kg

HECHT 53350
GARDEN CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

290 L



Possible to use as trailer for lawn tractor



	body dimensions	127 × 62 × 65 cm		wheels	13"× 5.00-6
	weight	27 kg		max. load	350 kg

HECHT 0053080



Towing conection for HECHT 53080

Available from 3/23

HECHT 53080
TRAILER

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors



TILTING

200 L

Transport wheel



	body dimensions	150 × 93,5 × 74,5 cm		wheels	480/400-8
	weight	37,3 kg		max. load	300 kg

www.hecht.cz

* The spreading width depends mainly on the speed / movement and the type of spreading material.

HECHT 5011

SERVICE KIT FOR PUMPING OUT GAS AND MOTOR OIL

Suitable for all types of 4-stroke lawn mowers and tractors.



volume	1 l

HECHT 90001

UNIVERSAL MIXING BOTTLE





tank volume	1 l

GREASE GX 100 ml



PLASTIC LUBRICANT for angle drives, min. order 10 pcs

MADE IN CZECH REPUBLIC

HECHT TRANSMISSION



SPECIAL GEAR OIL 80W-90

Volume 0,8 l

MADE IN CZECH REPUBLIC

HECHT 4T



RECOMMENDED OIL FOR 4-STROKE ENGINES

Volume 0,8 l

Min. order 12 pcs

MADE IN CZECH REPUBLIC

HECHT 2T 450



RECOMMENDED OIL FOR 2-STROKE ENGINES

Volume 0,45 l

Min. order 12 pcs

MADE IN CZECH REPUBLIC

HECHT CHAINOIL 4L



SPECIAL OIL FOR GREASING BARS 4 L

Min. order 3 pcs

MADE IN CZECH REPUBLIC

HECHT 5W-40



RECOMMENDED OIL FOR 4-STROKE ENGINES

- suitable for all year use

Volume 0,8 l

Min. order 12 pcs

MADE IN CZECH REPUBLIC

HECHT CHAINOIL



SPECIAL OIL FOR GREASING BARS

Volume 0,8 l

Min. order 12 pcs

MADE IN CZECH REPUBLIC

HECHT HC22



SPECIAL HYDRAULIC OIL 4 L

Min. order 3 pcs

MADE IN CZECH REPUBLIC

PLASTIC CAN 5 l

No. K00050



»Made in Slovakia«

tank volume	5 l

PLASTIC CAN 20 l

No. K00200



»Made in Slovakia«

tank volume	20 l

PLASTIC CAN 10 l

No. K00100



»Made in Slovakia«

tank volume	10 l

PLASTIC CAN KOMBI

No. K00085



»Made in Slovakia«

tank volume	6 l + 2,5 l

All canisters are approved for transport and storage of fuel.

ELECTRIC AND ACCU LAWN AERATORS

HECHT 1420 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque electric motor "TURBO motor"

electric	230 V/50 Hz		collecting box		35 l
power input	1500 W		chassis		plastic
working width	32 cm *		roller with metal wires		
weight	9,2 kg		variable adjustment		-12 to 4 mm
16 metal knives			recommended area		800 m²
wheels (front/rear)	7/4"				

HECHT 1683 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque electric motor "TURBO motor"

electric	230 V/50 Hz		collecting box		48 l
power input	1600 W		chassis		plastic
working width	36 cm *		roller with metal wires		
weight	11,6 kg		variable adjustment		-12 to 6 mm
16 metal knives			recommended area		1000 m²
wheels (front/rear)	8/6"				

HECHT 1848 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque electric motor "TURBO motor"

electric	230 V/50 Hz		collecting box		55 l
power input	1800 W		chassis		plastic
working width	40 cm *		roller with metal wires		
weight	13 kg		variable adjustment		-13 to 9 mm
20 metal knives			recommended area		1200 m²
wheels (front/rear)	7/5,5"				

HECHT 1999 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque electric motor "TURBO motor"

electric	230 V/50 Hz		collecting box		45 l
power input	2000 W		chassis		plastic
working width	38 cm *		roller with metal wires		
weight	14,5 kg		variable adjustment		-10 to 5 mm
16 metal knives			recommended area		1300 m²
wheels (front/rear)	7/6"				

HECHT 1739

ELECTRIC LAWN AERATOR



electric	230 V/50 Hz		collecting box		50 l
power input	1700 W		chassis		steel
working width	37 cm		variable adjustment		-8 to 12 mm
weight	22 kg		recommended area		1200 m²
26 metal knives			wheels (front/rear)		8/8"

HECHT 1384

ACCU LAWN AERATOR



ACCU program 5040 Li-ion Powered


accu Li-Ion	DC 40 V / 2,5/4/5 Ah		collecting box		45 l
working width	38 cm *		chassis		plastic
weight	14,5 kg		variable adjustment		-10 to 5 mm
16 metal knives			working time		48 min
battery and charger not included					

www.hecht.cz

* The working width can be different when using another aeration roller.

PETROL LAWN AERATORS


HECHT 5644 2 in 1
PETROL LAWN AERATOR





engine	HECHT	chassis	steel	
displacement	212 cm³	roller with metal wires		
max.torque	12 Nm	variable adjustment -12 to 10 mm		
scarifier drum cutting width	42 cm*	17 metal knives		
weight	37 kg	wheels (front/rear)	8/8"	
collecting box	40 l			


HECHT 5641 2 in 1
PETROL LAWN AERATOR





engine	HECHT	chassis	steel	
displacement	149 cm³	roller with metal wires		
max.torque	7,2 Nm	variable adjustment -15 to +5 mm		
scarifier drum cutting width	40 cm *	18 metal knives		
weight	32 kg	wheels (front/rear)	8/8"	
collecting box	45 l			

HECHT 5677 2 in 1
PETROL LAWN AERATOR





engine	B&S CR950	chassis	steel	
displacement	208 cm³	roller with metal wires		
max.torque	10,17 Nm	variable adjustment -15 to +5 mm		
scarifier drum cutting width	40 cm *	18 metal knives		
weight	38,5 kg	wheels (front/rear)	8/8"	
collecting box	45 l			

HECHT 501
LAWN ROLLER




working width	50 cm	empty weight	9 kg
Ø diameter	32 cm	filled weight	50 kg ± 20%

HECHT 005003
LOADING RAMP

Galvanized sheet 1,5 mm

Unfoldable

2 pcs in package




450 KG

dimensions	183 × 22,5 × 5 cm
weight	14,2 kg / 1 pc
load capacity	450 kg

HECHT 005005
LOADING RAMP

2 PCS IN PACKAGE



With supports



680 KG

FOLDABLE



dimensions	225 × 28 × 5 cm
weight	7 kg / 1 pc
load capacity - pc / pair	340 kg / 680 kg

* The working width can be different when using another aeration roller.

EXPLANATION: ball bearings in all wheels

ACCU, ELECTRIC AND PETROL TILLERS

HECHT 7025
ACCU TILLER



Li-ion Powered

ACCU program 6020

Battery and charger not included

	Accu Li-ion	DC 20 V / 1× 2,5 Ah		working width	20 cm
	weight	3,4 kg		4×4 knives Ø 15 cm	
	battery and charger not included			1 speed	

HECHT 732
ELECTRIC TILLER



	electric	230 V/50 Hz		working width	32 cm
	power input	750 W		weight	8 kg
	4×4 knives Ø 20 cm			1 speed	

HECHT 738
ELECTRIC TILLER



	electric	230 V/50 Hz		working width	36,5 cm
	power input	1000 W		weight	8,4 kg
	4×4 knives Ø 20 cm			1 speed	

HECHT 745
ELECTRIC TILLER





	electric	230 V/50 Hz		working width	40 cm
	power input	1500 W		weight	11 kg
	6×4 knives Ø 20,5 cm			1 speed	

HECHT 752
PETROL TILLER



	engine HECHT	2-stroke		working width	25 cm
HP	displacement	52 cm³		weight	14,3 kg
	4×4 knives Ø 23 cm			1 speed	

HECHT 761
PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	40 cm
HP	displacement	150 cm³		weight	34 kg
Nm	max.torque	7,5 Nm		4×4 knives Ø 26 cm	

www.hecht.cz

HECHT 746
PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	60 cm
	displacement	150 cm³		weight	32 kg
Nm	max.torque	7,5 Nm		6×4 knives Ø 26 cm	

HECHT 784
PETROL TILLER

Powered By LONCIN



1 SPEED

	engine	OHV, 4-stroke		working width	43 cm
	displacement	79 cm³		weight	34 kg
Nm	max.torque	4 Nm		6×4 knives Ø 24 cm	

HECHT 785
PETROL TILLER




1 SPEED


	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
	displacement	196 cm³		weight	52 kg
Nm	max. torque	10,5 Nm		2/4/6×4 knives Ø 38 cm	

ACCESSORIES FOR HECHT 785, HECHT 790 BS

HECHT 8001022
BRACKET
for mounting accessories



HECHT 8001020
POTATO DIGGER



HECHT 8001015
DOUBLE SIDE RIDGE PLOUGH



HECHT 8001016
SINGLE SIDE RIDGE PLOUGH



HECHT 8001002
REAR BRACKET
for mounting accessories



HECHT 8001018
WHEEL WEIGHTS
2×10 kg



HECHT 8001005
SNOW PLOW



HECHT 8001021
SET OF DISTANCE TUBES
(2 pcs) for shaft extension
outer edge of wheels
65 - 85 cm



HECHT 8001017
WHEEL 4.00-8“
- 2 pcs



HECHT 8001004
IRON WHEEL SET
- 14“
- 2 pcs
- for use with plough or digger





HECHT 790 BS
PETROL TILLER

Adjustable handle

Engine Briggs&Stratton

1 SPEED

	engine B&S	CR 950		working width	32/50/84 cm
	displacement	196 cm³		weight	55 kg
Nm	max.torque	12,9 Nm		2/4/6x4 knives Ø 38 cm	



HECHT 750
PETROL TILLER

HECHT 000750
IRON WHEEL SET 14“
- 2 pcs. for use with ridger



HECHT 000751
RIDGER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm³		weight	70 kg
Nm	max.torque	12,4 Nm		4x3 knives Ø 34 cm	

HECHT 000796
WHEELS 4.00-8“ WITH SLIPPING PINIONS





HECHT 796
PETROL TILLER

HECHT 000797
IRON WHEEL SET 15“
- 2 pcs for use with plough or digger



Speed km/h	Gears	
	2 forward	1 forward
Speed on axis (rpm)	113	82
4.00-8“ Wheels with tires (km/h)	8,8	6,4

	engine HECHT	OHV, 4-stroke		working width	80 cm
	displacement	212 cm³		weight	68 kg
Nm	max.torque	12 Nm		6×4 knives Ø 31 cm	
i	2 gears forward, 1 gear reverse				

www.hecht.cz

HECHT 7970
PETROL TILLER

	engine HECHT	OHV		working width	110 cm
	displacement	212 cm³		8x3 knives Ø 34 cm	
Nm	max.torque	12 Nm		weight	78 kg
	2 speed, 1 reverse				



Gearbox





Hecht 7970
+ Hecht 000720
+ Hecht 57100
+ Hecht 57101

HECHT 000721
PLOUGH



HECHT 000720
WHEELS 4.00-8“ with slipping pinions



HECHT 000722
IRON WHEEL SET 15“
- 2 pcs
- for use with plough or digger



ACCESSORIES FOR HECHT 7100 / 796 / 7970

HECHT 007116
SINGLE SIDE PLOUGH

Intended for HECHT 7100, 796



HECHT 007115
POTATO DIGGER

Intended for HECHT 7100, 7970 and 796



HECHT 007120
POTATO DIGGER




Intended for HECHT 7100, 7970 and 796

HECHT 007125
DOUBLE SIDE PLOUGH 20-25 cm, working depth ca 10 cm



Intended for HECHT 7100, 7970 and 796

HECHT 007129
BRACKET for mounting accessories



HECHT 007132
DITCHER
Working width 60 cm
Working depth ca 10 cm
Intended for HECHT 7100, 7970 and 796



HECHT 007101
WEIGHTS FOR WHEELS 2 pcs (2× 12 kg)



HECHT 7100

PETROL TILLER

Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52



	engine HECHT	OHV, 4-stroke		working width	104 cm
	displacement	212 cm³		weight	72 kg
Nm	max.torque	12 Nm		6×4 knives Ø 34 cm	
	3 speed forward, 1 reverse				

Gearbox

HECHT 57100

TRAILER FOR HECHT 7100



HECHT 57101

DRAWBAR



	dimensions	130 × 92 × 34 cm		wheels	500 × 12"
	weight	105 kg		max. load	400 kg net. / 475 kg including operator



Slipping pinion on wheels for better turning





HECHT 7100 + 57100 + 57101 + 007112

HECHT 007112

WHEEL 5.00-12" WITH SLIPPING PINION

- 2 pcs
- for use with trailer only (not designed for digging etc.)



Compatible with model from production year 2020

HECHT 007104

IRON WHEEL SET 14"

- 2 pcs
- for use with plough or digger



Compatible with model from production year 2020

www.hecht.cz

ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 608
ELECTRIC HEDGE TRIMMER

ONLY 1,9 KG!



electric	230 V/50 Hz	bar length	50 cm
power intput	520 W	bar working length	45 cm
max. cutting diameter	20 mm	hmotnost	1,9 kg

HECHT 655
ELECTRIC HEDGE TRIMMER



LASER CUT BLADE

electric	230 V/50 Hz	bar length	62 cm
power intput	600 W	bar working length	55 cm
max. cutting diameter	20 mm	weight	3 kg

HECHT 610
ELECTRIC HEDGE TRIMMER



Rotary handle



LASER CUT BLADE

electric	230 V/50 Hz	bar length	68 cm
power intput	600 W	bar working length	61 cm
max. cutting diameter	24 mm	weight	3,1 kg

HECHT 611
ELECTRIC HEDGE TRIMMER



With collecting bar

Rotary handle



LASER CUT BLADE

electric	230 V/50 Hz	bar length	68 cm
power intput	750 W	bar working length	61 cm
max. cutting diameter	24 mm	weight	4 kg

HECHT 6020
ACCU HEDGE TRIMMER

ACCU program 6020 — Li-ion Powered



LASER CUT BLADE

Accu Li-ion	DC 20 V / 1x 2,5 Ah	bar length	61 cm
max. cutting diameter	15 mm	bar working length	45 cm
battery and charger not included		weight	2 kg

HECHT 6022
ACCU HEDGE TRIMMER

ACCU program 1278 — Li-ion Powered

LASER CUT BLADE

Rotary handle



Battery and charger not included

Available from 4/23

Accu Li-ion	DC 20 V / 1x 2/4/6 Ah	bar length	58 cm
max. cutting diameter	15 mm	bar working length	51 cm
no load working time	65 min*	weight	3 kg

*** Maximum working time without load with 2 Ah battery.**

ACCU AND PETROL HEDGE TRIMMERS

HECHT 6040
ACCU HEDGE TRIMMER

ACCU program 5040

LASER CUT BLADE



Li-ion Powered


	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	76 cm
	max. cutting diameter	20 mm		bar working length	55 cm
	battery and charger not included			weight	4,3 kg

HECHT 6225
ACCU HEDGE TRIMMER

ACCU program 6020

Rotary handle

2× 20 V



Working time ≤ 50 min

LASER CUT BLADE

Li-ion Powered

	Accu Li-Ion	DC 20 V		max. cutting diameter	24 mm
	Li-Ion	2× 2,5 Ah		bar working length	55 cm
	battery and charger not included				



HECHT 9245
PETROL HEDGE TRIMMER

Rotary handle



LASER CUT BLADE

	engine volume	25,4 cm³		bar length	70 cm
HP	power output	1 HP		bar working length	60 cm
	max. cutting diameter	22 mm		weight	5,4 kg



HECHT 9275 PROFI
PETROL HEDGE TRIMMER

Rotary handle



LASER CUT BLADE

	engine volume	22,2 cm³		bar length	75 cm
HP	power output	1 HP		bar working length	69 cm
	max. cutting diameter	28 mm		weight	5,4 kg





www.hecht.cz

ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 9520
PRUNNING SAW

HECHT 9620
TELESCOPIC POLE





Carrying belt

ACCU program 1278

Li-ion Powered

accumulator	Li-ion	bar length - saw	20 cm
accu article (V)	DC 20 V / 1x 2/4/6 Ah	pole length	115- 155 cm
weight	4,2 kg	working time - saw	30 min*

HECHT 6025
ACCU TELESCOPIC HEDGE TRIMMER

ACCU program 6020



LASER CUT BLADE

Li-ion Powered

	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 20 V / 1x 2 Ah		bar working length	45 cm
	max. cutting diameter	15 mm		weight	3,5 kg
	battery and charger not included			machine length	2–2,5 m

HECHT 6504
ACCU HEDGE TRIMMER

Li-ion Powered



ACCU program 5040

Battery and charger not included

	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 40 V / 1x 2,5/4/5 Ah		weight	4,5 kg
	max. cutting diameter	20 mm		machine length	1,9–2,4 m

*** Maximum working time without load with 2 Ah battery.**

ACCU AND ELECTRIC HEDGE TRIMMERS

HECHT 1441
ACCU HEDGE TRIMMER




	Optional accessories		Optional accessories
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight without accessories	3,95 kg
	working width grass trimmer working width tiller	25,4 cm 25 cm		bar length saw bar length hedgetrimmer	25 cm 40,5 cm
	battery and charger not included			machine length 1,9–2,4 m	


HECHT 695
ELECTRIC HEDGE TRIMMER

LASER CUT BLADE




	electric	230 V/50 Hz		bar length	41 cm
	power intput	900 W		weight	4,9 kg
	max. cutting diameter	20 mm		machine length	2,64 m

HECHT 675
ELECTRIC TELESCOPIC HEDGE TRIMMER



	electric	230 V/50 Hz		bar length	59 cm
	power input	750 W		bar working length	51 cm
	max. cutting diameter	24 mm		weight	5 kg
	machine length 2,35–2,8 m				

HECHT 690 3in1
ELECTRIC HEDGE TRIMMER



	electric	230 V/50 Hz		bar length saw	23 cm
	power input	900 W		bar length hedgetrimmer	41 cm
	weight	2,5 kg		working width hedgetrimmer	36 cm

www.hecht.cz

ACCU AND ELECTRIC PRUNNING SAWS, ACCESSORIES

HECHT 971 W
ELECTRIC PRUNNING SAW



	electric	230 V/ 50 Hz		bar length	30 cm
	power intput	750 W		weight *	3,2 kg
	machine length	2–2,8 m			

HECHT 9025
ACCU PRUNNING SAW

Li-ion Powered

ACCU program 6020



Bar + chain OREGON

	Accu Li-ion	DC 20 V/ 1x 2,5 Ah		bar length	20 cm
	machine length	2–2,5 m		weight *	3,5 kg
	battery and charger not included				

HECHT 9504
ACCU PRUNNING SAW

Li-ion Powered

ACCU program 5040



Bar + chain OREGON

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight	4,4 kg
	bar length	20 cm		machine length	2,3–2,8 m
	battery and charger not included				

ACCESSORIES

HECHT 900101
FACE SHIELD




HECHT 900100
SAFETY HELMET WITH FACE SHIELD AND EAR PROTECTION



HECHT 9260
PETROL PRUNNING SAW





	engine volume	26 cm³		bar length	34 cm
HP	power output	1 HP		weight *	8,5 kg
	machine length	2,96–4,27 m			

HECHT 1000R
ENGINE TACHOMETER



LCD display, induction cable, battery, loop for hanging

Measuring range /min⁻¹	Engine type	
	Stroke	Cylinder
100~19000	2	1
	4	2
100~9500	2	2
	4	4

HECHT 900106
SAFETY GOGGLES



HECHT 900402
TIMBER WEDGE 8“

Blister



* Net weight of chainsaws is without guide bar and saw chain

ELECTRIC AND ACCU CHAINSAWS

HECHT 2039

ELECTRIC CHAINSAW

Sprocket teeth detail





	electric	230 V/50 Hz		bar length	35 cm
	power input	2200 W		chain type	33E52E
	weight *	4,2 kg		chain speed	13,5 m/s

HECHT 2250

ELECTRIC CHAINSAW

Sprocket teeth detail



Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5,6 kg		chain speed	14 m/s
	soft start	✓			

Bar + chain OREGON

HECHT 2416 QT

ELECTRIC CHAINSAW

Sprocket teeth detail





Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	4,7 kg		chain speed	14 m/s
	soft start	✓		quick chain tension system	✓

Bar + chain OREGON

HECHT 2439

ELECTRIC CHAINSAW

Sprocket teeth detail



Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5 kg		chain speed	13,5 m/s
	soft start	✓		quick chain-tension system	✓

ACCU program 1278

Li-ion Powered

HECHT 9922

ACCU CHAIN SAW



Working time ≤ 20 min.**

Available from 2/23

NEW

	accu Li-ion	DC 20 V / 1× 2/4/6 Ah		bar length	11 cm
	weight *	1,33 kg		chain type	14E32E
	battery and charger not included			chain speed	5 m/s

ACCU program 1278

Li-ion Powered

HECHT 9920

ACCU CHAIN SAW



Working time ≤ 13 min.**

Quick chain tension system

Bar + chain OREGON

NEW

	accu Li-ion	DC 20 V / 1× 2/4/6 Ah		bar length	25 cm
	weight *	3,14 kg		chain type	33E40E
	battery and charger not included			chain speed	6 m/s

www.hecht.cz

* Net weight of chainsaws is without guide bar and saw chain. ** Maximum working time without load with 2 Ah battery.

ACCU AND PETROL CHAINSAWS

HECHT 920
ACCU CHAIN SAW

ACCU program 6020 · Li-ion Powered

Bar + chain OREGON

Working time ≤ 15 min.

Quick chain tension system



accu Li-ion	DC 20 V / 1× 2,5 Ah	bar length	25,4 cm
weight *	2,8 kg	chain type	31E40E
battery and charger not included		chain speed	5,5 m/s

HECHT 9936
ACCU CHAINSAW

ACCU program 5040 · Li-ion Powered

Quick chain tension system

Bar + chain OREGON

Working time ≤ 50 min.

TOP VIEW



accu Li-ion	DC 40 V / 1× 2,5/4/5 Ah	bar length	35 cm
weight *	3,9 kg	chain type	31E52E
battery and charger not included		chain speed	8,5 m/s

HECHT 9925
ACCU CHAINSAW

ACCU program 6020 · Li-ion Powered

Quick chain tension system

Bar + chain OREGON

Working time ≤ 20 min.

TOP VIEW



2× 20 V

accu Li-ion	DC 20 V	bar length	30 cm
Li-Ion	2× 2,5 Ah	max. chain speed	12 m/s
battery and charger not included		auto oiling, quick chain tension system, metal spike	

HECHT 9940
ACCU CHAINSAW

ACCU program 5040 · Li-ion Powered

Bar + chain OREGON

Working time ≤ 40 min.

TOP VIEW

Quick chain tension system



accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah	bar length	35 cm
weight *	5,5 kg	chain type	33E52E
battery and charger not included		chain speed	9 m/s

HECHT 6294
ACCU CHAINSAW

ACCU program 6260 · Li-ion Powered



Available from 2/23

NEW

accu Li-ion	DC 62 V / 1× 2,5 / 4 Ah	bar length	41 cm / 16"
weight *	4,3 kg	chain type	33E40E
battery and charger not included		chain speed	6 m/s

HECHT 925 R
PETROL CHAINSAW



hanger for belt



engine volume	25,4 cm³	bar length	30 cm / 12"
power output	1 HP	chain type	33E44E
weight *	2,9 kg	chain speed	12 m/s

* Net weight of chainsaws is without guide bar and saw chain

PETROL CHAINSAWS

HECHT 941
PETROL CHAINSAW




Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	40 cm³	bar length	35 cm
power output	1,8 HP	chain type	33E53E
weight *	4,7 kg	chain speed	22,8 m/s

HECHT 45
PETROL CHAINSAW




Aluminium carters

engine volume	45 cm³	bar length	40 cm
power output	2,7 HP	chain type	25Q66E
weight *	5,4 kg	chain speed	23,1 m/s

HECHT 50
PETROL CHAINSAW

Aluminium carters



HECHT 50 BOX
PETROL CHAIN SAW HECHT 50 WITH TRANSPORT BOX

engine volume	50 cm³	bar length	40 cm
power output	2,9 HP	chain type	25Q66E
weight *	4,9 kg	chain speed	20,8 m/s

HECHT 56
PETROL CHAINSAW



engine volume	56,5 cm³	bar length	40 cm
power output	2,95 HP	chain type	25Q66E
weight *	5,72 kg	chain speed	21,8 m/s

HECHT 945
PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	45 cm³	bar length	40 cm
power output	2,4 HP	chain type	25Q66E
weight *	5,6 kg	chain speed	23 m/s

HECHT 950
PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	50 cm³	bar length	40 cm
power output	3 HP	chain type	25Q66E
weight *	5,6 kg	chain speed	23 m/s

www.hecht.cz

* Net weight of chainsaws is without guide bar and saw chain

HECHT 956

PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	56 cm³	bar length	40 cm
power output	3,2 HP	chain type	25Q66E
weight *	5,6 kg	chain speed	23 m/s

HECHT 958

PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	58 cm³	bar length	39 cm
power output	3,3 HP	chain type	25Q66E
weight *	6 kg	chain speed	28,2 m/s

HECHT 962

PETROL CHAINSAW



Decompressor



Carburetor WALBRO
Chain OREGON

Aluminium carters


engine volume	62 cm³	bar length	45 cm
power output	4 HP	chain type	73E68E
weight *	6,3 kg	chain speed	24,4 m/s

HECHT 9588

PETROL CUT-OFF CHAIN SAW



Carrying case included



Spare saw blade
nr.: 958800134

engine volume	54 cm³	Ø	blade diameter	305 mm
power output	3,4 HP		weight	9,8 kg



* Net weight of chainsaws is without guide bar and saw chain

The original chains HECHT for chainsaws

THE ORIGINAL BARS HECHT FOR CHAINSAWS

BAR	CHAINSAW
14" 3/8" 1,3 mm **14D38R135**	HECHT 939 from 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940, 2039
16" 325" 1,5 mm **16D325R155**	HECHT 45, 50, 56, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958
16" 3/8" 1,3 mm **16D38R135**	HECHT 2239, 2250, 2416 QT, 2439, 939 do 2013
12" 3/8" 1,3 mm **12D38R135**	HECHT 26, 927, 927 R, 928 R, 929, 929 R

73E25R Roll

3/8 – 1,5 mm, 410 links, 7,6 m

25Q100R Roll Available from 2/23

0,325 – 1,5 mm, 1840 links, 30,5 m

75E25R Roll

3,8 – 1,6 mm, 409 links, 7,6 m

33E100R Roll Available from 2/23

3/8 micro – 1,3 mm, 1640 links, 30,5 m

95Q100R Roll

0,325–1,3 mm, 1840 links, 30,5 m

THE ORIGINAL CHAINS HECHT — COMPLIANCE WITH MODELS FROM OTHER MANUFACTURERS

Chain	Bar lenght	Pitch	Guide link width	Links number	Mountfield, Riwall, Fieldmann, Makita, Narex
25Q66E	16" / 39 cm	0,325	1,5 mm	66	Oleo-mac GS 520, 942/46/47, 952/56
33E57E	16" / 40 cm	3/8"	1,3 mm	57	Levita 180EP, Levita 160ES, Patriot 200ES, Patriot BP 41, FZP 4216-B / 5016-B EPR 40-23, EPR 40-25
33E52E	14" / 35 cm	3/8"	1,3 mm	52	Levita 180EP, Levita 160ES, Patrit 200ES ,FZP 2105-E / 2000/2001/2002/2020 E, UC3551AX1, EPR 35-25
33E44E	12" / 30 cm	3/8"	1,3 mm	44	Riwall RPCS 2530, 2630
33E53E	14" / 35 cm	3/8"	1,3 mm	53	Patriot BP 41, Oleo-mac GSH 400, EPR 35-23, EPR 35-25 HS
33E56E	16" / 40 cm	3/8"	1,3 mm	56	Riwall RECS 1840 / 2040 / 2340 / 2440/2440e, FZP 2005-E, UC4051AX1
25Q64E	16" / 40 cm	0,325	1,5 mm	64	Riwall RPCS 5040/5140, FZP 5816-B/ 5216-B / 3001/4516/4001/ 3714 B
25Q72E	18" / 45 cm	0,325	1,5 mm	72	Riwall RPCS 5545
31E52E	14" / 35 cm	3/8"	1,1 mm	52	UC3541A

ORIGINAL CHAINS TO HECHT CHAINSAWS


CHAIN	CHAINSAW	
14E32E	HECHT 9922, 99123	
25Q66E	HECHT 946 T, 945, 950, 44, 45, 46, 50, 51, 56, 944, 956	
33E40E	HECHT 927 (do 2015), 9920, 6294	
31E52E	HECHT 9936	
33E45E	HECHT 936	
31E40E	HECHT 920	
31E45E	HECHT 9925	
33E39E	HECHT 1331	
33E57E	HECHT 1840, 2040, 2040 QT, 2048, 2440, 2240 QT, 2416 QT, 2439, 2250	
33E56E	HECHT 2216	
25Q72E	HECHT 956	
33E44E	HECHT 927 R, 928 R, 929, 927, 9260	
25Q66E	HECHT 947, 950, 956, 951, 957	
33E33E	HECHT 975 W, 955 W, 976 W, 9504	
33E53E	HECHT 1835, 1836, 3518, 941, 2014, 2015, 939 S, 939	
33E52E	HECHT 2035, 2036, 2037, 9940, 2039	
25Q64E	WARIOR 645, RAPTOR 243	
73E64E	HECHT 962	řetězová lišta Oregon 45 cm
HECHT48Y72E Available from 3/23		řetězová lišta Oregon 50 cm
73E68E		řetězová lišta Hecht 45 cm





HECHT 900407
CARBURATOR ADJUSTER SET

Blister





HECHT 000040
CHAINSAW FILE 4 MM

3 pcs

HECHT 000048
CHAINSAW FILE 4,8 MM

3 pcs

HECHT 900051
CHAINSAW FILE 5,5 MM

3 pcs

HECHT 903400
CHAIN SAW SHARPENING KIT
Files 4 mm

HECHT 903480
CHAIN SAW SHARPENING KIT
Files 4,8 mm

HECHT 004048
CHAIN SAW SHARPENING KIT
Files 4 mm, 4,8 mm, 5,5 mm





www.hecht.cz

CHAIN SHARPENERS, ACCESSORIES

HECHT 9
CHAIN SHARPENER

SPARE GRINDING WHEELS
H928 (3,2 × 100 × 10)
H928A (4,5 × 100 × 10)




3,2 × 100 mm grinding wheel included

	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W	Ø	disc diameter	100 mm

HECHT 9230
CHAIN SHARPENER

SPARE GRINDING WHEELS
9230A0007 (145 × 3,2 × 22,3)
9230B0007 (145 × 4,7 × 22,3)
9230C0007 (145 × 6 × 22,3)

Positionable





145 × 22,3 × 3,2 mm grinding wheel included

	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W	Ø	disc diameter	145 mm

HECHT 002850
START ROPE Ø 2,8 mm, 50 m, material PE

HECHT 003450
START ROPE Ø 3,4 mm, 50 m, material PE

HECHT 003850
START ROPE Ø 3,8 mm, 50 m, material PE

HECHT 000550
START ROPE Ø 5 mm, 50 m, material PE



Spool

HECHT 900009
SAW CHAINS SHARPENING TOOL, file 4 mm included



HECHT 900450
TRANSPORT PAD FOR CHAINSAW



HECHT 000045
GREASE GUN FOR CHAINSAW CHAINS

Grease filling included



HECHT 900404
FILING STUMP VISE



HECHT A958P
SPARK PLUG FOR 2-STROKE ENGINES

thread length 9,5 mm, M14×1,25, key 19 mm



HECHT A969P
SPARK PLUG FOR 4-STROKE ENGINES

thread length 19 mm, M14×1,25, key 21 mm



AXES, PICK AXE, HAMMER

HECHT 900600
UNIVERSAL AXE
Length 30 cm,
Weight 920 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000
UNIVERSAL AXE
Length 40 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500
UNIVERSAL AXE
Length 55 cm
Weight 1500 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900444
UNIVERSAL AXE
Length 35 cm
Weight 650 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900700
UNIVERSAL AXE
Length 44 cm
Weight 910 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570
TEFLON COATED BLADE

UNIVERSAL AXE
Length 35 cm
Weight 570 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950
TEFLON COATED BLADE

SPLITTING AXE
Length 44 cm
Weight 950 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550
TEFLON COATED BLADE

SPLITTING AXE
Length 70 cm
Weight 1550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS



HECHT 909100
PICK AXE
Length 91 cm



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 909200
HAMMER
Length 90,5 cm, weight 4000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

NEW

HECHT 900680
UNIVERSAL AXE
Length 38 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001
SPLITTING AXE
Length 40 cm
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201
SPLITTING AXE
Length 55 cm
Weight 1200 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000
SPLITTING AXE
Length 63 cm
Weight 2000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900800
UNIVERSAL AXE
Length 59 cm
Weight 1130 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

TEFLON COATED BLADE

HECHT 900901
UNIVERSAL AXE
Length 44 cm
Weight 900 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 901170
SPLITTING AXE
Length 59 cm
Weight 1170 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 902550
SPLITTING AXE
Length 80 cm
Weight 2550 g*




Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 908500
SPLITTING AXE
Length 85 cm
Weight 2700 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600
SPLITTING AXE
Length 91 cm
Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

www.hecht.cz

* Axes are weighted as a splitting wedge without handle.

LOG SAWS, WEDGE SPLITTERS

HECHT 8220
ROCKER SAW



	electric	230 V/50 Hz		max. log diameter	135 mm
	power input	2200 W		weight	35 kg
	saw blade	ø 405 mm		noise level	106 dB

HECHT 8300
LOG SAW



	electric	230 V/50 Hz		max. log diameter	170 mm
	power input	3000 W		weight	56,6 kg
	saw blade	ø 505 mm		noise level	93 dB

HECHT 850
LOG SAW



	electric	400 V/50 Hz		max. log diameter	250 mm
	power input	5000 W		weight	88 kg
	saw blade	ø 700 mm		noise level	115 dB


HECHT 890
PETROL LOG SAW




Available from 2/23

	engine volume	389 cm³		max. log diameter	230 mm
	power output	10,5 HP		weight	133 kg
	saw blade	ø 700 mm		noise level	106 dB

HECHT 6700
WEDGE SPLITTER



Part no.: HECHT 000650



Available from 2/23

	electric	230 V/50 Hz		log length	100-370 mm
	power input	1500 W		log diameter	50-250 mm
	max. pressure	4 t		weight	54 kg

HECHT 000651
Stand for HECHT 6500



HECHT 6500
WEDGE SPLITTER



Part no.: HECHT 000650



	electric	230 V/50 Hz		log length	100-520 mm
	power input	2200 W		log diameter	50-250 mm
	max. pressure	5 t		weight	50 kg

WEDGE SPLITTERS

HECHT 000670

STAND FOR HECHT 670



HECHT 670

WEDGE SPLITTER




Part no.: HECHT 000671



	electric	230 V/50 Hz	max	log length	100-520 mm
W	power input	2000 W	max	log diameter	50-250 mm
	max. pressure	7 t		weight	41 kg

HECHT 676

WEDGE SPLITTER





Part no.: HECHT 000671

	electric	230 V/50 Hz	max	log length	100-520 mm
W	power input	2000 W	max	log diameter	50-250 mm
	max. pressure	7 t		weight	48 kg

HECHT 6060

WEDGE SPLITTER



Part no.: HECHT 006060



Available from 2/23

	electric	230 V/50 Hz	max	log length	100-550 mm
W	power input	2200 W	max	log diameter	70-400 mm
	max. pressure	6 t		weight	105 kg
	piston stroke	480 mm			

HECHT 6070

WEDGE SPLITTER



Part no.: HECHT 006070



	electric	230 V/50 Hz	max	log length	100-550 mm
W	power input	3000 W	max	log diameter	80-300 mm
	max. pressure	7 t		weight	98 kg
	piston stroke	495 mm			

HECHT 6810

WEDGE SPLITTER



Part no.: HECHT 000681



Available from 2/23

	electric	230 V/50 Hz	max	log length	100-550 mm
W	power input	3000 W	max	log diameter	80-400 mm
	max. pressure	8 t		weight	112 kg
	piston stroke	495 mm			

HECHT 6110

WEDGE SPLITTER

Auxiliary arm for lifting the log



	electric	230 V/50 Hz	max	log length	100-700 mm
W	power input	3000 W	max	log diameter	80-300 mm
	max. pressure	10 t		weight	98 kg
	piston stroke	628 mm			

www.hecht.cz

WEDGE SPLITTERS, LOG HORSES

HECHT 6121
WEDGE SPLITTER

Auxiliary arm for lifting the log



	electric	230 V/50 Hz	max	log length	100-700 mm
	power input	3000 W	max	log diameter	80-350 mm
	max. pressure	12 t		weight	98 kg
	piston stroke	628 mm			

HECHT 6160
WEDGE SPLITTER

Auxiliary arm for lifting the log



	electric	400 V/50 Hz	max	log length	100-1000 mm
	power input	4000 W	max	log diameter	80-400 mm
	max. pressure	16 t		weight	180 kg
	piston stroke	923 mm			

HECHT 6422
PETROL WEDGE SPLITTER

BRIGGS&STRATTON

4-STROKE

VARIO SYSTEM *

Wheels 16“ without brake



	engine B&S	XR950	max	log length	100-610 mm
	displacement	208 cm³	max	log diameter	80-350 mm
Nm	max. torque	12,88 Nm		weight	246 kg
	max. pressure	22 t			

HECHT 900
LOG CUTTING STAND

Model 2023 Available from 2/23



max	log diameter	25–300 mm
	weight	8 kg
	dimensions	80 x 72 x 85 cm

HECHT 901
LOG SAW HORSE

max	log diameter	25–230 mm
	dimensions	120 × 37 × 95 cm
	weight	12 kg


Not intended for UK, D, FR, IT, A, CH





HECHT 902
LOG HORSE WITH CHAINSAW HOLDER

(The saw is not included)





max	log diameter	25–230 mm
max	max. log length	180 cm
	max. load	120 kg

* The splitter is equipped with an integrated system, which helps to set any working path of the piston, according to the length of the log. The system effectively shortens the piston path and thus speeds up the splitting cycle.

ELECTRIC SHREDDERS

HECHT 624
KNIVES SHREDDER

Shredded branches



Including ca. 50 l bag

Turbo engine



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	3,8 cm
	power input	2400 W		weight	11 kg
	electric overload protection	✓			

HECHT 624 BOX
KNIVES SHREDDER

Shredded branches



Box ca. 50 l



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2500 W		weight	14 kg
	electric overload protection	✓		collecting box	cca 50 l

HECHT 626 Silent
CYLINDER SHREDDER

Shredded branches



Induction carbon engine



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2600 W		automatic branch pulling	✓
	electric overload protection	✓		engine brake	✓
	shredding by crushing roller (very silent)	✓		weight	23,5 kg

HECHT 6284 XL
KNIVES SHREDDER

Shredded branches



Box ca. 60 l

Induction carbon engine



	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection	✓		weight	25 kg

HECHT 6285 XL Silent
CYLINDER SHREDDER

Shredded branches



Box ca. 60 l

Turbo engine



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Automatic branching

	electric	230 V/50 Hz		cut branches up to	4,4 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection	✓		collecting box	cca 60 l
	shredding by crushing roller (very silent)	✓		weight	14 kg

HECHT 6280 XL Silent
CYLINDER SHREDDER

Shredded branches



Box ca. 55 l

Induction carbon engine



	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection			weight	27 kg
	shredding by crushing roller (very silent)			collecting box	cca 55 l

www.hecht.cz

HECHT 6173

KNIVES SHREDDER

Shredded branches



Box ca. 30 l



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	displacement	173 cm³		collecting box	cca 30 l
Nm	max. torque	9 Nm	max	cut branches up to	3,6 cm
	weight	45 kg			

HECHT 6208

PETROL SHREDDER

Automatic branching



Max. torque 13,5 Nm

	displacement	208 cm³	max	cut branches up to	7 cm
Nm	max. torque	13,5 Nm		weight	56 kg
				wheels	8,7"

HECHT 6421

PETROL SHREDDER

Towing rod

Crushing toothed knives





Max. torque 26,5 Nm

	displacement	389 cm³	max	cut branches up to	8,9 cm
Nm	max. torque	26,5 Nm	auto	automatic branch pulling	
	weight	100 kg		wheels	12"

SHREDDING KNIVES

HECHT 6642

PETROL SHREDDER

EASY ELECTRIC START - JUST TURN THE KEY -



Towing rod 2"

Max. torque 28 Nm

	displacement	420 cm³	max	cut branches up to	10 cm
Nm	max. torque	28 Nm		weight	180 kg
				wheels	16"



ACCU program 6020

Li-ion Powered

HECHT 9250

ACCU BLOWER



	accu Li-ion	DC 20 V		air velocity	162 km/h
	weight	1,9 kg		air volume	7,5 m³/min
	battery and charger not included				

EXPLANATION: ball bearings in all wheels

ACCU, ELECTRIC AND PETROL LEAF VACS / BLOWERS

HECHT 9440

ACCU LEAF VAC / BLOWER

Li-ion Powered



	Li-ion	DC 40 V / 1x 2,5/4/5 Ah		air volume blower	4,2 m³/min
	weight blower	2,14 kg		air volume vacuum cleaner	6 m³/min
	weight vacuum cleaner	2,88 kg		battery and charger not included	

HECHT 6290

ACCU BLOWER

Li-ion Powered

ACCU program 6260



NEW

	Li-ion	DC 62 V / 1× 2,5 / 4 Ah		air volume	18,5 m³/min
	weight	2 kg		air velocity	55 m/s
	no-load speed	28000 min⁻¹		battery and charger not included	

HECHT 3000

LEAF VAC / BLOWER

2 IN 1



	electric	230 V/50 Hz		air velocity	275 km/h
	power input	3000 W		air volume	13 m³/min
	weight	4,4 kg		collecting bag	45 l

HECHT 3003

LEAF VAC / BLOWER



Air flow speed control



Metal blade



Rakes



2 IN 1

	electric	230 V/50 Hz		air velocity	270 km/h
	power input	3300 W		air volume	12,6 m³/min
	weight	2,8 kg		collecting bag	45 l

HECHT 3303

2 IN 1

LEAF VAC / BLOWER



Air flow speed control

BLOWER



LEAF VAC

	electric	230 V/50 Hz		air velocity	280 km/h
	power input	3000 W		air volume	13,8 m³/min
	weight	4,1 kg		collecting bag	45 l

HECHT 9254

PETROL LEAF VAC / BLOWER



2–stroke engine

	engine volume	25,4 cm³		air velocity	245 km/h
HP	power output	1 HP		air volume	6 m³/min
	weight without accessory	5,8 kg		collecting bag	37 l

www.hecht.cz

PETROL LEAF VACS / BLOWERS

HECHT 9280
LEAF VAC / BLOWER



2–stroke engine

	engine volume	28 cm³		air velocity	252 km/h
HP	power output	1 HP		air volume	12 m³/min
	weight without accessory	4,5 kg		collecting bag	40 l

adjustment of engine power

HECHT 952
PETROL BLOWER



2–stroke engine

	engine volume	52 cm³	air velocity	275 km/h
HP	power output	1,9 HP	air volume	14,4 m³/min
	weight	8,3 kg		

4-stroke

HECHT 976 4T
PETROL BLOWER



4–stroke engine

	engine volume	76 cm³	air velocity	309 km/h
HP	power output	3 HP	air volume	19,2 m³/min
	weight	13 kg		

HECHT 972 PROFI
PETROL BLOWER



2–stroke engine

	engine volume	79,4 cm³	air velocity	378 km/h
HP	power output	4,6 HP	air volume	24 m³/min
	weight	11 kg	adjustment of engine power	

HECHT 8514
PETROL CLEANER / BLOWER



HECHT 008514
SWEEPING ROLLER FOR HECHT 8514 (NOT INCLUDED)



4–stroke engine

	engine volume	173 cm³	air velocity	270 km/h
	max. torque	9,9 Nm	air volume	18 m³/min
	weight	46,6 kg	height adjustment	15-50 mm
	drive, 1 gear forward		collecting box	135 l

HECHT 8574 PROFI
PETROL CLEANER / SHREDDER



4–stroke engine

	engine volume	196 cm³	cut branches up to	5 cm
	max. torque	13 Nm	collecting box	120 l
	weight	96 kg	2 gears forward, 2 gears reverse	

ACCU PROGRAMS

ALL ON ONE BATTERY
ACCU 62 V
ACCU 40 V
ACCU 20 V
ACCU 1278



NEW

ACCU PROGRAM 62 V

HECHT 6246 S
LAWN MOWER



More info
on page 17

HECHT 6251 S
LAWN MOWER



More info
on page 17

5in1

5 products
with 1 battery
and charger

BATTERY
006225B
DC 62 V, 2,5 Ah



BATTERY
006240B
DC 62 V, 4 Ah



BATTERY CHARGER
006260



ECO FRIENDLY

ACCU program 6260

Li-ion Powered

HECHT 6210
BRUSHCUTTER



More info
on page 61

HECHT 6294
CHAINSAW



More info
on page 37

HECHT 6290
BLOWER



More info
on page 48

All products from this accu program are delivered without charger and battery.

ACCU PROGRAM 40 V

HECHT 5034
LAWN MOWER



More info on page 15

HECHT 5038
LAWN MOWER



More info on page 15

HECHT 5041
LAWN MOWER



More info on page 16

HECHT 5043
LAWN MOWER



More info on page 15

HECHT 5045 S
LAWN MOWER



More info on page 16

24in1

24 products with 1 battery and charger

Li-ion Powered

BATTERY HECHT
005025B
DC 40 V, 2,5 Ah



BATTERY HECHT
005040B
DC 40 V, 4 Ah

BATTERY HECHT
005050B
DC 40 V, 5 Ah

HECHT 1384
2 in 1
LAWN AERATOR



More info on page 24

HECHT 6040
HEDGE TRIMMER

More info on page 32

Laser cut blade



HECHT 9040
SNOW THROWER



More info on page 65

HECHT 9440
VAC / BLOWER



More info on page 48

2 IN 1

www.hecht.cz

All products from this accu program are delivered without charger and battery.

ACCU PROGRAM 40 V

HECHT 5041 S
LAWN MOWER



More info on page 16

HECHT 5046 S 5in1
LAWN MOWER

Mulching kit included



Alternative side ejection

More info on page 16

HECHT 5051 S 5in1
LAWN MOWER

Mulching kit included



Alternative side ejection

More info on page 16

ECO FRIENDLY

HECHT 9415
KNAPSACK SPRAYER



More info on page 73

HECHT 9504
POLE PRUNER

Bar + chain OREGON



More info on page 35

ACCU program 5040

CHARGER
HECHT 005046



HECHT 6504
HEDGE TRIMMER



More info on page 33

HECHT 1040
GRASS TRIMMER



More info on page 60

HECHT 1440
BRUSH CUTTER



More info on page 60

ECO FRIENDLY

HECHT 1441
MULTIFUNCTION BRUSHCUTTER



More info on page 34

HECHT 9936
CHAIN SAW

More info on page 37



Quick chain tension system

Bar + chain OREGON

HECHT 9940
CHAIN SAW

More info on page 37



Quick chain tension system

Bar + chain OREGON

	Optional accessories		Optional accessories
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

* Net weight of grass trimmers and brush cutters is without cutting cover, tools and battery.

ACCU program 6020

ECO FRIENDLY

13in1

(13 products with 1 battery and charger)

HECHT 5025
LAWN MOWER



Slot for 2 batteries


Working time ≤ 20 min

PUSHED

	accu Li-Ion	DC 20 V		height adjustment	25–65 mm
	Li-Ion	2× 2,5 Ah		chassis	plastic
	working width	32 cm		collecting box	26 l
	wheels (front/rear)	5,5/6"		central adjustment of cutting height	

HECHT 6025
HEDGE TRIMMER

Working time ≤ 20 min



	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	50 cm
max	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			

HECHT 9025
POLE PRUNER

Bar + chain OREGON

Working time ≤ 20 min



	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	20 cm
	length	2–2,5 m		weight	3,5 kg

ACCU program 6020



BATTERY 000625B
DC 20 V, 2,5 Ah

Charging time approx. 2 h

HECHT 3025
HIGH-PRESSURE WASHER

Working time ≤ 20 min



	Accu Li-ion	DC 20 V / 1× 2,5 Ah	max	max. pressure	22 bar
max	max. delivery volume	180 l/h		weight	1,3 kg

Selfsuction hose included

HECHT 9250
BLOWER



Working time ≤ 10 min

	accumulator	Lithium--ion		air velocity	162 km/h
	accu article (V)	DC 20 V / 1× 2,5 Ah		air volume	7,5 m³/ min
	weight	1,9 kg			

HECHT 3425
HIGH-PRESSURE WASHER

Working time ≤ 20 min

Slot for 2 batteries

4m SELFSUCTION HOSE INCLUDED

2× 20 V




	Accu Li-ion	2× DC 20 V	max	max. pressure	40 bar
max	max. delivery volume	240 l/h		weight	3,5 kg

www.hecht.cz

All products from this accu program are delivered without charger and battery.

ACCU PROGRAM 20 V

HECHT 5020
GRASS TRIMMER



Working time ≤ 20 min

Accu Li-ion	DC 20 V / 1× 2,5 Ah	max	working width	25 cm
working time without load	cca 20 min		weight	2 kg

HECHT 5225
GRASS TRIMMER

2× 20 V

Working time ≤ 30 min



2× 20 V

Accu Li-ion	DC 20 V		Li-Ion	2× 2,5 Ah
working time without load	cca 30 min	max	working width	32 cm

HECHT 7025
TILLER

Working time ≤ 20 min



Accu Li-ion	DC 20 V / 1× 2,5 Ah	max	working width	20 cm
4×4 knives			weight	3,4 kg

CHARGER
000620CH



Li-ion Powered

2 BATTERIES CHARGER
HECHT 000625CH



HECHT 920
CHAIN SAW

Bar + chain OREGON

Working time ≤ 15 min



Quick chain tension system

Accu Li-ion	DC 20 V / 1× 2,5 Ah		bar length	25,4 cm
weight	2,8 kg		chain speed	5,5 m/s
			chain type	31E40E

HECHT 6020
HEDGE TRIMMER

Working time ≤ 50 min



Laser cut blade


Accu Li-ion	DC 20 V / 1× 2,5 Ah		bar length	45 cm
cutting diameter	15 mm		weight	2 kg

HECHT 6225
HEDGE TRIMMER

2× 20 V

Working time ≤ 50 min

Rotary



Laser cut blade

2× 20 V

Accu Li-ion	DC 20 V		cutting diameter	24 mm
Li-Ion	2× 2,5 Ah		bar length	55 cm

HECHT 9925
CHAIN SAW

Working time ≤ 20 min



2× 20 V

Quick chain tension system

2× 20 V

Accu Li-ion	DC 20 V		bar length	30 cm
Li-Ion	2× 2,5 Ah		max. chain speed	12 m/s

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ACCU program 1278

You buy a drill HECHT 1277, HECHT 1278 or HECHT 1289 to have no longer to re-buy batteries for other products.

HECHT 5070
LAWN MOWER

NEW

More info on page 16

Available from 4/23



HECHT 9410
SPRAYER

NEW

Available from 4/23

More info on page 73



HECHT 6022
HEDGE TRIMMER
Available from 4/23

Rotary handle



More info on page 31

Laser cut blade

19in1
(19 products with the same battery)

HECHT 1278



Li-ion Powered

Drills including 2 batteries and quick charger in package

HECHT 9922
CHAIN SAW

More info on page 36



Available from 2/23

HECHT 9920
CHAIN SAW

More info on page 36




HECHT 9520
PRUNNING SAW



More info on page 33

HECHT 9620
TELESCOPIC POLE



HECHT 1435
GRASS TRIMMER

NEW



More info on page 60

Available from 4/23

HECHT 5022
GRASS TRIMMER

More info on page 60



502200033
PLASTIC BLADES 20 PCS

www.hecht.cz

All products from this accu program are delivered without charger and battery (except for HECHT 1277, HECHT 1278 and HECHT 1289).

Compatible with batteries for HECHT 1277, 1278 and HECHT 1289

HECHT 1706
LED LIGHT

More info on page 108



Rotary

HECHT 1670
CIRCULAR SAW

More info on page 105



HECHT 001670
SAW BLADE FOR WOOD
24 teeth, 150×10×1,6 mm



Laser

HECHT 001277BX
SPARE BATTERY 2 AH, 20 V



HECHT 001278BX
SPARE BATTERY 4 AH, 20 V



HECHT 001289BX
SPARE BATTERY 6 AH, 20 V

Available from 4/23



HECHT 1277



HECHT 1289



More info on page 96–97

HECHT 1531
JIGSAW

More info on page 100

Blade quick release guard



HECHT 001277CH
QUICK 3 A SUPERCHARGER



HECHT 001289CH
QUICK 3 A SUPERCHARGER FOR TWO BATTERIES



HECHT 1320
ANGLE GRINDER



More info on page 101

HECHT 1510
RECIPROCATING SAW



More info on page 104

PROFI TOOL

HECHT 1256
IMPACT WRENCH



Long life brushless motor

More info on page 97

HECHT 2090
COMPRESSOR



Digital display



Ideal for inflating tires, bicycles or balls

More info on page 94

HECHT 2190
MULTIFUNCTIONAL COMPRESSOR



More info on page 94

ORIGINAL ACCESSORIES

item number	HECHT 1299	HECHT 1445	HECHT 690	HECHT 124 R	HECHT 126	HECHT 130R	HECHT 134 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330, 1331	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 155	HECHT 150, 163
HECHT 000109		x						x	x	x	x	x	x	x	x	x	
HECHT 000129* EASY-load							x				x	x	x	x	x	x	
HECHT 000130									x	x	x	x	x	x	x	x	
74201080 EASY-load	x																
124R00004				x		x											
16300000H																	x
690002432			x														
600050 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
600040 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
600250 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
600600 ø 250x3,0mm							x				x	x	x	x	x		
600610 ø 300x3,0mm							x				x	x	x	x	x		
600590 ø 255x1,4mm													x	x	x		
600640 ø 255x1,8mm													x	x	x		

*** Available from 2/23**

www.hecht.cz

1. Insert
2. Get through
3. Reel in
4. Complete

EASY-load

Easy load system - really quick string change without using any tools.

Illustrative image

Strings for grass trimmers HECHT

- ● Ø 1,3 x 15 m (10001513)
- ● Ø 1,65 x 15 m (10001516)
- ● Ø 2,0 x 15 m (10001520)
- ● Ø 2,4 x 15 m (10001524)
- ■ Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- ■ Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)



- ● Ø 1,6 x 180 m (10018016)
- ● Ø 2,0 x 130 m (10013020) *
- ● Ø 2,4 x 90 m (10009024) *
- ● Ø 3,0 x 60 m (10006030)
- ■ Ø 2,4 x 60 m (10106024)
- ■ Ø 3,0 x 40 m (10104030) *
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)



- ● Ø 2,4 x 360 m (10036024) *
- ● Ø 3,0 x 240 m (10024030)
- ● Ø 4 x 150 m (10015040) *
- ■ Ø 2,4 x 345 m (10134524) *
- ■ Ø 3,0 x 232 m (10123230)
- ★ Ø 2,4 x 408 m (10240824) *
- ★ Ø 3,0 x 285 m (10228530)





■ square cross strings ● circular cross strings ★ star cross strings ■ square cross strings ● circular cross strings

Strings with core - DUAL POWER

- ● Ø 1,65 x 15 m (10301516) *
- ● Ø 1,65 x 180 m (10318016)
- ● Ø 2 x 15 m (10301520)
- ● Ø 2 x 130 m (10313020)
- ● Ø 2,4 x 15 m (10301524)
- ● Ø 2,4 x 90 m (10309024)
- ● Ø 2,4 x 360 m (10336024)
- ● Ø 3 x 60 m (10306030)
- ■ Ø 3 x 240 m (10324030) *
- ■ Ø 2,4 x 15 m (10401524)
- ■ Ø 2,4 x 60 m (10406024) *
- ■ Ø 2,4 x 345 m (10434524)
- ■ Ø 3 x 15 m (10401530)
- ■ Ø 3 x 40 m (10404030) *
- ■ Ø 3 x 232 m (10423230) *

*** Available from 2/23**



GREASE GX 100 ml

PLASTIC LUBRICANT FOR ANGLE DRIVES 100 ML

Min. order 10 pcs



HECHT 000104

SHOULDER STRAP

PROFI





Adjustable, softened, plastic quick release buckle, metal hanging hook

HECHT 000103

SHOULDER STRAP

PROFI



Adjustable, softened, plastic quick release buckle, metal hanging hook

HECHT 000102

SHOULDER STRAP



Adjustable, metal hanging hook

ACCU AND ELECTRIC WEED SWEEPERS, GRASS TRIMMERS

HECHT 5013
ACCU GRASS SHEAR & HEDGE TRIMMER

2 in 1



Scissors



Hedge




accu Li-ion	DC 3,6 V / 1,3 Ah	weight	0,8 kg *		
working width	7,5/11 cm	charging time	cca 4 h		

HECHT 5036
ACCU GRASS SHEAR & HEDGE TRIMMER

Separable handle



To be used with or without handle, as ACCU shears or hedge trimmer



2 in 1

Scissors



Hedge



Li-ion Samsung	DC 3,6 V / 1,3 Ah	working width	8/11 cm		
charging / working time	4 h / 40 min	weight	1 kg		


HECHT 444
ELECTRIC WEED SWEEPER



Order no. 444000006



Order no. 444000043



Removes weed from pathways, terraces etc



electric	DC 3,6 V / 1,3 Ah	working width	11 cm		
power input	400 W	weight	2,2 kg		

Plastic and wire brush included

For joints



2 pcs – order no. HECHT 0004452

For larger areas



2 pcs – order no. HECHT 000445

HECHT 445
ELECTRIC WEED SWEEPER

Twist grip



2 in 1

Included



Removes weed from pathways, terraces etc




electric	230 V / 50 Hz	working width	19,5 cm		
power input	550 W	weight	2,9 kg		

HECHT 300
GRASS TRIMMER

Semiautomatic string head

CUTTING HEAD
HECHT 003003




electric	230 V / 50 Hz	working width	22 cm		
power input	300 W	weight	1,4 kg		
✓	semiautomatic string head	✓	spare spool	HECHT 003003	

HECHT 530
GRASS TRIMMER

Twist grip

Semiautomatic string head



electric	230 V /50 Hz	working width	30 cm		
power input	550 W	weight	2,6 kg		
✓	semiautomatic string head	✓	spare spool	530000043 (2 pcs)	

Net weight of grass trimmers and brush cutters is without cutting cover and tools.


ELECTRIC & ACCU GRASS TRIMMERS, BRUSHCUTTERS

HECHT 630
GRASS TRIMMER



	electric	230 V / 50 Hz		working width	30 cm
	power input	600 W		weight	2,8 kg
✓	semiautomatic string head		✓	spare spool	000630 (2 pcs)

HECHT 5020
ACCU GRASS TRIMMER



Li-ion Powered
ACCU program 6020

	Accu Li-ion	DC 20 V / 1× 2,5 Ah		working width	25 cm
	working time	cca 20 min		weight with battery	2,2 kg
✓	spare spool 005020 (2 ks)			charging time	cca 120 min

HECHT 5022
ACCU GRASS TRIMMER

502200033
Spare plastic blades 20 ks





Li-ion Powered
ACCU program 1278

	Accu Li-ion	DC 20 V, 1× 2/4/6 Ah		working width	25,4 cm
	tel. handle	110–139 cm		weight	1,9 kg
	charging time	cca 60 min		working time	cca 30 min *

HECHT 1040
ACCU GRASS TRIMMER

Li-ion Powered

Battery and charger not included

ACCU program 5040



	accumulator	Li–ion		working width	28-32 cm
	accu article (V)	DC 40 V 1× 2,5/4/5 Ah		weight	3,8 kg
	working time without load	cca 40 min		charging time	cca 120 min

HECHT 1440
ACCU BRUSHCUTTER

Li-ion Powered

Basic accessories includes: string cutting head and metal blade, shoulder belt

Removable handle



CUTTING HEAD
HECHT 000109

Battery and charger not included

ACCU program 5040

	accumulator	Li–ion Samsung		working width blade / string head	25,4 / 30 cm
	accu article (V)	DC 40 V 1x 2,5/4/5 Ah		charging time	cca 120 min
	weight	5,5 kg		working time without load	40–55 min

HECHT 1435
ACCU BRUSHCUTTER

Li-ion Powered

ACCU program 1278



CUTTING HEAD



CUTTING BLADE



Basic accessories includes: string cutting head and metal blade, shoulder belt

Available from 4/23

NEW

	Accu Li-ion	DC 20+20 V, 2× 2/4/6 Ah		working width blade / string head	25,5 / 35 cm
	charging time	cca 60 min *		working time without load	cca 30 min
	weight	4,3 kg			

www.hecht.cz

Net weight of grass trimmers and brush cutters is without cutting cover and tools. * Maximum working time without load with 2 Ah battery.

HECHT 6210
ACCU GRASS TRIMMER

Li-ion Powered
ACCU program 6260



NEW

ϟ	accumulator	Li–ion	max	working width	35,6 cm
ϟ	accu article (V)	DC 62 V 1× 2,5 / 4 Ah		charging time	≤ 75 min.
	working time without load	50 min *			

HECHT 5225
ACCU GRASS TRIMMER

Li-ion Powered
ACCU program 6020

Battery and charger not included

2×20 V

Separable shaft



ϟ	accumulator	Li–ion	max	working width	32 cm
ϟ	accu article (V)	DC 20 V 2× 2,5 Ah	i	line feeding Tap&Go, 2 speed, aluminium tube and coupler	
	working time without load	cca 30 min *			

HECHT 1445
ELECTRIC BRUSHCUTTER

Separable shaft



Removable handle



CUTTING BLADE
600250



CUTTING HEAD
13602060

ϟ	electric	230 V/50 Hz	max	working width - blade / head	25,4 / 42 cm
W	power input	1400 W		weight	5 kg
✓	removable handle		✓	cutting blade	600250
✓	cutting head	13602060	✓	shoulder belt	

HECHT 126
PETROL GRASS TRIMMER


Crankshaft mounted on both sides

ULTRA LIGHT 3,75 kg





2-stroke



CUTTING HEAD
HECHT 000109

	engine volume	23 cm³		weight	3,75 kg
HP	power output	0,8 HP	max	working width	35 cm
✓	shoulder belt		✓	cutting head	HECHT 000109

HECHT 129 BTS
PETROL BRUSHCUTTER





CUTTING BLADE
600250



CUTTING HEAD
HECHT 000109



2-stroke

ULTRA LIGHT



	engine volume	25,4 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	1 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

HECHT 135 BTS
PETROL BRUSHCUTTER

Separable shaft





2-stroke

HECHT 90001
Universal mixing bottle worth 6,99 USD for free





	engine volume	33 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	1,5 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

* Maximum working time without load with 2 Ah battery.

PETROL BRUSHCUTTERS

HECHT 142 BTS

PETROL BRUSHCUTTER

Separable shaft





CUTTING HEAD
HECHT 000109



HECHT 90001
Universal mixing bottle worth 6,99 USD for free



	engine volume	43 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	2 HP		weight	7,45 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	separable shaft	

HECHT 145

PETROL BRUSHCUTTER



CUTTING HEAD
HECHT 000129

	engine volume	43 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129			

HECHT 152 BTS

PETROL BRUSHCUTTER

Separable shaft







CUTTING HEAD
HECHT 000129

HECHT 90001
Universal mixing bottle worth 6,99 USD for free



	engine volume	52 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	2,2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	removable handle, separable shaft	

HECHT 150

PETROL BRUSHCUTTER



CUTTING HEAD
16300000H

	engine volume	51,7 cm³	max	working width - blade / head	30 / 43 cm
HP	power output	2 HP		weight	10 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

HECHT 154

PETROL BRUSHCUTTER

Carburetor WALBRO

Easy start

Self-locking shaft lock







	engine volume	52 cm³	max	working width	43 cm
HP	power output	2,6 HP		weight	8,7 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	Autochoke	

HECHT 163 PROFI

PETROL BRUSHCUTTER

A robust cleaning brush cutter for demanding applications

3,1 HP



CUTTING HEAD
16300000H





	engine volume	63,3 cm³	max	working width - blade / head	30 / 43 cm
HP	power output	3,1 HP		weight	10,8 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

www.hecht.cz

Net weight of grass trimmers and brush cutters is without cutting cover and tools.

HECHT 1331
MULTIFUNCTION BRUSHCUTTER

4in1



2-stroke

	engine volume	32,7 cm³	saw blade bar length	30 cm
HP	power output	1,5 HP	hedge trimmer bar length	40 cm
	weight without accessories	3,8 kg	working width - blade / head	255 / 430 mm

HECHT 000155
ADDITIONAL SWEEPING ROLLER for HECHT 155

(not included)





Rotary base 45°

HECHT 155
PETROL BRUSHCUTTER

Fixed shaft mounting - no stress on the motor silentblock (better vibration suspension for the operator).



	engine volume	52 cm³	working width	45,5 cm
HP	power output	2 HP	weight	15 kg

HECHT 52
EARTH AUGER

DRILLING AUGER BITS

Diameter	Part no.
100 mm	0052100
150 mm	0052150
200 mm	0052200
250 mm	0052250

EXTENSION TUBE

Diameter	Part no.
400 mm	0052400



DRILLING AUGER BIT 150 mm INCLUDED

	engine type	2-stroke		displacement	52 cm³
	weight	8,5 kg		rotation speed	260-310 rpm
HP	power output	2,4 HP		drilling depth	730 mm

HECHT 8065
MECHANICAL SWEEPER

NEW





806500004
SPARE DISC BRUSH

Available from 3/23

	pushed			working width	65 cm
	debris collector	20 l		weight	9,6 kg

Accessories for HECHT 8615 / 8616 / 8616 E / 8616 SE / 8680 SE

PLOUGHSHARE 61 CM
000861 A
for HECHT 8616, 8616 E, 8616 SE

PLOUGHSHARE 61 CM
008680 A
for HECHT 8680 SE



13" CHAINS
009551



COLLECTING BOX 61 CM
000861 B
for HECHT 8616, 8616 E, 8616 SE



COLLECTING BOX 80 CM
008680 B
for HECHT 8680 SE



SNOW THROWER
000861 C
for HECHT 8616, 8616 E, 8616 SE, 8680 SE



PLOUGHSHARE
008615 A
for HECHT 8615



COLLECTING BOX 60 CM
008615 B
for HECHT 8615



Accessories for HECHT 8101 / 8101 S / 8101 BS

PLOUGHSHARE
008101 A
for HECHT 8101, 8101 S, 8101 BS



COLLECTING BOX 61 CM
008101 B
for HECHT 8101, 8101 S, 8101 BS



PETROL SWEEPERS

HECHT 8615
PETROL SWEEPER



3 in 1

engine HECHT	4-stroke OHV	weight	69 kg	
displacement	196 cm³	4 gear forward, 2 gear reverse		
max. torque	12,4 Nm	sweeper speed	570 rpm	
working width	55/61/62 cm	wheels	13 x 4,1–6"	

HECHT 8616 SE
PETROL SWEEPER

With 230 V electric starter and adjustable light



4 in 1

engine HECHT	4-stroke OHV	weight	72 kg	
displacement	196 cm³	4 gear forward, 2 gear reverse		
max. torque	12,4 Nm	sweeper speed	570 rpm	
working width	55/61/62 cm	wheels	13 x 4,1–6"	

HECHT 8680 SE
PETROL SWEEPER



4 in 1

engine HECHT	4stroke OHV	weight	80 kg	
displacement	196 cm³	4 gear forward, 2 gear reverse		
max. torque	12,4 Nm	sweeper speed	570 rpm	
working width	80 cm	wheels	13 x 4,1–6"	

HECHT 8101
PETROL SWEEPER

Variable brush speed



engine HECHT	4-stroke OHV	weight	79 kg	
displacement	173 cm³	3 gear forward, 1 gear reverse		
max. torque	10 Nm	sweeper speed	180 - 350 rpm	
working width	100/100 cm	wheels	13 x 4,1–6"	

HECHT 8101 S
PETROL SWEEPER

Oberklasse Heimwerker Praxis 1,4 Preis/Leistung: gut – sehr gut

Variable brush speed



Equipped with battery starter

engine HECHT	4-stroke OHV	weight	82 kg	
displacement	173 cm³	3 gear forward, 1 gear reverse		
max. torque	10 Nm	sweeper speed	180 - 350 rpm	
working width	100/100 cm	wheels	13 x 4,1–6"	

HECHT 8101 BS
PETROL SWEEPER

BRIGGS&STRATTON

Variable brush speed



4-stroke engine B&S	750 EX	weight	76 kg	
displacement	161 cm³	3 gear forward, 1 gear reverse		
max. torque	9,5 Nm	sweeper speed	180 - 350 rpm	
working width	100/100 cm	wheels	13 x 4,1–6"	

www.hecht.cz

HECHT 9015

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	180 m³/hod
	power input	1300 W		weight	9,3 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9014

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	180 m³/hod
	power input	1300 W		weight	11 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9201 E

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	250 m³/hod
	power input	2000 W		weight	17 kg
	working / total width	43/51 cm		pushed	

HECHT 9040

SINGLE-STAGE ACCU THROWER

ACCU program 5040

Li-ion Powered



Battery and charger not included

	accu Li-Ion	DC 40 V / 4 Ah		stroke width	46 cm
	no load speed	2600 / min.		stroke height	27 cm
	adjustable chimney by	190 °		weight	19,5 kg

HECHT 9555

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

4-stroke



Sheet metal chimney

Propel:
4 gears forward
1 gear reverse

	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm³		wheels	12"
	stroke width	56 cm		weight	55 kg
	stroke height	40 cm			

HECHT 9555 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



230 V/50 Hz electric starter

LED light

Sheet metal chimney

Propel:
4 gears forward
1 gear reverse

	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm³		wheels	12"
	stroke width	56 cm		weight	56 kg
	stroke height	40 cm			

PETROL SNOW THROWERS

HECHT 9661

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

Adjustable chimney by 190 °

Propel: 6 gears forward 2 reverse gears



	engine HECHT	4-stroke OHV	↔	max. throwing distance	13 m
	displacement	196 cm³	α	adjustable chimney by	190 °
	stroke width	61 cm		wheels	13×4,1-6"
	stroke height	53 cm		weight	80,3 kg

HECHT 9661 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

LED light

Adjustable chimney by 190 °

Propel: 6 gears forward 2 reverse gears



	engine HECHT	4-stroke OHV	↔	max. throwing distance	13 m
	displacement	196 cm³	α	adjustable chimney by	190 °
	stroke width	61 cm		wheels	13×4,1-6"
	stroke height	53 cm		weight	83,5 kg

HECHT 9666

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

LED light

Heated handles

Propel: 6 gears forward 2 reverse gears



	engine HECHT	4-stroke OHV	↔	max. throwing distance	> 15 m
	displacement	252 cm³	α	adjustable chimney by	190 °
	stroke width	66 cm		hmotnost	110 kg
	stroke height	54 cm			

HECHT 9334 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

Propel: 6 gears forward 2 reverse gears

230 V/50 Hz electric starter

Heated handles




	engine HECHT	4-stroke OHV	↔	max. throwing distance	15 m
	displacement	375 cm³		wheels	16×6,5-6"
	stroke width	87 cm		weight	127 kg
	stroke height	51 cm			

HECHT 9542 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter





16" chains for HECHT 9542 TD, 9542 SQ;

nr.: 009129

	engine HECHT	4-stroke OHV	↔	max. throwing distance	15 m
	displacement	420 cm³	α	adjustable chimney by	190 °
	stroke width	106 cm		wheels	16×6,5-8"
	stroke height	51 cm		weight	143,6 kg

www.hecht.cz

HECHT 9534 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER


230 V/50 Hz electric starter

LED light

Heated handles

Height adjustment during work and transport

Propel: 6 gears forward 2 reverse gears



	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm³		adjustable chimney by	180 °
	stroke width	87 cm		weight	146 kg
	stroke height	51 cm			

HECHT 205 GT

Folding shovel, aluminum tube shaft, stroke 20,5 cm.



SUITABLE FOR CAR

20,5 cm

HECHT 280 GT

Snow shovel for children, stroke 28 cm.



28 cm

HECHT 275 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 27 cm.



27 cm

HECHT 180 GT

Stainless steel ice scraper, foam handle, blade thickness 3 mm, stroke 18 cm, weight 1,3 kg.



18 cm

HECHT 460 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 46 cm.



46 cm

SNOW SHOES

Covers the common shoes in sizes S, M, L with metal antislip tips.



size	
S	35–38
M	39–42
L	42–46

HECHT 505 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 50 cm.



50 cm

HECHT 5400 GT


PP D – grip. Plastic handle reinforced by steel pipe, stroke 54 cm.



54 cm

HECHT 465 AL


Plastic grip with aluminium handle, stroke 46 cm.



46 cm

HECHT 750 GT

Metal bar, wheels, stroke 75 cm.



75 cm

HECHT 661 GT

Snow scraper with wheels, metal bar and loose handle, stroke 66 cm.





HECHT 33

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



manual		max capacity	cca 3 l
weight	0,5 kg	max. width of spreading	2 m*

HECHT 212

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



manually pushed		max capacity	12 l
weight	2 kg	max. width of spreading	45 cm*

HECHT 220

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



manually pushed		max capacity	20 l
weight	2,9 kg	max. width of spreading	48 cm*

HECHT 270

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



manual pushed		max capacity	27 l
weight	4,4 kg	max. width of spreading	3 m*
wheels	9x3"		

www.hecht.cz

* The spreading width depends mainly on the speed / movement and the type of spreading material.

HECHT 229

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Cover sheet included

Spreading regulation



manual pushed		max. volume / capacity	29 l / 36 kg
weight	11 kg	max. width of spreading	3 m*
wheels	12×3"		

HECHT 256

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Cover sheet included

Spreading regulation



manual pushed		max capacity	60 l/56 kg
weight	17,3 kg	max. width of spreading	3,5 m*
wheels	15×6.00-6"		

HECHT 260

TOW-BEHIND SPREADER



For large areas of ground for distribution of fertilizers, seeds or salt

Cover sheet included

Spreading regulation



Suitable for lawn tractors

manual pushed		max capacity	60 l/56 kg
weight	12,6 kg	max. width of spreading	4 m*
wheels	12×3"		

HECHT 3060

GARDEN COMPOSTER



Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

Easy assemlby

Made of durable plastic

MADE IN EU

max. capacity	360 l		
dimensions	689 × 689 × 839 mm		

HECHT 6600

GARDEN COMPOSTER



Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

MADE IN EU

Easy assemlby

Made of durable plastic

max. capacity	600 l		
dimensions	933 x 933 x 805 mm		

HECHT 2600

EXTENSION KIT FOR COMPOSTER HECHT 6600





MADE IN EU

max. capacity	260 l		
dimensions	800 x 140 x 370 mm		

* The spreading width depends mainly on the speed / movement and the type of spreading material.

GARDEN TOOLS

420 CC



length	215 mm
cutting diameter	20 mm
blade material	S50C

421



length	215 mm
cutting diameter	20 mm
blade material	SK5

493 A



length	215 mm
cutting diameter	20 mm
blade material	SK5

435 HB 2L



length	225 mm
cutting diameter	20 mm
blade material	SK5

Available from 2/23

434DLA08

Ratchet shears



length	200 mm
cutting diameter	20 mm
blade material	SK5

494 ADN



length	213 mm
cutting diameter	20 mm
blade material	SK5

023–2W



length	500 mm
cutting diameter	-
blade material	S50C

018KB



length	710 mm
cutting diameter	35 mm
blade material	S50C

020 AKB




length	710 mm
cutting diameter	38 mm
blade material	S50C

020ASGHJ2




length	450 mm
cutting diameter	35 mm
blade material	S50C

018 LGG



length	950 mm
cutting diameter	35 mm
blade material	S50C

020 ALGG




length	950 mm
cutting diameter	38 mm
blade material	S50C

036 WLG




length	835 mm
cutting diameter	-
blade material	S50C

0182036L



length	870 mm
cutting diameter	38 mm
blade material	SK5

060AH9L




length	875 mm
cutting diameter	-
blade material	SK5

050TAH9L



length	1040 mm
cutting diameter	45 mm
blade material	SK5

050GAH9L



length	1040 mm
cutting diameter	45 mm
blade material	SK5

Blade material	
SK5	Japanese carbon steel
S50C	Carbon steel

F2AD



foldable

HECHT 600635

GARDEN KNIFE 35 CM WITH GUT HOOK, NYLON SHEATH, BLADE 19 CM



HECHT 900813

Length 13“



Belt hinge with sheath

HECHT 600636

MACHETE 64 CM, BLADE 44 CM WITH SAW, NYLON SHEATH, STAINLESS STEEL



HECHT 901018

Length 18“



HECHT 600618

Length 18“



HECHT 600621

Length 21“

www.hecht.cz

GARDEN TOOLS, RAKES



HECHT 900025 - TELESCOPIC PRUNNING SAW - 250 cm



HECHT 900375 - UNIVERSAL GARDEN PRUNNING SHEARS

length	375 cm	cutting diameter	20 mm	blade material	SK5



JZN200 - UNIVERSAL GARDEN PRUNNING SHEARS 200 CM

length	200 cm	cutting diameter	30 mm	blade material	SK5



JZN356 - UNIVERSAL GARDEN PRUNNING SHEARS 200-356 CM


length	200-356 cm	cutting diameter	30 mm	blade material	SK5

M4 T2A - ALUMINIUM - TELESCOPIC HANDLE



HECHT 900376 - TELESCOPIC FRUIT PICKER

Available from 2/23





M4B1
PRUNNING SHEARS
for trimming branches and tall trees

HECHT 176 GT




R4

M9GLC

TOOL HOLDER
5 pcs set




G02FHN



4in1

(4 blades with 1 handle)

You can buy one handle HECHT 600101 and then buy the rake blades individually.



HECHT 600101


OVAL AUMINUM HANDLE WITH PLASTIC SLEEVE, SOFT GRIP AND END HOOK



HECHT 600112

Nylon rake blade *12 teeth*
size *410 mm*


Box: 6 pcs



HECHT 600118

Nylon rake blade *18 teeth*
size *580 mm*

Box: 6 pcs



HECHT 600123

PET rake blade *23 teeth*
size *480 x 260 mm*

Box: 12 pcs



HECHT 600135

PET rake blade *35 teeth*
size *760 x 310 mm*

Box: 12 pcs




HECHT 401
HAND SPRAYER



manual		container volume	0,9 l

HECHT 415 V
HAND SPRAYER

Adjustable spraying jet



Pressure relief valve






manual		weight	0,5 kg
max. pressure	2 bar	piston	
container volume	1,5 l		

HECHT 405
HAND SPRAYER

Pressure relief valve



Adjustable spraying jet




Shoulder strap included

manual		weight	1,3 kg
max. pressure	3 bar	piston	
container volume	5 l	telescopic pole max. length	150 cm

HECHT 408
HAND SPRAYER

Adjustable spraying jet



Shoulder strap included


Pressure relief valve



manual		weight	1,4 kg
max. pressure	3 bar	piston	
container volume	8 l	telescopic pole max. length	150 cm

HECHT 4500
HAND SPRAYER

Adjustable spraying jet



Manometer



Shoulder strap included

Pressure relief valve



manual		weight	1,4 kg
max. pressure	3 bar	piston	
container volume	5 l	telescopic pole max. length	150 cm

HECHT 4122
KNAPSACK SPRAYER



manual		container volume	12 l
max. pressure	4 bar	weight	2,8 kg
spraying pole length	50 cm	piston	

www.hecht.cz

HECHT 4166
KNAPSACK SPRAYER



	manual			weight	3,1 kg
max	max. pressure	4 bar	litres	container volume	16 l
	spraying pole length	50 cm		piston	

HECHT 4005
ACCU HAND SPRAYER

Li-ion Powered

Battery included

telescopic - 60 cm

Charging indicator

Shoulder strap included



	accu Li-ion	5 V / 2,5 Ah	litres	container volume	5 l
max	max. pressure	2 bar	max	water flow	0,3 l/min
	working time without load	cca 2 h		weight	1,1 kg
	charging time	cca 4 h		spraying pole length	up to 60 cm

ACCU program 1278

Li-ion Powered

HECHT 9410
ACCU KNAPSACK SPRAYER

Battery and charger not included

Available from 4/23

NEW



	accu Li-ion	20 V	litres	container volume	10 l
max	max. pressure	3 bar		weight	4,9 kg
	working time without load	cca 2 h		spraying pole length	60 cm
	charging time	60 min.			

HECHT 410 ACCU
ACCU KNAPSACK SPRAYER

Li-ion Powered

50 cm



Battery included

	accu Li-ion	10,8 V / 2,5 Ah	litres	container volume	10 l
max	max. pressure	2,5 bar		weight	2,9 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 2,5 h			

ACCU program 5040

Li-ion Powered

HECHT 9415
ACCU KNAPSACK SPRAYER

Battery and charger not included



	accu Li-ion	DC 40 V, 2,5 / 4 / 5 Ah	litres	tank capacity	15 l
max	max. pressure	2,8 bar		weight	4 kg
	working time without load	max. 16 h		spraying pole length	72 cm
	charging time	cca 2 h		battery and charger not included	

HECHT 416 ACCU
ACCU KNAPSACK SPRAYER

Li-ion Powered

Battery included

50 cm



	accu Li-ion	10,8 V / 2,5 Ah	litres	container volume	16 l
max	max. pressure	2,5 bar		weight	4 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 3 h			

ACCESSORIES

1.	003016*	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	the ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500*	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416*	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	HECHT 00415A*	nozzle „F-type" for HECHT 416 ACCU
8.	000410	telescopic rod for HECHT 410 ACCU
9.	009410A**	set of nozzles for HECHT 9410
10.	009410B**	telescopic rod for HECHT 9410

*Available from 2/23
**Available from 4/23

ACCESSORIES

HECHT 000431
SPRAY COVER

HECHT 000432
EXTENSION STEEL PIPE 60 CM

HECHT 000433
F-NOZZLE

Nozzle 120 cm

HECHT 433

PETROL KNAPSACK SPRAYER



	engine HECHT	4-ütemű	litres	container volume	15 l
HP	engine output	0,75 HP	max	max. flow	≤7 l/min
	weight	9,3 kg			

HECHT 443

PETROL KNAPSACK SPRAYER

Including applicator for granules



With auxiliary pump

	engine HECHT	2 stroke		weight	10,6 kg
	engine volume	43 cm³	litres	container volume	14 l
HP	power output	2,2 HP	range		≤12 m

HECHT 459

PETROL KNAPSACK SPRAYER

Including applicator for granules



Can be used as a blower


With auxiliary pump

	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm³	litres	container volume	14 l
HP	power output	2,5 HP	range		≤16 m

HECHT 3350

WATER BARREL PUMP





plastic chassis

	electric	230 V/50 Hz		max.delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clean water		max	max. delivery volume	5000 l/h

HECHT 3400

SUBMERSIBLE PUMP

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"



plastic chassis

	electric	230 V/50 Hz		max.delivery height	5 m
	power input	400 W		10 m rubber power cable	
	dirty water		max	max. delivery volume	7500 l/h

www.hecht.cz

HECHT 3415
SUBMERSIBLE PUMP

3in1



1. Min. suction level 1 mm



2. Clear water (2-3 mm grain)



3. Dirty water



plastic chassis

	electric	230 V/50 Hz		max.delivery height	6,3 m
	power input	400 W		max. delivery volume	11500 l/h
	clean / dirty water			10 m rubber power cable	

HECHT 3752
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1“

plastic chassis

	electric	230 V/50 Hz		max.delivery height	8 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	14000 l/h

HECHT 3775
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1“

Integrated float switch

Min. suction head level 70 mm

plastic chassis

	electric	230 V/50 Hz		max.delivery height	9 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	13000 l/h

HECHT 3011
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 m / 1“

inox chassis

	electric	230 V/50 Hz		max.delivery height	9,5 m
	power input	1100 W		10 m rubber power cable	
	dirty water			max. delivery volume	18000 l/h

HECHT 3122 INOX
SUBMERSIBLE PUMP
Multi stage pump

4 impellers



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1“

inox chassis

	electric	230 V/50 Hz		max.delivery height	44 m
	power input	1200 W		max. delivery volume	6500 l/h
	clean water			10 m rubber power cable	

HECHT 3301
VIBRATION DROWNED PUMP

Vibration pump - allows using in drilled wells from diameter of 110 mm



300 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	300 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h

ELECTRIC GARDEN PUMPS

HECHT 3166

VIBRATION DROWNED PUMP



Vibration pump - allows using in drilled wells from diameter of 110 mm

600 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	70 m
	power input	600 W		10 m rubber power cable	
	clean water		max	max. delivery volume	1400 l/h

HECHT 3520

DEEP WELL PUMP



Borehole diameter 11 cm

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	1000 W		20 m rubber power cable	
	clean water		max	max. delivery volume	5200 l/h

HECHT 3080

GARDEN PUMP



	electric	230 V/50 Hz		max.delivery height	40 m
	power input	800 W	max	max. delivery volume	3200 l/h
max	max. pressure	4 bar		weight	6,9 kg

HECHT 3800

GARDEN PUMP



HECHT 000031

7m / 1“ SUCTION HOSE with possibility of easy shortening for the length required.



	electric	230 V / 50 Hz	max	max. delivery volume	3200 l/h
	power input	800 W	litres	tank volume	20 l
	max. delivery height	38 m		weight	12,3 kg
	max. suction lift	8 m			

HECHT 3101 INOX

GARDEN PUMP



	electric	230 V/ 50 Hz	max	max. delivery volume	3500 l/h
	power input	1000 W	litres	tank volume	19 l
max	max. pressure	3 bar		weight	13,3 kg
	max.delivery height	44 m			

HECHT 3131

GARDEN PUMP



	electric	230 V/ 50 Hz	max	max. delivery volume	4600 l/h
	power input	1100 W		max.suction lift	8 m
max	max. pressure	4,5 bar		weight	10 kg
	max.delivery height	45 m			

www.hecht.cz

HECHT 3133
GARDEN PUMP

High pressure

5 impellers



	electric	230 V /50 Hz		max.delivery height	55 m
	power input	1300 W	max	max. delivery volume	5400 l/h
	weight	11,5 kg		max.suction lift	8 m
max	max. pressure	5,5 bar			

HECHT 3331
GARDEN PUMP



	electric	230 V /50 Hz		max.delivery height	45 m
	power input	1100 W	max	max. delivery volume	4600 l/h
	weight	18 kg		max.suction lift	8 m
max	max. pressure	4,5 bar			

HECHT 3331 INOX
GARDEN PUMP



	electric	230 V /50 Hz		max.delivery height	45 m
	power input	1100 W	max	max. delivery volume	4600 l/h
	weight	18 kg		max.suction lift	8 m
max	max. pressure	4,5 bar			

HECHT 343
PETROL GARDEN PUMP



	engine HECHT	2-stroke		max.suction lift	8 m
	engine volume	43 cm³		weight	9,5 kg
	max. delivery height	35 m	max	max. delivery volume	15 000 l/h

HECHT 3635
PETROL PUMP



Suction strainer included



	engine HECHT	OHV, 4-stroke		max.suction lift	8 m
	engine volume	212 cm³	max	max. delivery volume	36000 l/h
	max. delivery height	28 m		weight	23,5 kg

HECHT 3680
PETROL PUMP

FOR DIRTY WATER





	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	engine volume	196 cm³	max	max. delivery volume	45000 l/h
	max. delivery height	23 m		weight	37 kg

HOSE CONNECTIONS, EXTENTIONS AND GUNS

CONNECTION

08010C 1/2"




TAP EXTENTION

08028C 1"



CONNECTION

08029C 3/4"



SPRAYING GUN

02095



02096





IRRIGATION NOZZLE

08024C 1/2" & 3/4"



CONNECTION

HECHT 08010

1/2" hoses



HECHT 08011

1/2" hoses



HECHT 08111

3/4'' - 5/8'' - 1/2'' hoses



HECHT 08029

3/4" hoses



TAP EXTENSION

HECHT 08023

3/4'' & 1'' hoses



HECHT 08024

1/2'' & 3/4' hoses



TWO-WAY CONNECTION

HECHT 08016



IMPLUSE SPRINKLER

HECHT 02677



CONNECTION SET

HECHT 08025



SPRINKLER

HECHT 08109

up to 10 m diameter



MECHANICAL TIMER

HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"



ELECTRONIC TIMER

HECHT 08907

multifunction pre-set
watering selection
digital LCD time display
only 2 AA batteries
required (not included)
adaptor 3/4 and 1" hose



TWO-WAY TAP EXTENSION

HECHT 08002



TWO-WAY TAP EXTENSION - IMPLUSE SPRINKLER

HECHT 08104



HECHT 01023



HECHT 08103



HECHT 06043



HECHT 06023



www.hecht.cz

SHOWERS

HECHT 08230
65 cm




10 patterns

HECHT 00202
172-229 cm




SPRAYING GUNS

HECHT 02063






HECHT 02064





HECHT 02093





HECHT 02094





8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018



2bar min / 4bar max · Max 8L/min · 0-360°

8 patterns:
circle, semicircle, rectangle, sector, shower, square, triangle, semiflat

8 PATTERN SPRINKLER

HECHT 07060



pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

OSCILLATING SPRINKLERS

HECHT 08601
max. 4 bar,
12,4 m diameter



2bar min / 4bar max · Max 30L/min · R 6,2m 121m² · 0-360°

HECHT 08702
17 holes



2bar min / 4bar max · Max 20L/min · 342m²

HOSE REEL

HECHT 08666
20 m of 1/2" hose
Hose and accessories included





1/2" 20m · ⌀ 1/2" 5/8" · 1/2" 3/4" · AUTO STOP

HECHT 00627
max 50 m of 1/2" hose



HOSE CART

hose 50 m of 1/2"
HECHT 08623



3/4" Max. 45m · 1/2" Max. 50m

HOSE

HECHT 05915



⌀ 1/2" · 15m · 1/2" 3/4"

HOSE HANGER

HECHT 00632



L: 250mm
W: 121mm
H: 151mm

HECHT AQUA 1215
WATER HOSE 15 M / 1/2“





High quality ★★★★ garden hoses



Max. working pressure 10 Bar,
max. total pressure 30 Bar (for 1215 and 1225).

HECHT AQUA 3415
WATER HOSE 15 M / 3/4“



HECHT AQUA 1225
WATER HOSE 25 M / 1/2“



HECHT AQUA 1020
WATER HOSE 20 M / 1 “





MADE IN CZECH REPUBLIC

HECHT AQUA 3425
WATER HOSE 25 M / 3/4“



HECHT 319
HIGH PRESSURE WASHER



Easy handling

Available from 2/23



Detergent container

ϟ	electric	230 V / 50 Hz	max	delivery volume	420 l/h
	power input	1800 W		weight	6,2 kg
max	max. pressure	140 bar		hose length	5 m
	working pressure	100 bar		power cord length	5 m
✓	high pressure hose, water inlet connector, adjustable nozzle				

HECHT 351
HIGH PRESSURE WASHER





ϟ	electric	230 V / 50 Hz	max	delivery volume	420 l/h
	power input	1800 W		weight	12,5 kg
max	max. pressure	140 bar		hose length	5 m
	working pressure	100 bar		power cord length	5 m
✓	high pressure hose, water inlet connector, adjustable nozzle, accessories hook, hose reel assembly, detergent container				

HECHT 323
HIGH PRESSURE WASHER





Side view



Side view

Adaptor for accessories 000318 and 000326 included



HECHT 324
HIGH PRESSURE WASHER

Possibility of independent water suction or connection to the supply

SELFSUCTION HOSE - 0000324 (NOT INCLUDED)



Available from 3/23

ϟ	electric	230 V / 50 Hz	max	delivery volume	438 l/h
	power input	2200 W		weight	8,2 kg
max	max. pressure	165 bar		hose length	5 m
	working pressure	110 bar		power cord length	5 m
✓	variojet, bottle for cleaner woth foam jet, power cable 5 m, high pressure hose with gun 5 m, accessories hook				

ϟ	electric	230 V / 50 Hz	max	delivery volume	360 l/h
	power input	2000 W		weight	12,3 kg
max	max. pressure	150 bar		hose length	8 m
	working pressure	100 bar		power cord length	5 m
✓	bottle for cleaner woth foam jet, high pressure hose with gun 8 m, power cable 5 m, adaptor for selected accessories				

HECHT 326
HIGH PRESSURE WASHER




Side view

	electric	230 V / 50 Hz		delivery volume	420 l/h
	power input	2600 W		weight	22,7 kg
max	max. pressure	200 bar		hose length	5 m
	working pressure	135 bar		power cord length	5 m
✓	variojet, bottle for cleaner woth foam jet, power cable 5 m, high pressure hose with gun 5 m				

HECHT 3025
ACCU HIGH PRESSURE WASHER

Li-ion Powered

ACCU program 6020



Selfsuction hose included





	Accu Li-ion	DC 20 V 1× 2,5 Ah		weight	1,3 kg
max	max. pressure	22 bar		charging time	≤ 20 min.
	working pressure	8 bar		working time	2 h
	max. delivery volume	180 l/h		battery and charger not included	

4m selfsuction hose included

HECHT 3425
ACCU HIGH PRESSURE WASHER

ACCU program 6020

2× 20 V




Li-ion Powered

	Accu Li-ion	DC 20 V 2× 2,5 Ah		weight	3,5 kg
max	max. pressure	40 bar		charging time	≤ 20 min.
	working pressure	40 bar		working time	2 h
	max. delivery volume	240 l/h		battery and charger not included	

HECHT 3230
PETROL HIGH PRESSURE WASHER







	engine HECHT	4-taktní	max	max. pressure	207 bar
	engine volume	196 cm³		delivery volume	681 l/h
Nm	max.torque	12,7 Nm		weight	37,5 kg
	hose lenght	10 m		wheels	3/8"
i	10 m pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool				

Accessories for HECHT high-pressure washers

HECHT 000317


15 M

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 326, 3230 use the reduction H318326).



ROTATING BRUSH FOR THE TERRACE CLEANING - 000326 (for HECHT 318, 326, 3220, 3230, 3227 use the reduction H318326)

ROTATING BRUSH - 000318 (for HECHT 318, 326, 3220, 3230, 3227 use the reduction H318326)



REDUCTION
Part no.: H318326



000320A	**PATIO CLEANER** pro HECHT 320, 323	
000320B	**BRUSH** pro HECHT 320, 323	
000320C	**TURBO NOZZLE** pro HECHT 320, 323	
000320D	**PRESSURE HOSE 10 M** pro HECHT 320, 323	
000320E	**ROTARY BRUSH** pro HECHT 319, 320, 323, 351	
000320F	**ANGLE NOZZLE** pro HECHT 8320	
000320H	**TURBO NOZZLE** pro HECHT 319, 351 **Available from 3/23**	

HECHT TILT II
GARDEN FOIL

Spacious foil

UV resistant film

ALU frame 0.5 mm

Tube diameter 16 mm

2 shelves around the entire inner perimeter



	dimensions	140×140×200 cm		area	1,96 m²
ALU	alu frame	Ø 0,5 mm	green PE mesh cloth 140 g/m², 1 door		

TUNNEL I
GARDEN FOIL

Prostorný Spacious foil

UV resistant film

ALU frame 0.5 mm

Tube diameter 25 mm



	dimensions	300 × 200 × 200 cm		area	5,98 m²
ALU	galvanized steel tubes	Ø 0,5 mm	green PE mesh cloth 140 g/m², 6 windows, 1 door		

HECHT GREENHOUSE I.
GREENHOUSE

ALU frame 1 mm + Polycarbonate

BASE INCLUDED
(GALVANIZED STEEL)

1 roof vent

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.



	dimensions	250×190×195 cm		area	4,93 m²
ALU	alu frame	Ø 1 mm	4 mm twin wall polycarbonate		

HECHT RANCHER II.
GREENHOUSE

ALU frame 1,2 mm + Polycarbonate

BASE INCLUDED
(GALVANIZED STEEL)

2 roof vents

000608
AUTO VENT OPENER
Not suitable for HECHT GREENHOUSE I.



Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.



	dimensions	311×190×195 cm		area	5,98 m²
ALU	alu frame	Ø 1,2 mm	4 mm twin wall polycarbonate		

www.hecht.cz

WORKSHOP & POWER TOOLS

CONSTRUCTION
WORKSHOP
POWER TOOLS
AIR CONDITIONERS
HEATERS





HECHT 12E
ASH SEPARATOR

800 W

Container 12 L

Package contents:
- **prefilter**
- **filter element**
- **metal mesh cover**



	electric	230 V/50 Hz	litres	tank volume	12 l
	power input	800 W		air flow	1,5 m³/min

HECHT 22E
ASH SEPARATOR



Filter cleaning function

1200 W

20 L





	electric	230 V/50 Hz	litres	tank volume	20 l
	power input	1200 W			

ACCESSORIES for HECHT vacuum cleaners

Order No.	Product
HECHT 008215A	**HEPA FILTER** for HECHT 8215, 8330, 8335Z
HECHT 008215B	**FOAM FILTER** for HECHT 8215, 8330, 8335Z
HECHT 008215C	**TEXTILE PREFILTER** for HECHT 8215, 8320, 8330, 8335Z
HECHT 008215D	**REPLACEMENT PAPER FILTER** for HECHT 8215, 8320 – 3 pcs/pac.
833500043	**REPLACEMENT PAPER FILTER** for HECHT 8330, 83355Z – 3 pcs/pac.
HECHT 008320A	**HEPA FILTER** for HECHT 8320
HECHT 008320B	**FOAM FILTER** for HECHT 8320



HECHT 8215
VACUUM CLEANER





Wet & dry cleaning

15 kPa
15 l

1250 W

	electric	230 V/50 Hz	litres	tank volume	15 l
	power input	1250 W		weight	4 kg
	vacuity	15 kPa		hose	1,5 m

HECHT 008330
5 M HOSE FOR HECHT 8320, 8330, 8335Z





HECHT 8320
VACUUM CLEANER



Wet & dry cleaning

15 kPa
20 l

1250 W

Can be used as a blower

	electric	230 V/50 Hz	litres	tank volume	20 l
	power input	1250 W		weight	4,5 kg
	vacuity	15 kPa		hose	1,5 m



HECHT 8330
VACUUM CLEANER



Wet & dry cleaning

18 kPa
30 l

1400 W

Can be used as a blower

	electric	230 V/50 Hz	litres	tank volume	30 l
	power input	1400 W		weight	5,6 kg
	vacuity	18 kPa		hose	1,5 m

www.hecht.cz

HECHT 8335Z

VACUUM CLEANER

Wet & dry cleaning

1400 W



18 kPa

35 l





With socket 230 V / 50 Hz

Max. 2000 W

Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).

Can be used as a blower


	electric	230 V/50 Hz	litres	tank volume	35 l
	power input	1400 W		weight	6,6 kg
	vacuity	18 kPa		hose	1,5 m

HECHT 8380

VACUUM CLEANER

HECHT 008380A

Front vacuuming brush



3 motors

3000 W

23 kPa



HECHT 008380

7m hose Ø 38 mm for HECHT 8360, 8380



PROFI TOOL

	electric	230 V/50 Hz		vacuity	23 kPa
	power input	3000 W		hose length	3 m
litres	tank volume	80 l		hose diameter	4,5 cm
	weight	29 kg		power cable length	4 m

HECHT 8490

CHAIN HOIST



	max. load	1000 kg	fastening hook diameter	23 mm
	weight	8 kg	load hook diameter	23 mm
	chain diameter	6 × 18 mm	chain lenght	3 m

HECHT 8425

ELECTRIC CABLE HOIST







The fixing accessories is included

450 W

	electric	230 V / 50 Hz	load without pulley / with pulley	125 / 250 kg
	power input	450 W	stroke height without pulley / with pulley	12 / 6 m
	wire diameter	3 mm	stroke speed without pulley / with pulley	8 / 4 m/min
	control panel cable length	1,6 m	power cord length	0,65 m

HECHT 8450

ELECTRIC CABLE HOIST







The fixing accessories is included

800 W

	electric	230 V / 50 Hz	load without pulley / with pulley	250 / 500 kg
	power input	800 W	stroke height without pulley / with pulley	12 / 6 m
	wire diameter	4 mm	stroke speed without pulley / with pulley	8 / 4 m/min
	control panel cable length	1,6 m	power cord length	0,65 m

HECHT 8480

ELECTRIC CABLE HOIST







The fixing accessories is included

1300 W

	electric	230 V / 50 Hz	load without pulley / with pulley	400 / 800 kg
	power input	1300 W	stroke height without pulley / with pulley	12 / 6 m
	wire diameter	5 mm	stroke speed without pulley / with pulley	8 / 4 m/min
	control panel cable length	1,6 m	power cord length	0,65 m

PETROL GENERATORS

HECHT GG 950

SINGLE PHASE GENERATOR



Available from 2/23

2-stroke engine

	displacement	63 cm³ / 2 HP		voltage	~230 V
Nm	max.torque	2,6 Nm		noise level	95 dB
	DC 230 V	2,83 A	tank	tank	4,2 l
	steady electrical output	650 W		weight	16,5 kg
	max. electrical output	720 W		sockets	1× 230 V
i	fuse				

HECHT GG 2500

SINGLE PHASE GENERATOR



Available from 3/23

4-stroke engine

	displacement	196 cm³		voltage	~230 V/=12 V
Nm	max.torque	11,5 Nm		noise level	90 dB
	DC 12 V/230 V	8,3/8,7 A	tank	tank	15 l
	steady electrical output	2000 W		weight	39 kg
	max. electrical output	2200 W		sockets	1× 12 V DC, 2× 230 V
i	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300

SINGLE PHASE GENERATOR

AVR



Available from 2/23

4-stroke engine

	displacement	208 cm³		voltage	~230 V/=12 V
Nm	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3/11,3 A	tank	tank	15 l
	steady electrical output	2600 W		weight	46,5 kg
	max. electrical output	3000 W		sockets	1× 12 V DC, 2× 230 V
i	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300W

SINGLE PHASE GENERATOR

AVR



Folding handle

Available from 2/23

4-stroke engine

	displacement	208 cm³		voltage	~230 V/=12 V
Nm	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3 / 11,3 A	tank	tank	15 l
	steady electrical output	2600 W		weight	48 kg
	max. electrical output	3000 W		sockets	1× 12 V DC, 2× 230 V
i	fuse, voltmeter, automatic voltage regulation, wheels and folding handle for easier handling				

HECHT GG 6500

SINGLE PHASE GENERATOR

AVR

Folding handle



industrial socket 230 V

Available from 2/23

4-stroke engine

	displacement	389 cm³		voltage	~230 V/=12 V
Nm	max.torque	23 Nm		noise level	96 dB
	DC 12V/230V	8,3/21,7 A	tank	tank	25 l
	steady electrical output	5000 W		weight	84 kg
	max. electrical output	5500 W		sockets	1× 12 V DC, 3× 230 V
i	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 8000

THREE-PHASE GENERATOR

AVR

Folding handle



Available from 2/23

4-stroke engine

	displacement	420 cm³		voltage	~230 V / 400 V =12 V
Nm	max.torque	24,5 Nm		noise level	98 dB
	DC 12V/230V	8,3/9,4 A	tank	tank	25 l
	steady electrical output	6500 W		weight	88 kg
	max. electrical output	7000 W		sockets	1× 12 V DC, 2× 230 V, 1× 400 V
i	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

www.hecht.cz

HECHT GG 10000

THREE-PHASE GENERATOR

Folding handle



AVR

Available from 3/23

4-stroke engine

displacement	459 cm³	voltage		~230 V / 400 V =12 V
max.torque	29 Nm	noise level		97 dB
DC 12V/230V	8,3/10,8 A	tank		25 l
steady electrical output	7500 W	weight		102 kg
max. electrical output	8500 W	sockets		1× 12 V DC, 2× 230 V, 1× 400 V
fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 11000

SINGLE/THREE-PHASE HYBRID GENERATOR



socket 400 V

Phase control switch

industrial socket 230 V / 32 A

socket 230 V

AVR

Available from 2/23

4-stroke engine

displacement	459 cm³	voltage		~230 V / 400 V =12 V
output power	16 HP	tank		25 l
steady electrical output	8000 W	weight		105 kg
max. electrical output	8500 W	sockets		1× 12 V DC, 1× 230 V / 16 A 1× 230 V / 32 A 1× 400 V / 16 A
automatic voltage regulation, e-start, 12V DC terminal clamps, wheels, folding handles, single/three phase hybrid system				

HECHT IG 1100

SINGLE PHASE INVERTOR

Ideal for camping and fishing

Low weight



Available from 2/23

4-stroke engine

displacement	53,5 cm³	voltage		~230 V
max.torque	2,65 Nm	noise level		95 dB
DC 230 V	4,3 A	weight		13 kg
steady electrical output	1000 W	tank		4,5 l
max. electrical output	1020 W	sockets		1× 230 V

HECHT IG 2201

SINGLE PHASE INVERTOR

Also suitable for powering sensitive electronics

Ideal for camping and fishing

Low weight



2× USB

4-stroke engine

displacement	79,8 cm³	voltage		~230 V/=12/5 V
max.torque	4,5 Nm	noise level		89 dB
5V/12V/230V	1; 2,1/8,3/7,8 A	weight		18,5 kg
steady electrical output	1800 W	tank		4 l
max. electrical output	2000 W	sockets		1×230 V, 1×12V, 2×5V

HECHT IG 3601

SINGLE PHASE OPEN FRAME INVERTOR

2× USB

Also suitable for powering sensitive electronics



Available from 2/23

4-stroke engine

displacement	208 cm³	voltage		~230 V/=12/5 V
max. torque	10,8 Nm	noise level		95 dB
5V/12V/230V	1; 2,1/8,3/13 A	weight		33,5 kg
steady electrical output	3000 W	tank		12 l
max. electrical output	3200 W	sockets		2×230 V, 1×12 V, 2×5 V

HECHT IG 4500

SINGLE PHASE INVERTOR

2× USB

Also suitable for powering sensitive electronics



4-stroke engine

displacement	223 cm³	voltage		~230 V/=12/5 V
max. torque	13 Nm	noise level		93 dB
12 / 230 V	8,3 / 15,2 A	weight		40 kg
steady electrical output	3500 W	tank		12 l
max. electrical output	4000 W	sockets		2 × 230 V, 1 × 12 V DC, 2 × USB 5 V
fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle				

COMPACTORS

HECHT 1111
PLATE COMPACTOR





Folding wheels and damping pad included

Powered By LONCIN

steel chasis

	engine	OHV	compaction pressure	11000 N
	displacement	196 cm³	compcompaction depth	25 cm
Nm	max.torque	12,4 Nm	dimensions of plate	530 × 370 mm
	weight	63 kg		

HECHT 1113
PLATE COMPACTOR





Folding wheels and damping pad included

Powered By LONCIN

steel chasis

	engine	OHV	compaction pressure	13000 N
	displacement	196 cm³	compaction depth	30 cm
Nm	max.torque	12,4 Nm	dimensions of plate	540 × 420 mm
	weight	83 kg		

HECHT 1114
PLATE COMPACTOR





Folding wheels and damping pad included

Powered By LONCIN

steel chasis


	engine	OHV	compaction pressure	20000 N
	displacement	196 cm³	compaction depth	35 cm
Nm	max.torque	12,4 Nm	dimensions of plate	580 × 500 mm
	weight	92 kg		

HECHT 1118
UPRIGHT RAMMER

Powered By LONCIN



Wheel kit included



Plastic engine protective cover

steel chasis

	engine	OHV	compaction pressure	25000 N
	displacement	196 cm³	ramming energy	70 Nm
Nm	max.torque	12,4 Nm	dimensions of plate	275 × 335 mm
	weight	82 kg	working speed	15 m/min

HECHT 1900
CONCRETE CUTTER

Powered By LONCIN



HECHT 001900
SPARE DIAMOND BLADE FOR HECHT 1900



steel chasis

	engine	OHV	cutting blade speed	1800 min⁻¹
	displacement	196 cm³	blade diameter	350 mm / 14"
	weight	102 kg	water cooling, water tank capacity 14 l	

HECHT 2620
ACCU WHEELBARROW



NEW

Available from 3/23

	self-propelled			max capacity	80 l
	accu Li-Ion	20,5–27 V		max speed	6 km/h
	power input	500 W		weight	40 kg
	wheel	5.00–8"		charging time	7 hrs
				working time	2-10 hrs

www.hecht.cz

HECHT 2636
PETROL TRANSPORTER



300 KG LOAD

Powered By LONCIN

steel chasis

engine	4-stroke	max load	300 kg
displacement	196 cm³	weight	160 kg
max.torque	12,4 Nm	bed size	94 × 63,5 × 33 cm
self propelled	3 gears forward, 1 reverse		

HECHT 2650
PETROL TRANSPORTER



500 KG LOAD

Powered By LONCIN

front doublewheels
steel chasis

engine	4-stroke	max load	500 kg
displacement	196 cm³	weight	170 kg
max.torque	12,4 Nm	bed size	1050 × 750 × 700 mm
self propelled	3 gears forward, 1 reverse		

NEW



HECHT 2625
ACCU TRANSPORTER

ELECTRIC MOTOR

500 KG LOAD

HYDRAULIC LIFTING



Available from 5/23

steel chasis

accu	48 V / 45 Ah	max load	500 kg
power input	1000 W	weight	136 kg
working time	8,4 hrs	bed capacity	260 l
charging time	9 hrs	max speed forward	6 km/h
self propelled			

HECHT 2950
TRACKS TRANSPORTER



500 KG LOAD

Powered By LONCIN

steel chasis — hydraulic lifting

engine	4-stroke	max load	500 kg
displacement	270 cm³	weight	270 kg
max. torque	17,7 Nm	bed size	1000 × 700 × 450 mm
Self propelled	3 gears forward, 1 reverse		

HECHT 2955
TRACKS TRANSPORTER



Powered By LONCIN

	engine	4-stroke		max load	500 kg
	displacement	270 cm³		weight	366 kg
Nm	max. torque	17,7 Nm		bed size	1065 × 715 × 660 mm

steel chasis | hydraulic lifting

Self propelled, hydrostatic transmission

HECHT 2117
MIXER

Real drum volume 120 l

Rubber wheels

550 W

transmission detail





	electric	230 V/50 Hz		weight	49,5 kg
	power input	550 W		drum volume	120 l

HECHT 2141
MIXER

Real drum volume 140 l

Rubber wheels

650 W

transmission detail





	electric	230 V/50 Hz		weight	51,5 kg
	power input	650 W		drum volume	140 l

HECHT 2185
MIXER

Real drum volume 180 l

Rubber wheels

850 W

transmission detail





	electric	230 V/50 Hz		weight	55,5 kg
	power input	850 W		drum volume	180 l

HECHT 2221
MIXER

Real drum volume 200 l

Special gear system for easier tipping control



Big rubber wheels for easy transport

Massive frame



	electric	230 V/50 Hz		weight	95 kg
	power input	1050 W		drum volume	200 l

www.hecht.cz

STIRRERS, CHARGERS

HECHT 1137
PAINT AND MORTAR STIRRER



1400 W

120 mm

Adjustable RPM

Two-stage gearbox

	electric	230 V/50 Hz	tool diameter	120 mm
	power input	1400 W	tool height	590 mm
	no load speed	0-570/ 0-760 rpm	weight	3,5 kg
with mixing tool (connection M14)				

HECHT 1138
PAINT AND MORTAR STIRRER



1600 W

140 mm

Adjustable RPM

Two-stage gearbox

	electric	230 V/50 Hz	tool diameter	140 mm
	power input	1600 W	tool height	590 mm
	no load speed	0-580/ 0-780 rpm	weight	4 kg
with mixing tool (connection M14)				

HECHT 1140
PAINT AND MORTAR STIRRER

Aluminium handle



1800 W

140 mm

Adjustable RPM

Two-stage gearbox

Soft start effect

	electric	230 V/50 Hz	tool diameter	140 mm
	power input	1800 W	tool height	590 mm
	no load speed	0-440/ 0-780 rpm	weight	7,25 kg
with mixing tool (connection M14)				


HECHT 2012
SMART BATTERY CHARGER



Input cable: 1,5 m
Output cables: 1,5 m

5 steps charging

	power output	6V, 12V / 1A
	power input	230 V/50 Hz 15 W
	for batteries	4-60 Ah



Safety Protection:
Reverse polarity
Over heat
Short Circuit
Low voltage
Over charge

Winter mode

HECHT 2019
SMART BATTERY CHARGER

NEW



5 A

	power output	6V / 2A 12V / 1-5A
	power input	230 V/50 Hz 70 W
	for batteries	4-150 Ah
	weight	0,75 kg

Available from 3/23

HECHT 2013
SMART BATTERY CHARGER

NEW



NEW MODEL 2023

15 A

	power output	6V / 2-5 Ah 12V / 2-15 A
	power input	230 V/50 Hz 200 W
	for batteries	4-300 Ah
	weight	1,5 kg

6 charging steps, up to 15 A, booster - 5 mins fast charging, 12V & 6V (model 2021) socket for connecting accessories, short-circuit and polarity protection



HECHT 2076
TOOL SET 76 PCS

Precision screwdriver	2.5 mm; PH0,PH00	set (3×)
Screwdriver	5*75,6*100 mm; NO. 1*75, NO. 2*100 mm	set (4×)
Spinner handle	1/4"	1×
Combination pliers	7"	1×
Splitting pliers	6"	1×
Bit	25 mm - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm	set (8×)
Bit	25 mm - T10, T15, T20, T25, T27, T30	set (6×)
Bit	25 mm - 2, 3, 4, 5, 6*2,7 mm	set (7×)
Bit	25 mm - PH0, PH1, PH2*2, PH3	set (5×)
Bit	25 mm - PZ0, PZ1, PZ2*2, PZ3	set (5×)
Magnetic bit holder	60 mm	1×
Ratchet handle	3/8"	1×
Combination wrench	7, 8, 9, 10, 11, 12,13 mm	set (7×)
Sockets	3/8":14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm	set (10×)
Sockets	1/4" 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8×)
Universal joint	3/8"	1×
Ratchet handle adaptor	1/4" x 3/8"	1×
Spinner handle adaptor	1/4"	1×
Extension bar	3/8"- 75, 150 mm	set (2×)
Sliding T bar head	3/8*1/2"	set (2×)
Spark plug socket	3/8"16mm	1×



HECHT 2094
TOOL SET 94 PCS

Spark plug socket	1/2" - 16, 21 mm	set (2×)
Flexible extension bar	1/4"	1×
Deep socket	1/2" - 14, 15, 17, 19 mm	set (4×)
Deep socket	1/4" - 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8×)
Bits socket	1/4" - SL 4, 5.5, 7; PH1, PH2, PZ1, PZ2; T8, T10, T15, T20, T25, T30; H 3, 4, 5, 6	set (17×)
Bit	8*30 mm - SL 8, 10, 12; PH3, PH4; T40, T45, T50, T55; H 8, 10, 12, 14; PZ3, PZ4	set (15×)
Socket adaptor	1/4"	1×
Coupler	3/8"	1×
Sockets	1/2" - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm	set (18×)
Socket	1/4" - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	set (13×)
Ratchet handle	1/4" & 1/2"	set (2×)
Universal joint	1/4" & 1/2"	set (2×)
Extension bar	1/4" - 2" & 4"	set (2×)
Spinner handle	1/4"	1×
Extension bar	1/2" - 5" & 10"	set (2×)
3-Way sliding adaptor		1×
Sliding T bar	1/4"	1×
Hex key	- 1.5, 2, 2.5 mm	set (3×)



HECHT 0003
FOLDABLE WORK TABLE







dimensions	60,5×63,5×80 cm
max. load capacity	100 kg
weight	7 kg

Leg frame profile 30 × 30 mm

HECHT 2096
FOLDABLE WORK TABLE


Lightweight and portable

Quick composition and decomposition



Includes two 12"/30 cm clamps





dimensions (open)	91×55×75,5 cm
weight	11,3 kg
max. load	453 kg

HECHT 2091
WORKBENCH









Available from 2/23 NEW

dimensions	120 × 174 × 58 cm
max. load capacity	450 kg
weight	53 kg

ACCU program 1278

HECHT 1706
ACCU LED LIGHT

Adjustable lighting direction



accu	20 V	LEDs / light intensity	3 W / 260 lumen
battery	Li-ion, 2/4/6 Ah	weight	0,25 kg
charging time	60 min.	lighting time at full charge	12 hrs

www.hecht.cz

HOT AIR GUNS, MEASURERS, COPRESSOR ACCESSORIES

HECHT 2022
HOT AIR GUN




Air volume setting 300/500 l / min

HECHT 2023
HOT AIR GUN



Adjustable temperature setting 60-600 °C

HECHT 2212
WEED BURNER / HOT AIR GUN



Accessories included

electric	230 V/ 50 Hz	°C	temperature setting	350 / 550 °C	
power input	2000 W		air volume	300 / 500 l/min	
weight	0,7 kg				

electric	230 V/ 50 Hz	°C	temperature setting	60–350 °C / 60–600 °C	
power input	2000 W		air volume	300 / 500 l/min	
weight	0,9 kg				

electric	230 V/ 50 Hz	°C	temperature setting	80 / 650 °C	
power input	2000 W		air volume	500 l/ min	
weight	1,4 kg				

HECHT 2003
LASER DISTANCE MEASURER

Measurement of distances, calculation of area, calculation of volume, indirect height measurement, combined height, partial heigh, min/max function, addition/substraction, 2 reference points, stake out function, storage of the last 20 results, laser technology, display with backlighting, including belt pouch, wrist strap and batteries, spirit level

Range max. 50 m
Spirit level



battery	2× 1,5 V AAA	
weight	88 g	
dimensions	120 × 54 × 29 mm	

HECHT 600637
MEASURING TAPE 3 M



12 pcs in packing

HECHT 002024
INFLATOR
+ 5 M HOSE
+ 2 ADAPTORS



HECHT 002026
2 INFLATORS
+ 5 M HOSE
+ LARGE SET OF ADAPTORS



HECHT 002075A
air hose 10m, 6.3 x 11.3 mm, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"



HECHT 002075B
self-winding drum with pressure hose 12 m, 5x8 mm, PU

max. pressure 10 bar
quick coupler 1/4"
inlet hose 3 m



HECHT 002075C
winding drum with pressure hose 20 m, 6.3 x 11.3 mm, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"



HECHT 002075D
pneumatic impact wrench set

310 Nm, min 300l/min
10 pcs adaptors (9, 10, 11, 13, 14, 17, 19, 22, 24, 27 mm)
allen key and other accessories



HECHT 002075E
pneumatic tools set 71 pcs



- impact Wrench
  310 Nm, min 300 l / min
- air grinder
  22000 rpm, 330 l / min
- air hammer
  3500 beats / min, 320 l / min
- blow gun
- ratchet 60 Nm, 300 l / min
- set of adapters and accessories

max. pressure 6.3 bar

COMPRESSORS

HECHT 2090
ACCU COMPRESSOR

Auto shutdown when the preset pressure is reached



Digital display



Nozzles included

Battery and charger not included

ACCU program 1278

	ACCU	20 V		weight	1 kg
	battery	Li-ion, 2 Ah		max. pressure	7 bar
	charging time	60 min		no load working time	35 min*

HECHT 2190
MULTIFUNCTIONAL ACCU COMPRESSOR

4in1

ACCU program 1278



High pressure up to 11 bar

Large volume up to 360 l/min

Discharge function

LED light

Battery and charger not included

	ACCU	20 V		weight	1,6 kg
	battery	Li-ion, 2/4/6 Ah		max. pressure	11 bar
	charging time	60 min		no load working time	30 min*

HECHT 2886
COMPRESSOR



Standard accessories: air gun with hose and pressure gauge, adapter set



	electric	230 V / 50 Hz		weight	11,6 kg
	power input	1100 W		hose	3 m
	max. output presure	8 bar		number of outlets	1
	max. suction power	180 l/min.		dimensions	40 × 35 × 13 cm

HECHT 2026
OIL COMPRESSOR



24 l

Including improved packaging with increased durability

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1,5 kW / 2 HP		weight	21 kg
	max. suction power	184 l/min.		number of outlets	1
	air tank volume	24 l		rozměry	61 × 32 × 58,5 cm

HECHT 2052
OIL COMPRESSOR



50 l

Including improved packaging with increased durability

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1,5 kW / 2 HP		weight	29 kg
	max. suction power	184 l/min.		number of outlets	2
	air tank volume	50 l			

HECHT 2353
TWIN CYLINDER OIL COMPRESSOR



50 l



Including improved packaging with increased durability

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	2,2 kW / 3 HP		weight	36 kg
	max. suction power	316 l/min.		number of outlets	2
	air tank volume	50 l		dimensions	68 × 38 × 70 cm

www.hecht.cz

* Maximum working time without load with 2 Ah battery.

HECHT 2355
TWIN CYLINDER OIL COMPRESSOR





Including improved packaging with increased durability

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	2,2 kW / 3 HP		weight	50 kg
max	max. suction power	316 l/min.		number of outlets	2
litres	air tank volume	100 l			

HECHT 2360
OIL-FREE COMPRESSOR





max pressure 10 bar

	electric	230 V / 50 Hz	litres	tank	50 l
	power input	1500 W / 2 HP		max. output presure	10 bar
n_0	no-load speed	4000 min^{-1}		weight	22,5 kg
max	max. suction power	240 l/min.		number of outlets	2

HECHT 2808
OIL-FREE COMPRESSOR



Super silent

Oil and maintenance-free

Two outlets

Including improved packaging with increased durability

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	500 W		weight	17,5 kg
max	max. suction power	105 l/min.		number of outlets	2
litres	air tank volume	6 l		dimensions	49 × 43 × 45 cm

HECHT 2075
OIL-FREE COMPRESSOR



Super silent

Oil and maintenance-free

Including improved packaging with increased durability

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	750 W		weight	22 kg
max	max. suction power	132 l/min.		number of outlets	1
litres	air tank volume	24 l		dimensions	59 × 28 × 61 cm

HECHT 2086
OIL-FREE COMPRESSOR



Super silent

Oil and maintenance-free

Two outlets

Including improved packaging with increased durability

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1500 W		weight	32 kg
max	max. suction power	264 l/min.		number of outlets	2
litres	air tank volume	50 l		dimensions	76 × 32 × 62 cm

HECHT 2089
Max. suction power 528 l/min

OIL-FREE COMPRESSOR



Very quiet operation

Oil and maintenance-free

Including improved packaging with increased durability

2 engines

	electric	230 V / 50 Hz	litres	air tank volume	50 l
	power input	3000 W		max. pressure	8 bar
n_0	no-load speed	2800 min^{-1}		number of outlets	2
max	max. suction power	528 l/min.			

HECHT 1240
SCREWDRIVER

USB charging available



	ACCU	3,6 V		max. torque	4 N.m
	battery	LI-ion, 1,5 Ah		weight	0,3 kg
	no load speed	230 rpm	2 bits, integrated battery, charger (3-5 h)		

HECHT 1241
SCREWDRIVER

USB charging available



	ACCU	3,7 V		max. torque	4 N.m
	battery	LI-ion, 2 Ah		weight	0,3 kg
	no load speed	230 rpm	52 bits, integrated battery, charger (3-5 h)		

HECHT 1242
SCREWDRIVER

Double speed gearbox



HECHT 001242
BATTERY 1,5 AH
for HECHT 1242

• battery and charger included
• 1× battery 001242

	ACCU	12 V	chuck capacity		10 mm
	battery	LI-ion, 1,5 Ah		max. torque	22 N.m
	no load speed	0-350/0-1300 rpm		weight	1 kg
2 speed, battery, charger (3-5 h)					

HECHT 1245
DRILL

Double speed gearbox



HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245

• quick charger 1 h
• charging indicator
• 1× battery HECHT 001245B

	ACCU	16 V	chuck capacity		1-10 mm
	battery	LI-ion, 1,5 Ah		max. torque	30 N.m
	no load speed	0-400/ 0-1300 rpm		weight	1,5 kg
2 speed, battery, quick charger (1 h), charging indicator					

HECHT 1247
DRILL

Double speed gearbox



HECHT 001246
BATTERY 2 AH
for HECHT 1247

• quick charger 1 h
• charging indicator
• 1× battery HECHT 001246

	ACCU	20 V	chuck capacity		1-10 mm
	battery	LI-ion, 2 Ah		max. torque	40 N.m
	no load speed	0-400/ 0-1400 rpm		weight	1,5 kg
2 speed, battery, quick charger (1 h)					

HECHT 1277
IMPACT DRILL

Double speed gearbox





Case included

• quick charger 1 h
• charging indicator
• 2× battery HECHT 001277BX

ACCU program 1278

	ACCU	20 V	chuck capacity		0,8-10 mm
	battery	LI-ion 2 Ah		max. torque	30 N.m
	no load speed	0-350/0-1250 rpm		weight	1,4 kg
2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake					

HECHT 1278
IMPACT DRILL

Double speed gearbox



LED light



Case included

ACCU program 1278

- quick charger 1 h
- charging indicator
- 2× battery

HECHT 001277BX

	ACCU	20 V	chuck capacity	2-13 mm
	battery	Li-ion 2 Ah	impact rate	0-525/0-18750
	no load speed	0-350/0-1250 rpm	weight	1,54 kg
	max. torque	35 N.m		

2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

HECHT 1289
IMPACT DRILL

PROFI TOOL

Double speed gearbox



LED light



Case included

ACCU program 1278

- quick charger 1 h
- charging indicator
- 2× battery

HECHT 001277BX

Brushless motor

	ACCU	20 V	chuck capacity	2-13 mm
	battery	Li-ion 2 Ah	impact rate	0-7500/0-25500
	no load speed	0-500/0-1700 rpm	weight	1,49 kg
	max. torque	50 N.m		

2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, metal chuck, long life brushless motor, electric brake

HECHT 1256
IMPACT WRENCH

PROFI TOOL



ACCU program 1278

Long life brushless motor

3 torque options 120/180/300 Nm

	ACCU	20 V	chuck capacity	1/2"
	battery	Li-ion, 2/4/6 Ah	max. torque	300 N.m
	no load speed	0-2700 rpm	weight	1,6 kg
	impact rate	0-3780 min^{-1}	Battery and charger not included	
	charging time	60 min	working time	40 min*

HECHT 1070
IMPACT DRILL

650 W



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	650 W	max. chuck size	13 mm
	no load speed	0-3000 rpm	weight	1,8 kg
	impact rate	0-48000 min^{-1}		

variable speed, auxiliary handle, depth gauge, key chuck

HECHT 1071
IMPACT DRILL

750 W



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	750 W	max. chuck size	13 mm
	no load speed	0-3000 min^{-1}	weight	1,85 kg
	impact rate	0-54000 min^{-1}		
✓	variable speed, auxiliary handle, depth gauge, keyless chuck			

HECHT 1072
IMPACT DRILL

900 W



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	900 W	max. chuck size	13 mm
	no load speed	0-3000 min^{-1}	weight	2,05 kg
	impact rate	0-48000 min^{-1}		
✓	variable speed, auxiliary handle, depth gauge, keyless chuck			

HECHT 1073
IMPACT DRILL



1000 W

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1000 W	drilling capacity - concrete	13 mm
	no load speed	0-2800 min^{-1}	drilling capacity - wood	25 mm
	max. chuck size	13 mm	weight	2 kg
✓	variable speed, auxiliary handle, depth gauge			

HECHT 1112
IMPACT DRILL



1200 W

Aluminium alloy 2 speed gearbox

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1200 W	max. chuck size	13 mm
	no load speed	0-1200 rpm	weight	2,85 kg
	no load speed	0-2800 rpm	impact rate	0-48000 min^{-1}
variable speed, auxiliary handle, depth gauge				

HECHT 1081
ROTARY HAMMER

SDS PLUS



3 J

1050 W

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	0-1070 rpm	impact power	3 J
	impact rate	0-4800 rpm	weight	3,4 kg
ⓘ	SDS plus drive, auxiliary handle, 1pc point chisel 14×250mm, 1 pc flat chisel 14×250mm, 3 drill bits-8/10/12×150mm, depth stop			

SDS PLUS

HECHT 1028
ROTARY HAMMER



4,5 J

1050 W

	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	950 rpm	impact power	4,5 J
	impact rate	4250 rpm	weight	4,5 kg
SDS plus drive, auxiliary handle, 1pc point chisel 14×250mm, 1 pc flat chisel 14×250mm, 3 drill bits-8/10/12×150mm, depth gauge, wrench, plastic carrying case				

SDS PLUS

HECHT 1036
ROTARY HAMMER



6 J

1500 W

	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1500 W	drilling capacity - concrete	32 mm
	no load speed	860 rpm	impact power	6 J
	impact rate	4250 rpm	weight	5,2 kg
SDS plus drive, auxiliary handle, 2 pcs chisel, 3 pcs drill bit, dust cover, wrench, plastic carrying case				

SDS MAX

HECHT 1069
ROTARY HAMMER



9 J

1600 W

	electric	230 V/50 Hz	tool holder	SDS max
	power input	1600 W	drilling capacity - concrete	40 mm
	no load speed	560 rpm	impact power	9 J
	impact rate	3530 rpm	weight	7,3 kg
SDS max drive, auxiliary handle, 1pc point chisel 18×320mm, 1 pc drill bit 18×320mm, wrench, plastic carrying case				

www.hecht.cz

SDS MAX

HECHT 1090
DEMOLITION HAMMER



15 J

1300 W

electric	230 V/50 Hz	tool holder		SDS max
power input	1300 W	impact power		15 J
impact rate	3600 rpm	weight		7,2 kg

SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case

PROFI TOOL

45 J

HECHT 1097
DEMOLITION HAMMER

1700 W



SDS MAX

electric	230 V/50 Hz	tool holder		SDS max
power input	1700 W	impact power		45 J
impact rate	2200 rpm	weight		11,5 kg

SDS max drive, auxiliary handle, 2× chisel, 1× lubricant, plastic carrying case

PROFI TOOL

SDS-HEX

HECHT 1093
DEMOLITION HAMMER

60 J

1700 W



electric	230 V/50 Hz	tool holder		SDS-HEX
power input	1700 W	impact power		60 J
impact rate	1900 min^{-1}	weight		14,9 kg
✓	SDS-HEX mounting, additional handle, 1× pointed chisel, 1× flat chisel, 1× lubricant, carbon brush, plastic carrying case			



HECHT 1055
DRILL PRESS


HECHT 001055
Vise for HECHT 1055 and 1063
2,5“



Model 2022
500 W motor

Quality gearbox

electric	230 V/50 Hz	lift height		50 mm
power input	500 W	chuck capacity		16 mm
no load speed	420-2700 rpm	number of gears		9
weight	15 kg			



HECHT 1063
DRILL PRESS

Powerful motor 600 W

Quality gearbox

electric	230 V/50 Hz	lift height		60 mm
power input	600 W	chuck capacity		16 mm
no load speed	420-2700 rpm	number of gears		12
weight	30 kg			

HECHT 1545
JIG SAW



500 W

electric	230 V/50 Hz	cutting depth - wood		55 mm
power input	500 W	cutting depth - steel		6 mm
no load speed	0–3000 rpm	weight		1,21 kg
With saw blade, hex key				

* Maximum working time without load with 2 Ah battery.

HECHT 1546
JIG SAW



	electric	230 V/50 Hz	cutting depth - wood		65 mm
	power input	600 W	cutting depth - steel		6 mm
	no load speed	800-3000 rpm		weight	2,1 kg

with saw blade for wood, dust tube, hex key

HECHT 1560
JIG SAW



	electric	230 V/50 Hz	cutting depth - wood		65 mm
	power input	650 W	cutting depth - steel		10 mm
	no load speed	0-3100 rpm		weight	1,5 kg

with saw blade, dust adaptor

HECHT 1569
JIG SAW



	electric	230 V/50 Hz	cutting depth - wood		80 mm
	power input	810 W	cutting depth - steel		10 mm
	no load speed	800-3000 rpm		weight	2,38 kg

with saw blade, dust adaptor, guide fence

ACCU program 1278

HECHT 1531
JIG SAW



	ACCU	20 V DC	cutting depth - wood		80 mm
	battery	Li-ion, 2/4/6 Ah	cutting depth - steel		10 mm
	no load speed	0-2400 min^{-1}		weight	1,7 kg
	charging time	60 min		no load working time	30 min*

Battery and charger not included

HECHT 1307
ANGLE GRINDER



	electric	230 V / 50 Hz	disc diameter		115 mm
	power input	650 W	sprindle thread		M14
	no load speed	12000 rpm		weight	1,8 kg

auxiliary handle, wrench, the grindstone is not included

Quick-release disc guard

HECHT 1372
ANGLE GRINDER



	electric	230 V/50 Hz	disc diameter		115 mm
	power input	710 W	sprindle thread		M14
	no load speed	12000 rpm		weight	1,9 kg

auxiliary handle, wrench, the grindstone is not included

* Maximum working time without load with 2 Ah battery.

www.hecht.cz

HECHT 1391
ANGLE GRINDER



	electric	230 V/50 Hz	disc diameter	125 mm
	power input	900 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,1 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1309
ANGLE GRINDER



	electric	230 V/50 Hz	disc diameter	125 mm
	power input	1200 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,6 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1314
ANGLE GRINDER



	electric	230 V/50 Hz	disc diameter	150 mm
	power input	1400 W	sprindle thread	M14
	no load speed	4000-8600 rpm	weight	3,1 kg

auxiliary handle, wrench, the grindstone is not included, variable speed

HECHT 1323
ANGLE GRINDER



	electric	230 V/50 Hz	disc diameter	230 mm
	power input	2350 W	sprindle thread	M14
	no load speed	6500 rpm	weight	4,9 kg

auxiliary handle, wrench, soft start, the grindstone is not included

HECHT 1320
ANGLE GRINDER



	ACCU	20 V DC	disc diameter	115 mm
	battery	Li-ion, 2/4/6 Ah	sprindle thread	M14
	no load speed	1000 min^{-1}	weight	1,7 kg
	charging time	60 min	no load working time	20 min*

Battery and charger not included

HECHT 1300
POLISHER & GRINDER



	electric	230 V / 50 Hz	disc diameter	180 mm
	power input	1300 W	sprindle thread	M14
	no load speed	1000-3000 rpm	weight	3,5 kg

auxiliary D-front handle, wrench, sanding pad, sanding paper, wool bonnet, spongy cushion

* Maximum working time without load with 2 Ah battery.

HECHT 1722
BENCH GRINDER



150 W

electric	230 V/50 Hz	disc diameter		150 mm
power input	150 W	grinding wheel grain		K60+K36
no load speed	2950 min^{-1}	weight		4,8 kg

HECHT 1723
BENCH GRINDER



350 W

electric	230 V/50 Hz	disc diameter		200 mm
power input	350 W	grinding wheel grain		K60+K36
no load speed	2950 min^{-1}	weight		9,5 kg

HECHT 1710
DRYWALL SANDER

710 W



HECHT 00171020
SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 120

HECHT 00171050
SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 150

HECHT 00171080
SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 180

electric	230 V/50 Hz	tube diameter		32 mm
power input	710 W	sandpaper diameter		225 mm
no load speed	800-1700 rpm	weight		3,9 kg

4 m power cord, 2 m dust collection pipe, 3 pcs of sanding paper

HECHT 1711
DRYWALL SANDER



800 W





electric	230 V/50 Hz	tube diameter		32 mm
power input	800 W	sandpaper diameter		225 mm
no load speed	800-1800 rpm	weight		4,5 kg

foldable, LED light, auto dust collection system, 4 m power cord, with portable bag and dust bag, 3 pcs of sanding paper

HECHT 1660
WALL CHASER

1600 W



electric	230 V/50 Hz	cutting depth		5–30 mm
power input	1600 W	cutting width		8–30 mm
no load speed	9000 rpm	blade diameter		125 mm

soft start, anti-slip grip, 2 diamond blades, 1 spanner, 1 chisel, 1 dust tube

HECHT 1766
FINISHING SANDER

001176660
SANDPAPER
roughness 60, 10 pcs



001176680
SANDPAPER
roughness 80, 10 pcs

001176620
SANDPAPER
roughness 120, 10 pcs



200 W

electric	230 V/50 Hz	baseboard size		140 × 140 × 80 mm
power input	200 W	weight		1,6 kg
no load speed	15500 rpm			

sandpaper, plastic dust container

www.hecht.cz

HECHT 1767
FINISHING SANDER

001176760
SANDPAPER
10 pcs, roughness 60

001176780
SANDPAPER
10 pcs, roughness 80

001176720
SANDPAPER
10 pcs, roughness 120



220 W

	electric	230 V/50 Hz		baseboard size	187 × 90 mm
	power input	220 W		weight	1,65 kg
	no load speed	12000 rpm			

sandpaper, plastic dust container

HECHT 1768
ORBITAL SANDER

001176860
SANDPAPER
10 pcs, roughness 60



001176880
SANDPAPER
10 pcs, roughness 80

001176820
SANDPAPER
10 pcs, roughness 120

Adjustable power



450 W

	electric	230 V/50 Hz		baseboard size	Ø 125 mm
	power input	450 W		weight	2 kg
	no load speed	13000 rpm			

sandpaper, plastic dust container

HECHT 1781
BELT SANDER

0001781060
SANDPAPER
5 pcs, 533×76 mm, roughness 60

0001781080
SANDPAPER
5 pcs, 533×76 mm, roughness 80

0001781120
SANDPAPER
5 pcs, 533×76 mm, roughness 120



Adjustable speed



	electric	230 V/50 Hz	sanding size		140 X 76 mm
	power input	810 W	sanding belt		533 x 76 mm
	no load speed	380 rpm		weight	3,2 kg

sanding belt, dust bag

HECHT 001790
UPSIDE DOWN TABLE FOR HECHT 1790



HECHT 1790
PLANER

900 W



	electric	230 V/50 Hz	max. planing width	82 mm
	power input	900 W	max. planing depth	3 mm
	no load speed	16000 rpm	max. rebating depth	15 mm
	weight	2,8 kg	with accesories box (key, allen key), guide fence	

HECHT 1795
TOP MILLING TOOL

Adjustable speed

HECHT 001795
SET OF MILLING BITS - 12 ks





1200 W

	electric	230 V/50 Hz		cutting depth	55 mm
	power input	1200 W		collet hole	6/8 mm
	no load speed	11000-30000 min^{-1}			

✓ 1,85 supply cable, 2× guide rail, ruler, dust extraction adapter, collet chuck (pre-assembled), centering pin

AVAILABLE ACCESSORIES

0001630A 2 pcs saw blades

0001630B 10 pcs sanding papers roughness 60, 100, 120, 240

0001630C 2 pcs abrasive blades

HECHT 1630
OSCILLATING MULTI-TOOL

Adjustable speed



300 W

Quick release guard

STANDARD ACCESORIES

Sandpapers | Sanding plate | Saw blade | Scraper

	electric	230 V/50 Hz	Quick Change Multi-function Tool		
	power input	300 W		no load speed	15000 - 22000 rpm

1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plactic cyrrying case

HECHT 1571
RECIPROCATING SAW



Blade for wood and steel included

	electric	230 V/ 50 Hz	cutting depth - wood		115 mm
	power input	710 W	cutting depth - steel		5 mm
	no load speed	0-2800 min^{-1}		weight	2,48 kg

HECHT 1574
RECIPROCATING SAW



Blade for wood and steel included

	electric	230 V/ 50 Hz	cutting depth - wood		140 mm
	power input	850 W	cutting depth - steel		5 mm
	no load speed	0-2800 min^{-1}		weight	2,75 kg

HECHT 1575
RECIPROCATING SAW



Blade for wood and steel included

	electric	230 V/ 50 Hz	cutting depth - wood		150 mm
	power input	1050 W	cutting depth - steel		10 mm
	no load speed	0-2500 min^{-1}		weight	3,4 kg

ACCU program 1278

HECHT 1510
ACCU RECIPROCATING SAW



Quick blade change system

	Accu Li-Ion	DC 20 V / 1× 2/4/6 Ah	cutting depth - steel		10 mm
	no load speed	0-3000 min^{-1}		weight	2 kg
cutting depth - wood		115 mm	Battery and charger not included		

1200 W

HECHT 1613
CIRCULAR SAW





HECHT 001613
SAW BLADE
for HECHT 1613, 1624, 1626
ø 185 mm

	electric	230 V/50 Hz	blade diameter	185 mm
	power input	1200 W	max. cutting depth	65 mm
	no load speed	5500 min^{-1}	weight	3,7 kg
with saw blade, guide fence				

HECHT 1624
CIRCULAR SAW

1400 W



	electric	230 V / 50 Hz		blade diameter	185 mm
	power input	1400 W		max. cutting depth	65 mm
	no load speed	5500 min^{-1}		weight	3,7 kg
✓	pilový kotouč, vodící pravítko				

HECHT 1627
CIRCULAR SAW

1500 W



	electric	230 V / 50 Hz		blade diameter	185 mm
	power input	1500 W		max. cutting depth	63 mm
	no load speed	4700 min^{-1}		weight	4,3 kg
✓	pilový kotouč, vodící pravítko				

HECHT 1620
CIRCULAR SAW

1800 W



	electric	230 V / 50 Hz		blade diameter	210 mm
	power input	1800 W		max. cutting depth	73 mm
	no load speed	5000 min^{-1}		weight	6,4 kg
✓	pilový kotouč, vodící pravítko				

www.hecht.cz

ACCU program 1278

HECHT 1670
ACCU CIRCULAR SAW





HECHT 001670
SAW BLADE FOR WOOD
24T, 150×10×1,6 mm

	accu	20 V DC	blade diameter		150 mm
	battery	DC 20 V / 1× 2/4/6 Ah	cutting depth		48 mm
	no load speed	0-4200 min^{-1}		weight	2,37 kg
	charging time	60 min		no load working time	35 min*

Battery and charger not included

HECHT 1067
PLUNGE SAW WITH AC LASER

001067A	001067B	001067C
blade for wood	blade for aluminium	diamond blade



750 W

3 blades included

	electric	230 V/50 Hz	blade diameter	115 mm
	power input	750 W	max. cutting depth	41 mm
	no load speed	3600 rpm	weight	3,1 kg

3 blades, guide fence, hex key

HECHT 813
MITRE SAW WITH AC LASER





SAW BLADE
48T×210 mm×25,4 mm
for HECHT 814, 818, 828, 813
nr.: HECHT 00828

ANGLE / CUT

90° × 90°	55 × 120 mm
45° × 45°	30 × 83 mm
45° × 90°	30 × 120 mm
90° × 45°	55 × 83 mm

	electric	230 V/50 Hz	tilting range	-45° / 0° / 45°
	power input	1400 W	mitre cuts	90°–45° left
	saw blade	ø 210 mm	weight	6,3 kg
	no load speed	5000 min^{-1}		

HECHT 828
MITRE SAW WITH AC LASER



Double bevel

ANGLE / CUT

0° × 90°	60 × 310 mm
45° × 90°	60 × 210 mm
0° × 45° L	36 × 310 mm
45° × 45° L	36 × 210 mm
0° × 45° R	20 × 310 mm
45° × 45° R	20 × 210 mm

	electric	230 V/50 Hz	tilting range	-45° / 0° / 45°
	power input	1800 W	mitre cuts	90°–45° right + left
	saw blade	ø 210 mm	weight	11 kg
	no load speed	4900 min^{-1}		

HECHT 820
MITRE SAW WITH AC LASER



Double bevel

ANGLE / CUT

0° × 90°	L75 × 340 mm
0° × 45°	L45 × 340 mm
45° × 90°	L75 × 240 mm
45° × 45°	L45 × 240 mm
0° × 45° R	25 × 340 mm
45° × 45° R	25 × 240 mm

	electric	230 V/50 Hz	tilting range	-45° / 0° / 45°
	power input	2350 W	mitre cuts	90°–45° right + left
	saw blade	ø 255 mm	weight	18 kg
	no load speed	4200 min^{-1}		

HECHT 8254
BENCH SAW



CUT DEPTH

90°	85 mm
45°	65 mm

2000 W

HECHT 008254
SAW BLADE
for HECHT 8254
ø 254 mm × ø 30 mm × 48T



	electric	230 V / 50 Hz	table height	829 mm
	power input	2000 W	mitre cuts	90°–45° right + left
	saw blade	ø 250 mm	weight	19 kg
	no load speed	5000 min^{-1}		

HECHT 8751
JOINTER AND PLANER



HECHT 008751
SPARE KNIVES
for HECHT 8751 (2 pcs)

1250 W

	electric	230 V / 50 Hz		table dimensions planing / stretching	740 × 210 mm / 250 × 204 mm
	power input	1250 W		max. cutting width	204 mm
	cutting depth	0–2 mm		length of the supply cable	200 cm
	no load speed	8000 min^{-1}		weight	21 kg

HECHT 8916
SCROLL SAW



HECHT 008916
SAW BLADE
for HECHT 8916
5 pcs/package



120 W

	electric	230 V / 50 Hz		blade length	127 mm
	power input	120 W		stroke	19 mm
throat capacity		406 mm		table size	255×415 mm
stroke speed		400–1650 min^{-1}		weight	13 kg

HECHT 8925
BAND SAW



HECHT 008925
SAW BLADE FOR HECHT 8925



250 W

	electric	230 V/50 Hz		cut depth at 90°	80 mm
	power input	250 W		cut depth at 45°	45 mm
	saw blade length	1400 mm		weight	17 kg
	no load speed	1487 min^{-1}			

HECHT 8950
BAND SAW

HECHT 008950
SAW BLADE FOR HECHT 8950





HECHT 008950A
STAND FOR HECHT 8950



500 W

	electric	230 V/50 Hz		cut depth at 90°	115 mm
	power input	500 W		cut depth at 45°	65 mm
	saw blade length	1712 mm		table size	302×304 mm
	no load speed	2982 min^{-1}		weight	24 kg

HECHT 834
CUT OFF SAW



HECHT 00835
SAW BLADE FOR HECHT 834



2400 W

	electric	230 V/50 Hz		max. cross section – square profile	120 × 120 mm
	power input	2400 W		max. cross section – round profile	110 mm
	no load speed	3600 min^{-1}		weight	17 kg
	blade diameter	355 mm			

HECHT 8400
ELECTRIC WOOD LATHE





400 W


	electric	230 V/50 Hz		spindle head threat	M18
	power input	400 W		max. workpiece length / diameter	1000 / 350 mm
	no load speed	890/1260/ 1760/2600 min^{-1}		weight	21 kg

www.hecht.cz

Accessories for HECHT 8410

HECHT 008410A
Lathe knife set 8x8 mm
HECHT 008410B
Swivel tip MT2
HECHT 008410C
Clamping disc Ø 160 mm
HECHT 008410D
Clamping set for disc Ø 160 mm
HECHT 008410E
4-jaw chuck 100 mm
HECHT 008410F
Fixed bezel
HECHT 008410G
Sliding bezel
HECHT 008410H
Fixed tip MT3
HECHT 008410I
Drill chuck 13mm + MT2

HECHT 8410
ELECTRIC MINI LATHE



370 W


Standard accessories included

	electric	230 V/50 Hz		swing over bed	180 mm
	power input	250 W		distance between centers	300 mm
	no load speed	100–1100 min^{-1}, 100–2500 min^{-1}		cross slide travel / compound travel	65 / 55 mm
	spindle taper	MT2, MT3		weight	37 kg

Accessories for HECHT 8420

HECHT 008420A
Lathe knife set 10x10mm
HECHT 008420B
Swivel tip MT2
HECHT 008420C
Clamping disc Ø 220 mm
HECHT 008420D
Clamping set for disc Ø 220 mm
HECHT 008420E
4-jaw chuck 125 mm
HECHT 008420F
Fixed bezel
HECHT 008420G
Sliding bezel
HECHT 008420I
Drill chuck 13mm + MT2

HECHT 8420
ELECTRIC BENCH LATHE



960 W

Standard accessories included

	electric	230 V/50 Hz		swing over bed	250 mm
	power input	550 W		distance between centers	550 mm
	no load speed	125–2000 min^{-1}		cross slide travel / compound travel	110 / 75 mm
	spindle / tailstock taper	MT2 / MT3		weight	145 kg

HECHT 1824
MMA ELECTRODE WELDER - INVERTOR

140 A



	input capacity	5,1 kVA	Ø	electrode diameter	1–3,2 mm
	welding current	20–140 A		weight	3,4 kg
	welding voltage	25,6 V		efficiency	70 %
	duty cycle	40 %		electrode holder, ground clamp	

HECHT 1826
MMA ELECTRODE WELDER - INVERTOR

160 A



	input capacity	6 kVA	Ø	electrode diameter	1–4 mm
	welding current	20–160 A		weight	4,2 kg
	welding voltage	26,4 V		efficiency	70 %
	duty cycle	40 %		electrode holder, ground clamp	

HECHT 1828
MMA ELECTRODE WELDER - INVERTOR

180 A



	input capacity	7 kVA	Ø	electrode diameter	1–4 mm
	welding current	20–180 A		weight	4,6 kg
	welding voltage	27,2 V		efficiency	70 %
	duty cycle	40 %		electrode holder, ground clamp	

HECHT 1830
MMA, MIG, MAG WELDER INVERTOR



Digital control panel

CO_2
ARC FORCE, HOT START, ANTI STICK

200 A

	input capacity	6,9 kVA		welding wire diameter	0.8+1 mm
	welding current	20–200 A	Ø	electrode diameter	1–4 mm
V	welding voltage	27,2 V		weight	5 kg
	duty cycle	40 %		efficiency	70 %

HECHT 900255
WELDING SHIELD



Welding + grinding function

	filter size	110 × 90 mm		UV / IR	DIN 16
	window dimensions	92 × 42 mm	DIN	dark state shade	DIN 9–DIN 13
	response time	≤ 1/25000 s		weight	0,5 kg
	solar cells + battery, sensitivity control, fully automatic on/off				

ELECTRIC HEATERS

HECHT 3542

ELECTRIC HEATER WITH THERMOSTAT



	electric	230 V / 50 Hz		heating area	20 m³
	power input	2000 W		airflow	197 m³/h
	weight	1,7 kg		setting	25 / 1000 / 2000 W
IP	protection degree	IP20	thermal fuse		✓
	fan, thermostat, ceramic heater				

HECHT 3543

ELECTRIC HEATER WITH THERMOSTAT



	electric	230 V / 50 Hz		heating area	30 m³
	power input	3000 W		airflow	238 m³/h
	weight	2,5 kg		setting	25 / 2000 / 3000 W
IP	protection degree	IP20	thermal fuse		✓
	fan, thermostat, ceramic heater				

HECHT 3500

ELECTRIC HEATER WITH THERMOSTAT



	electric	230 V / 50 Hz		heating area	30 m³
	power input	3 kW		airflow	500 m³/h
	weight	3,3 kg		setting	1 / 2 / 3 kW
IP	protection degree	IPX4	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface treatment				

HECHT 3329

ELECTRIC HEATER WITH THERMOSTAT



	electric	230 V / 50 Hz		heating area	60 m³
	power input	3000 W		airflow	354 m³/h
	weight	3,4 kg		setting	40 / 1500 / 3000 W
IP	protection degree	IPX4	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface treatment				

HECHT 3422


ELECTRIC HEATER WITH THERMOSTAT



	electric	230 V / 50 Hz		heating area	60 m³
	power input	3000 W		airflow	354 m³/h
	weight	5 kg		setting	40 / 1500 / 3000 W
IP	protection degree	IP24	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface treatment				

HECHT 3613

CERAMIC HEATER





Remote control

	electric	230 V / 50 Hz		heating area	15–20 m³
	power input	2000 W		weight	4,5 kg
IP	protection degree	IPX4	thermal fuse		✓
	termostat, timer, remote control, ceramic heating element				

HECHT 3525

ELECTRIC CEILING HEATER

Ideal for pergolas, conservatories and front gardens



2× carbon tube

Including hanging chain

	electric	230 V/50 Hz	manual control	✓
	power output	2500 W	dimensions	61 × 61 × 35 cm
	weight	3,2 kg	2× carbon tube	

www.hecht.cz

HECHT 3015
GAS HOT AIR TURBINE

HECHT 003015A
HOSE WITH REGULATOR 1,5 M FOR HECHT 3015

Includes hose and regulator



	electric	230 V / 50 Hz		heating area	100 m³
	power input	28 W		heat output	15 kW
	weight	4,7 kg		consumption	1,07 kg/h
IP	protection degree	IP44	fan, termostat		

HECHT 3016
GAS HOT AIR TURBINE

HECHT 003016
HOSE WITH REGULATOR 1,5 M FOR HECHT 3016

Includes hose and regulator



Power regulation

	electric	230 V / 50 Hz		heating area	280 m³
	power input	57 W		heat output	12–30 kW
	weight	6,5 kg		consumption	1,07–2,13 kg/h
IP	protection degree	IP44	fan, termostat		

HECHT 3020
DIESEL HOT AIR TURBINE



	electric	230 V / 50 Hz		heating area	166 m³
	power input	200 W		heat output	20 kW / 70000 BTU
litres	tank volume	19 l		consumption	2 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3021
DIESEL HOT AIR TURBINE



Transport wheels

	electric	230 V / 50 Hz		heating area	166 m³
	power input	200 W		heat output	20 kW / 70000 BTU
litres	tank volume	19 l		consumption	2 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3038
DIESEL HOT AIR TURBINE



Transport wheels

	electric	230 V / 50 Hz		heating area	295 m³
	power input	280 W		heat output	37 kW / 125000 BTU
litres	tank volume	38 l		consumption	3,6 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3039
DIESEL HOT AIR TURBINE



Transport wheels

	electric	230 V / 50 Hz		heating area	415 m³
	power input	280 W		heat output	51 kW / 175000 BTU
litres	tank volume	50 l		consumption	5 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

Indirect combustion
Flue gas discharge through the chimney

Heating with clean hot air

HECHT 3040
DIESEL HOT AIR TURBINE



Transport wheels

	electric	230 V / 50 Hz		heating area	150 m³
	power input	280 W		heat output	18 kW / 62000 BTU
litres	tank volume	38 l		consumption	1,8 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HOME & GARDEN

AIR COOLERS
WOOD STOVES
GRILLS
GARDEN FURNITURE
PARASOLS
GARDEN SHEDS











HECHT 3731
AIR COOLER



	electric	230 V/50 Hz		height	79 cm
	power input	60 W	✓	3-speed ventilator	
	weight	3 kg			

HECHT 3736
AIR COOLER






Remote control

	electric	230 V/50 Hz		height	92 cm
	power input	60 W	✓	3-speed ventilator, 12h timer, ionizator	
	weight	3,3 kg	✓	remote control	

HECHT 3739
AIR VENTILATOR



Remote control



	electric	230 V/50 Hz		weight	3,7 kg
	power input	60 W	✓	3-speed ventilator, 8h timer, ionizator, 3 air types	
	height	99 cm	✓	remote control	

HECHT 3804
ELECTRIC VENTILATOR

FUNCTION:
fan
cooling
humidification



	electric	230 V/50 Hz	litres	watertank volume	4 l
	power input	75 W		airflow	252 m³/h
	weight	4,5 kg		class	Climate T
	3 ventilator speeds, water level indication				



HECHT 3810
BLADELESS AIR COOLER

FUNCTION:
fan
cooling
humidification


Remote control



	electric	230 V/50 Hz	litres	watertank volume	3,5 l
	power input	110 W		airflow	428 m³/h
	weight	5,7 kg		class	Climate T
	remote control, 3-speed ventilator, temperature display, 8 hours timer, 3 fan settings - swing, timer; 3 modes - natural, normal, sleep				

HECHT 3809
AIR COOLER

FUNCTION:
fan
cooling
humidification


Remote control



	electric	230 V/50 Hz	litres	watertank volume	9 l
	power input	75 W		airflow	222 m³/h
	weight	11,5 kg		class	Climate T
	remote control, 3 ventilator speeds, water level indication, 3 fan settings - swing, anion, timer				

HECHT 3907
PORTABLE AIR CONDITIONER

FUNCTION:
fan
cooling
dehumidification

Environmentally friendly coolant R290




Remote control

	electric	230 V/50 Hz		dimensions	67 × 28 × 29 cm
	power input	770 W		airflow	240 m³/h
	weight	20 kg		cooling performance	7000 BTU
	cooling area	40 m³ *			
	remote control, 1,5 m vent hose, window kit, LED display with blue backlight, 360° swivel castors				

HECHT 3909
PORTABLE AIR CONDITIONER

FUNCTION:
fan
cooling
dehumidification

Environmentally friendly coolant R290




Remote control

	electric	230 V/50 Hz		dimensions	77 × 31 × 36 cm
	power input	1000 W		airflow	366 m³/h
	weight	22 kg		cooling performance	9000 BTU
	cooling area	45 cbm *			
	remote control, 1,5 m vent hose, window kit, active carbon filter, LED display with blue backlight, antibacterial water tank, night mode, timer 360° swivel castors				

HECHT 3912
PORTABLE AIR CONDITIONER

FUNCTION:
fan
cooling
dehumidification

Environmentally friendly coolant R290


Remote control



HECHT 003912
Window kit for HECHT 3907, 3909, 3912, 3913

	electric	230 V/50 Hz		moisture removal	70 l/day
	power input	1337 W / 5,9 A		dimensions	72 × 42 × 36 cm
	weight	29,5 kg		airflow	410 m³/h
	cooling area	70 cbm *		cooling performance	12000 BTU
	remote control, 1,5 m vent hose, selectable fan speed, LED display, timer, 360 ° swivel castors				

HECHT 3913
WIFI PORTABLE AIR CONDITIONER & HEATER

FUNCTION 5 IN 1:
AUTO
Cooling
Fan
Dehumidification
Heating


Remote control



MOBILE APP TUYA SMART



	electric	230 V/50 Hz		moisture removal	31 l/day
	power input	1350 W / 6 A		dimensions	85 × 39,5 × 35 cm
	weight	29 kg		airflow	410 m³/h
	cooling area	75 cbm *		cooling performance	12000 BTU
	heat pump, Wi-Fi – controlling through mobile app, electronic touchscreen + remote control, timer, 3-speed fan, antibacterial water tank				

www.hecht.cz

HECHT VERVIS

WOOD STOVES (not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top / back flute position

Storage compartment

Cast iron door

Heatproof glass

Made in Europe

Recommended fuel: wood, wooden briquettes



firebox dimensions: 250×280×350 mm

heat output	5–7 kW		weight	48 kg
dimensions	400×460×900 mm		material	steel, cast iron

HECHT FLEMIS

WOOD STOVES (not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Cast iron door

Heatproof glass

Made in Europe

Recommended fuel: wood, wooden briquettes



firebox dimensions: 340×325×350 mm

heat output	7–9 kW		weight	55 kg
dimensions	485×435×945 mm		material	steel

HECHT ARDENIS

WOOD STOVES (not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Cast iron top plate/door

Heatproof glass

Recommended fuel: wood, wooden briquettes



firebox dimensions: 320×350×360 mm

heat output	7-8 kW		weight	64 kg
overall dimensions	480×460×930 mm		material	steel

HECHT FENIXE

WOOD STOVES (not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Heatproof glass

Ceramic siding

Recommended fuel: wood, wooden briquettes



firebox dimensions: 335×320×350 mm

heat output	9-10 kW		weight	82 kg
overall dimensions	490×460×1040 mm		material	steel, ceramic

HECHT MAGNIS

WOOD STOVES WITH HOT WATER EXCHANGER

Flue Ø 120 mm

Max. operating pressure 2.5 bar

Exchanger volume 22 l

Refractory glass up to 750 ° C

Air flow adjustment

Upper chimney outlet

Cast iron grate



firebox dimensions: 310×300×530 mm

max. heating output / in water	20–22 / 15–17 kW		flue	120 mm
combustion efficiency	77 %		weight	90 kg
overall dimensions	485×455×1070 mm		material	steel, ceramics

heat-resistant coating, heat-resistant glass up to 750 °C, air supply regulation, chimney outlet regulation, deflector, ashtray, cast iron grate, fuel: wood, briquettes



HECHT SOLIS GREY

WOOD STOVES
(not intended for A, CH, F)

Flue Ø 150 mm

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



firebox dimensions: 400×370×400 mm

heat output	9 kW		weight	83 kg
flue	150 mm		material	steel
overall dimensions	570×470×930 mm			
top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT SOLIS BEIGE

WOOD STOVES
(not intended for A, CH, F)

Flue Ø 150 mm

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



firebox dimensions: 400×370×400 mm

heat output	9 kW		weight	83 kg
flue	150 mm		material	steel
overall dimensions	570×470×930 mm			
top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT HELIS GREY

WOOD STOVES
(not intended for A, CH, F)

Flue Ø 150 mm

With stone clading: polished limestone

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite

Tertiary combustion



firebox dimensions: 400×370×400 mm

heat output	9 kW		weight	83 kg
flue	150 mm		material	steel, stone
overall dimensions	570×470×930 mm			
top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT HELIS BEIGE

WOOD STOVES
(not intended for A, CH, F)

Flue Ø 150 mm

With stone clading: polished limestone

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite

Tertiary combustion



firebox dimensions: 400×370×400 mm

heat output	9 kW		weight	83 kg
flue	150 mm		material	steel, stone
overall dimensions	570×470×930 mm			
top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT VULCANUS GREY

WOOD STOVES WITH OVEN
(not intended for DE, A, CH, F)

Flue Ø 130 mm

Storage compartment

Adjustable oven power

Top hob 5 mm

Heatproof glass

Thermometer

Recommended fuel: wood, wooden briquettes



heat output	6 kW		weight	65 kg
flue	130 mm		material	steel
overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

HECHT VULCANUS BEIGE

WOOD STOVES WITH OVEN
(not intended for DE, A, CH, F)

Flue Ø 130 mm

Storage compartment

Adjustable oven power

Top hob 5 mm

Heatproof glass

Ceramic siding

Thermometer

Recommended fuel: wood, wooden briquettes



heat output	6 kW		weight	65 kg
flue	130 mm		material	steel
overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

www.hecht.cz

ACCESSORIES for wood stoves with Ø120 / 130 / 150 mm flue

HECHT SAVER	HOT AIR EXCHANGER (material steel, ø 120 mm, dimensions 22×32×94-100 cm, thickness 0,5 mm)
HECHT PIPE 1	FLUE PIPE 1 m / Ø 120 mm / 0,5 mm
HECHT PIPE 05	FLUE PIPE 0,5 m / Ø 120 mm / 0,5 mm
HECHT PIPE CURVE	FLUE ELBOW 90 ° / Ø 120 mm / 0,5 mm
HECHT PIPE 113	FLUE PIPE 1 m / Ø 130 mm / 1,5 mm
HECHT PIPE 0513	FLUE PIPE WITH A FLAP 0,5 m / Ø 130 mm / 1,5 mm
HECHT PIPE CURVE 13	FLUE ELBOW 90 ° / Ø 130 mm / 1,5 mm
HECHT PIPE 115	FLUE PIPE 1 m / Ø 150 mm / 1,5 mm
HECHT PIPE 0515	FLUE PIPE WITH A FLAP 0,5 m / Ø 150 mm / 1,5 mm
HECHT PIPE CURVE 15	FLUE ELBOW 90 ° / Ø 150 mm / 1,5 mm

HECHT MERIDA
CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas





material	heavy stamped steel	height	92 cm		
Ø diameter	53,5 cm	steel thickness	0,8 mm		
heat-resistant black color, tough baked finish for durability and easy cleaning, chrome plated cooking grill					

HECHT VESUV
CHARCOAL GARDEN GRILL
BBQ & FIRE PIT



3 IN 1



material	heavy stamped steel	steel thickness	1,2 mm		
dimensions	88 × 73 × 92 cm	cooking area	46 × 46 cm		
heat-resistant black color, stainless steel grill, two wooden shelves					

HECHT BARREL
CHARCOAL GARDEN GRILL





material	heat resistant sheet steel	steel thickness	1 mm		
dimensions	109 × 103 × 71 cm	cooking area	70 × 37 cm		
2 cooking areas, stacking area, ashtray, transport wheels					

HECHT SENTINEL MINOR
CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas





material	heat resistant sheet steel	steel thickness	1 mm		
dimensions	112 × 63 × 116,5 cm				
2 heating chambers, 2 cooking areas, stacking area, thermometer					

* This value may vary depending on the influence of: environment, temperature, air flow, room sealing, room location in the house, thermal insulation, room cardinal directions orientation and other factors.

HECHT SENTINEL
CHARCOAL GARDEN GRILL





Suitable for sheltered garden areas

	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	115 × 65 × 133 cm		cooking area main / minor	60 × 40 cm / 35 × 30 cm
	2 heating chambers, 2 cooking areas, stacking area, thermometer				

HECHT 000666
ALLOY PLATE



Available from 5/23

HECHT SENTINEL MAX
CHARCOAL GARDEN GRILL





Suitable for sheltered garden areas

	material	heat resistant sheet steel		steel thickness	1,5 mm
	dimensions	175 × 76 × 154 cm		cooking area main / minor	100 × 45 cm / 43 × 38 cm
	2 heating chambers, 3 cooking areas, stacking area, thermometer				

HECHT FERNO BLACK
CERAMIC CHARCOAL GARDEN GRILL

Ceramic grill with unique thermal properties

Lower charcoal consumption by up to 50 %

Designed for grilling, baking, smoking or slow stewing

Airtight ceramic chamber keeps meat juicy and undried



Integrated thermometer



Stainless steel ventilation for easy temperature control





Cast iron fireplace





Rubber wheels with brake



Cast iron air regulation on the cover

	material	ceramics, stainless steel, cast iron, bamboo wood			
Ø	body diameter	550 mm		wall thickness	20 mm
	dimensions	130 × 73 × 122 cm		cooking area	460 mm
	weight	82 kg	°C	temperature range	100–425 °C
	built-in thermometer, wooden folding bamboo sides, self-cleaning function, upper air regulator, stainless steel ventilation grille				

www.hecht.cz

HECHT FIRE 2
GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate





grill dimensions	104 × 56 × 106 cm		weight	20,5 kg	
2 main burners, cast iron grate		total burner output 7 kW			

HECHT CONTACT 3
GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate





grill dimensions	120 × 56 × 106 cm		weight	25,5 kg	
3 main burners, cast iron grate, total burner output 10,5 kW					

HECHT FIREWOOD 3
GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate and grill plate





Combination of wood and steel

grill dimensions	130 × 56 × 106 cm		weight	30,5 kg	
3 main burners, cast iron grate and grill plate, total burner output 10,5 kW			cooking area	60 × 40 cm	

HECHT ADELLE 5
GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate and grill plate







grill dimensions	132 × 51,5 × 111 cm		weight	35 kg	
4 main burners, 1 side burner, total burner output 12,5 kW			cooking area	60 × 40 cm	

HECHT 003101 R
REGULATOR FOR GAS GRILLS

28–30 mbar, ∅ 8 mm, length 1,5 m

Intended for CZ, SK, HU or on request.





HECHT COVER 2
(for HECHT FIRE 2)

HECHT COVER 3C
(for HECHT CONTACT 3)
Available from 4/23

HECHT COVER 3F
(for HECHT FIREWOOD 3)
Available from 4/23

HECHT COVER 5
(for HECHT ADELLE 5)
Available from 4/23

EKONOMY SET 4
GARDEN FURNITURE SET

EKONOMY SET 6
GARDEN FURNITURE SET

Tempered glass

EKONOMY CHAIR
GARDEN CHAIR





EKONOMY TABLE
GARDEN GLASS TABLE



table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of steel and aluminum profiles.	



SOFIA SET 4
GARDEN FURNITURE SET

SOFIA SET 6
GARDEN FURNITURE SET


Tempered glass

SOFIA CHAIR
GARDEN CHAIR





SOFIA TABLE
GARDEN GLASS TABLE



Aluminium

table dimensions	L 150 × W 90 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for use also in wet conditions.
chair dimensions	L 55 × W 75 × H 95 cm	table, chair	1×, 4/6×	Combined set of chairs (stackable) and a table made of aluminum profiles. Suitable for use outside and inside.	



HONEY SET 4
GARDEN FURNITURE SET

HONEY SET 6
GARDEN FURNITURE SET

Tempered glass

HONEY CHAIR
GARDEN CHAIR






HONEY TABLE
GARDEN GLASS TABLE



Aluminium

table dimensions	L 150 × W 90 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.
chair dimensions	L 58 × W 74 × H 97 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



www.hecht.cz

SHADOW SET

GARDEN FURNITURE SET

Available from 4/23



Tempered glass

HECHT SHADOW PARASOL

Available from 4/23



8 ribs



Foldable

SHADOW CHAIR

GARDEN ADJUSTABLE CHAIR






Aluminium

SHADOW TABLE

GARDEN GLASS TABLE



table dimensions	L 150 × W 90 × H 72 cm	parasol	Ø 270 cm, V 220 cm, 8 ribs, foldable	Table with hardened black glass. Max. load 120 kg.	Suitable for exteriors and interiors, also for use in humid environments.
chair dimensions	L 56 × W 65 × H 107 cm	table, chair, parasol	1×, 6×, 1×	Combined set of six chairs (adjustable - 7 positions), one table made of aluminum profiles with Komaxit surface treatment and one parasol.	



HONEY SET MAXI

GARDEN FURNITURE SET

Tempered glass

HONEY MAXI CHAIR

GARDEN CHAIR







Aluminium

HONEY MAXI TABLE

GARDEN GLASS TABLE



table dimensions	L 168 × W 97 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.
chair dimensions	L 57 × W 86 × H 111 cm	table, chair	1×, 6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



HECHT NAVASSA SET 4

GARDEN FURNITURE SET

HECHT NAVASSA SET 6

GARDEN FURNITURE SET

Expanded metal

HECHT NAVASSA CHAIR

GARDEN CHAIR








Quality steel construction

HECHT NAVASSA TABLE

GARDEN TABLE



table dimensions	L 153 × W 96 × H 73 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 56 × W 72 × H 99,5 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



HECHT MONZA SET

GARDEN FURNITURE SET

Available from 4/23



Polywood

HECHT MONZA CHAIR
GARDEN CHAIR



HECHT MONZA TABLE
GARDEN TABLE



Available from 4/23

High durability

www.hecht.cz 360°

table dimensions	L 120 × W 80 × H 73 cm	chair/table max. load	140/60 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 57 × W 58 × H 89 cm	table, chair	1×, 4×	A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top, seat and backrest from polywood.	

HECHT MONTANA

GARDEN FURNITURE SET



Convertible table

HECHT MONTANA CHAIR
GARDEN CHAIR





Adjustable chairs

HECHT MONTANA TABLE
GARDEN FOLDABLE TABLE



www.hecht.cz 360°

table dimensions	L 140/180 × W 90 × H 77,5 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 69 × W 59 × H 111,5 cm	table, chair	1×, 6×	A luxury combined set of six adjustable chairs made of aluminium profiles with powdercoating finish and acacia wood and one convertible table made of aluminium profiles and acacia wood.	

HECHT LIMA SET 4

GARDEN FURNITURE SET

Available from 4/23

HECHT LIMA CHAIR
GARDEN CHAIR



Available from 4/23



Polywood

HECHT LIMA SET 6

GARDEN FURNITURE SET

Available from 4/23

NEW

HECHT LIMA TABLE
GARDEN TABLE



Available from 4/23

Aluminium

www.hecht.cz 360°

table dimensions	L 150 × W 90 × H 75 cm	chair/table max. load	120/80 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 55 × W 56 × H 84 cm	table, chair	1×, 4/6×	A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top, seat and backrest from polywood.	

www.hecht.cz

HECHT SAMANA CHAIR GRAPHITE
GARDEN CHAIR



MADE IN NETHERLANDS



HECHT JARDIN GRAPHITE TABLE
GARDEN TABLE MADE OF REINFORCED PLASTIC

HECHT JARDIN GRAPHITE CHAIR
GARDEN RECLINING CHAIR MADE OF REINFORCED PLASTIC



Available from 2/23

HECHT ELISA CHAIR GRAPHITE
GARDEN CHAIR



MADE IN NETHERLANDS

www.hecht.cz 360°

HECHT SAMANA CHAIR BEIGE
GARDEN CHAIR



HECHT SAMANA SET GRAPHITE 4	1× HECHT JARDIN GRAPHITE TABLE, 4x HECHT SAMANA CHAIR GRAPHITE
HECHT SAMANA SET GRAPHITE 6	1× HECHT JARDIN GRAPHITE TABLE, 6x HECHT SAMANA CHAIR GRAPHITE
HECHT ELISA SET GRAPHITE 4	1× HECHT JARDIN GRAPHITE TABLE, 4x HECHT ELISA CHAIR GRAPHITE
HECHT ELISA SET GRAPHITE 6	1× HECHT JARDIN GRAPHITE TABLE, 6x HECHT ELISA CHAIR GRAPHITE
HECHT JARDIN SET GRAPHITE 4	1× HECHT JARDIN GRAPHITE TABLE, 4x HECHT JARDIN CHAIR GRAPHITE
HECHT JARDIN SET GRAPHITE 6	1× HECHT JARDIN GRAPHITE TABLE, 6x HECHT JARDIN CHAIR GRAPHITE
HECHT SAMANA SET BEIGE 4	1× HECHT ANEGADA BEIGE TABLE, 4x HECHT SAMANA CHAIR BEIGE
HECHT SAMANA SET BEIGE 6	1× HECHT ANEGADA BEIGE TABLE, 6x HECHT SAMANA CHAIR BEIGE
HECHT ELISA SET BEIGE 4	1× HECHT ANEGADA BEIGE TABLE, 4x HECHT ELISA CHAIR BEIGE
HECHT ELISA SET BEIGE 6	1× HECHT ANEGADA BEIGE TABLE, 6x HECHT ELISA CHAIR BEIGE

HECHT ELISA CHAIR BEIGE
GARDEN CHAIR





HECHT ANEGADA BEIGE TABLE
GARDEN TABLE MADE OF REINFORCED PLASTIC



Jardin, Anegada table dimensions	L 157 × W 98 × H 74 cm	Elisa chair dimensions	L 50 × W 60 × 78 cm	Suitable for exterior and interior. Chair max. load 120 kg.	Also suitable for use in humid environments.
Samana chair dimensions	L 50 × W 59 × 84 cm	Jardin chair dimensions	L 61 × W 72 × 110 cm	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.	

HECHT FOLDIS SET 6
GARDEN FURNITURE SET

HECHT FOLDIS TABLE
GARDEN TABLE

board strength 3,5 cm



HECHT FOLDIS CHAIR
GARDEN CHAIR



foldable

board strength 4 cm





foldable

table dimensions	Š 180 x H 74 x V 74 cm	chair max. load	120 kg	Suitable for gardens and interiors	Not suitable for use in humid environments.
chair dimensions	Š 56 x H 46 x V 84 cm	table, chair FOLDIS SET 6	1×, 6×	Folding set of six chairs and one table made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

HECHT MELODY SET 4
GARDEN FURNITURE SET

HECHT MELODY SET 6
GARDEN FURNITURE SET

HECHT MELODY CHAIR
GARDEN CHAIR



CUSHIONS INCLUDED

MADE IN NETHERLANDS



HECHT MELODY TABLE
GARDEN TABLE MADE OF REINFORCED PLASTIC



www.hecht.cz 360°

Melody table dimensions	L 159 × W 94 × H 74 cm	chair max. load	120 kg	Suitable for exterior and interior.	Also suitable for use in humid environments.
Melody chair dimensions	L 58 × W 61 × H 88 cm	table, chair	1×, 4/6×	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.	


HECHT SIERRA
GARDEN FURNITURE SET





Cushions included

Color fastness
Easy maintenance



MADE IN HUNGARY

www.hecht.cz 360°

table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions	L 75 × W 70 × H 79 cm	table, chair	1×, 2×
Suitable for gardens and interiors.		Also suitable for use in humid environments.	

A luxurious set of two chairs and a table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.


HECHT SIERRA MAXI
GARDEN FURNITURE SET





Cushions included

Color fastness
Easy maintenance



MADE IN HUNGARY

www.hecht.cz 360°

table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions sofa dimensions	L 75 × W 70 × H 79 cm L 128 × W 70 × H 79 cm	table, chair, sofa	1×, 2×, 1×
Suitable for gardens and interiors		Also suitable for use in humid environments.	

A luxurious set of two chairs, sofa and table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.

www.hecht.cz

HECHT GABBIANI SET

GARDEN FURNITURE SET

Available from 2/23



Stable construction

Hardened glass

www.hecht.cz 360°



Cushions included

table dimensions	L 160 × W 90 × H 75 cm	chair max. load	150 kg	Suitable for indoor and outdoor use.	Also for use in humid environments.
chair dimensions	L 70 × W 64 × H 85 cm	table, chair	1×, 6×	A luxurious garden set consisting of six chairs and one table. High quality stable aluminum construction and artificial rattan. Including upholstery.	

HECHT MURCIA

GARDEN FURNITURE SET

Available from 4/23

NEW

Stable construction






Cushions included

table dimensions	L 70 × W 35 × H 40 cm	sofa/table max. load	160/30 kg	Suitable for indoor and outdoor use.
sofa dimensions	L 175 × W 78 × H 70 cm	table, sofa	1×, 2×	Luxurious set of two 2-seated sofas and one coffee table in a combination of high quality powder coated alu frame and acacia wood. Cushions and pillows included.

HECHT MATHEO CHAIR

GARDEN CHAIR

High durability



www.hecht.cz 360°



max. load	120 kg
dimensions	Š 58 × H 63 × V 89 cm
Suitable for exterior and interior.	Also suitable for use in humid environments.
Chair surface and backrest made of highly durable polypropylene.	

HECHT SERVING

DUMBWAITER

Practical wheels

www.hecht.cz 360°



dimensions	L 84 × W 59 × H 84 cm	max. load	120 kg
Made of tropical wood Meranti. Suitable for sheltered garden areas.		With appropriate impregnation, it can be used outdoors.	
Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.			

HECHT BASIC SET 4

GARDEN FURNITURE SET

HECHT BASIC SET 6

GARDEN FURNITURE SET

HECHT BASIC CHAIR
GARDEN CHAIR





www.hecht.cz 360°

HECHT BASIC TABLE
GARDEN TABLE



table dimensions	L 120 × W 75 × H 72 cm	chair max. load	120 kg	Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 53 × W 57 cm	table, chair	1×, 4/6×	A luxury garden furniture set consisting of chairs and a table. Made of hard and resistant acacia tree. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.	

HECHT CAMBERET SET

GARDEN FURNITURE SET

Adjustable chairs

www.hecht.cz 360°

HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN CHAIR





Foldable table

HECHT CAMBERET TABLE
GARDEN TABLE



table dimensions	L 150/200 × W 100 × H 74 cm	chair max. load	160 kg	Made of hard and resistant acacia tree. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 6×	A luxurious set of folding chairs and a table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

HECHT ROYAL SET

GARDEN FURNITURE SET

www.hecht.cz 360°

HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN CHAIR





8 adjustable chairs

Foldable table - 3 different sizes

Massive construction

Table desk thickness cca 4 cm

HECHT ROYAL TABLE
GARDEN TABLE



table dimensions	L 180/280 × W 115 × H 76 cm	chair max. load	160 kg	Made of hard and resistant acacia hardwood. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 8×	A luxurious set of folding chairs and table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

www.hecht.cz

HECHT BELIZE GREY

GARDEN BENCH

High durability
Stable construction
Easy maintenance





www.hecht.cz 360°

table dimensions	L 180 × W 88 × H 74 cm	chair max. load	150 kg
bench dimensions	L 180 × W 28 × H 44 cm	Also suitable for use in humid environments.	
Very modern garden benches in a combination of aluminum and polywood.			

HECHT RELAXING CHAIR

GARDEN CHAIR

High stability
Adjustable





www.hecht.cz 360°

dimensions	L 77 × W 65 × H 122/77 cm	maximum load	120 kg
Luxury adjustable armchair made of steel tubes.		Not suitable for use in humid environments.	
Suitable for indoor garden areas and interiors.			

HECHT PALAWAN

GARDEN LOUNGER

High rigidity
Easy maintenance
Adjustable



www.hecht.cz 360°

Available from 4/23

„Made in Italy“

dimensions	L 192 × W 71 × H 100 cm	maximum load	120 kg
weight	12 kg	Luxurious adjustable lounger made of strong plastic.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	

HECHT PATONG GRAPHITE

GARDEN LOUNGER

High rigidity
Easy maintenance
Adjustable

MADE IN ISRAEL



www.hecht.cz 360°



dimensions	L 197 × W 74 × H 36 cm	maximum load	110 kg
weight	13,5 kg	Very elegant garden lounger with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning. Also suitable for use in humid environments.			

HECHT BORNEO

GARDEN LOUNGER

High stability
Adjustable



Cushion included

www.hecht.cz 360°

dimensions	L 200 × W 73 × H 36 cm	maximum load	180 kg
weight	14 kg	Very elegant garden chair with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT MANILA

GARDEN LOUNGER

High rigidity
Easy maintenance



Cushion included

www.hecht.cz 360°

dimensions	L 193 × W 65 × H 61 cm	maximum load	180 kg
weight	8 kg	Very elegant garden lounger.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability
Adjustable



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT HONEY LOUNGER

GARDEN LOUNGER

High stability
Adjustable



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



dimensions	L 193,5 × W 71 × H 30 cm	maximum load	100 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT RESORT A

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



dimensions	L 200 × W 60 × H 30 cm	maximum load	200 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Acacia tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT ERA

GARDEN LOUNGER


Wheels for easier transport
Chair with shelf for magazines
Adjustable



dimensions	L 195 × W 72 × H 30 cm	maximum load	250 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT CLASSIC

GARDEN BENCH



High stability

dimensions	L 158 × W 61 × H 86 cm	chair max. load	300 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious garden bench made of hard exotic Acacia tree Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

www.hecht.cz

HECHT BOX L
GARDEN STORAGE BOX



270 L

www.hecht.cz 360°



dimensions	109 × 51,5 × 55 cm	capacity	270 l
intended for indoor and outdoor use, molded handles, made of PP and steel			

HECHT BOX XL
GARDEN STORAGE BOX



680 L

Available from 2/23

www.hecht.cz 360°



dimensions	146,5 × 71 × 75 cm	capacity	680 l
intended for indoor and outdoor use, molded handles, vacuum PP panels			

BERLIN
BENCH SWING

Stable construction

www.hecht.cz 360°



dimensions	Š 185 × H 130 × V 170 cm	maximum load	240 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

BERLIN HONEY
BENCH SWING

Stable construction



www.hecht.cz 360°



Luxury storage side pockets included

dimensions	L 185 × W 130 × H 170 cm	max. load	240 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

HECHT MARIOLU
BENCH SWING

2 positions: Bench or bed

Mattress included

Quick-drying polyester

www.hecht.cz 360°



Mattress thickness 8 cm

bed dimensions (expanded)	L 194 × W 120 × H 173 cm	max. load	240 kg
material	steel frame with powder coating, 180g waterproof polyester cover, PVC coating seat, 160g waterproof polyester cushion		
Suitable for use inside garden rooms and terraces.		Not suitable for use in a humid environment.	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. The backrest can be used in a horizontal or vertical position. A bench suspended on springs.			

HECHT BAHARU LUX
BENCH SWING

2 positions: Bench or bed

Mattress included

Quick-drying polyester



www.hecht.cz 360°



Available from 2/23

dimensions	L 235 x W 120 x H 178 cm	max. load	300 kg
material	made of hard tropical Meranti hardwood		
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious four-poster swing. The backrest can be used in a horizontal or vertical position. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT KIKI

GARDEN ROCKING CHAIR

Stylish rocking chair.
Armchair made of steel, pipes with artificial rattan. Suitable for the garden and interior.
Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included

www.hecht.cz 360°



maximum load	120 kg

HECHT NEVIS

GARDEN ROCKING CHAIR

Stylish rocking chair.
Armchair made of tubular steel with artificial rattan. Suitable for the garden and interior.
Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included

www.hecht.cz 360°



maximum load	120 kg

HECHT ARUBA

GARDEN ROCKING CHAIR

Stylish rocking chair.
Armchair made of aluminium pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Folding frame

Special design

Perfect stability

Upholstery included

www.hecht.cz 360°



dimensions	100 × 100 × 195 cm
maximum load	160 kg

HECHT DREAM

GARDEN ROCKING CHAIR

www.hecht.cz 360°

dimensions	200 × 130 × 210 cm
maximum load	120 kg

Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



HECHT DREAM S

GARDEN ROCKING CHAIR

www.hecht.cz 360°

dimensions	200 × 130 × 210 cm
maximum load	120 kg

Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



HECHT DREAM HONEY

GARDEN ROCKING CHAIR

www.hecht.cz 360°

dimensions	200 × 130 × 210 cm
maximum load	120 kg

Perfect stability


Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



www.hecht.cz

HECHT SHADOW
GARDEN PARASOL


8 ribs




Protection from UV radiation

www.hecht.cz 360°

Foldable

ø umbrella	2,7 m	height	2,2 m
crossbars	8 pcs 12×18 mm	cover	polyester 180 g/m²
sunshade with the option of tilting, polyester cover			

SANDY I.
GARDEN PARASOL


6 ribs





Protection from UV radiation

www.hecht.cz 360°

ø umbrella	2,5 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	6 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

SUNNY
GARDEN PARASOL


8 ribs




Protection from UV radiation

www.hecht.cz 360°

ø umbrella	3 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	8 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

ROMA
GARDEN PARASOL


8 ribs



polyester 200 g/m²

NEW

Available from 4/23

ø umbrella	3,5 m	base	50x50x6 cm
ø frame	53x80 mm	cover	polyester 200 g/m²
crossbars	8 pcs 25x40 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

ROMA BASE
Fillable with water or sand
max weight: 4× 26 kg



ROMA SET
GARDEN PARASOL WITH BASE



360 ° Rotating system

Protection from UV radiation

GARDEN FURNITURE

HECHT GAZEBO 34

GAZEBO



Robust construction


Protection from UV radiation

size	400 × 300 cm	top cover	180 g polyester with PA coating
entrance height	207 cm	side wall	160 g polyester, with 40 g netting
frame	aluminium/steel		

www.hecht.cz

HECHT PERGOLA 4×3

PERGOLA



FOLDING ROOF

Protection from UV radiation

ALU frame

www.hecht.cz 360°

size	400 × 300 × 228 cm	upper sail	160 g/m² polyester
entrance height	207 cm	supporting legs	4 pcs (10 × 10 cm)
frame	1,5 mm aluminium	anchoring supports	20 × 20 cm

GARDEN SHEDS

ANCHOR KIT
HECHT 000808
for HECHT 53×33, 4×6, 4×6 PLUS, 6×8, 6×8 PLUS, 8×8, 8×8 PLUS, 10×8, 10×8 PLUS, 10×10, 10×10 PLUS



Available from 2/23

HECHT 4×6 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition



Maintenance free, high quality metal construction, weatherproof

131 × 202,5 × 185,5 cm (L × W × H)	Double hinged door 154 × 79 cm
0,3 mm board, 0,6 mm zinc steel frame	

HECHT 6×8 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition



Maintenance free, high-quality metal construction, weatherproof.

196 × 258 × 208 cm (L × W × H)	Double hinged door 170 × 103 cm
0,3 mm board, 0,6 mm zinc steel frame	

HECHT 8×8 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition



Double hinged door 170 × 103 cm

Maintenance free, high-quality metal construction, weatherproof.

260 × 258 × 208 cm (L × W × H)	Double hinged door 170 × 103 cm
0,3 mm board, 0,6 mm zinc steel frame	

HECHT 6×10 NORD

GARDEN SHED
(dark grey)

20 %
thicker material than competition

Transparent window

0,3–0,6 mm coated board



Maintenance free, high-quality metal construction, weatherproof.

172 × 302 × 229 cm (L × W × H), inner dimensions 160 × 290 × 229 cm	
0,6 mm zinc steel frame, transparent window	Double hinged door 176 × 118 cm

HECHT 10×10 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition



Maintenance free, high-quality metal construction, weatherproof.

302 × 301 × 218 cm (L × W × H)	Double hinged door 173 × 121,5 cm
0,3 mm board, 0,6 mm zinc steel frame	

HECHT 12×10 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition



Maintenance free, high-quality metal construction, weatherproof.

367 × 301 × 214 cm (L × W × H)	Double hinged door 170 × 120 cm
0,3 mm board, 0,6-0,8 mm zinc steel frame	

LEISURE TIME

SWIMMING POOLS
FILTRATIONS
POOL ACCESSORIES
SAUNAS









HECHT 3276 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	3618 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3609 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge or sand filtration

dimensions	360 x 90 cm	volume	6654 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3476 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	4383 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3690 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

dimensions	360 x 76 cm	volume	6125 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 302200

10“ SAND FILTRATION WITHOUT PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	200
sand capacity [kg]	12
water flow [m³/hod]	4,5
hose coupler [mm]	32/38

Certification GS/CE

7-way valve



HECHT 302111

10“ SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	250
sand capacity [kg]	12
water flow [m³/hod]	5,0
hose coupler [mm]	32/38

Certification GS/CE

7-way valve



HECHT 302113

10“ SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	450
sand capacity [kg]	20
water flow [m³/hod]	6,0
hose coupler [mm]	32/38

Certification GS/CE

Available from 4/22

7-way valve



HECHT 302016

16“ SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	550
sand capacity [kg]	45
water flow [m³/hod]	7,9
hose coupler [mm]	32/38

Certification GS/CE

6-way valve

Coarse dirt filter

SAND TANK CAPACITY 45 KG

HECHT BLUESEA80

AUTOMATIC POOL VACUUM CLEANER

Available from 4/23

NEW



cordless

voltage [V]	12,6
power [W]	50
max cleaning surface [m²]	80
depth max [m]	2
weight [kg]	5,7
charging time [h]	5-6
working cycle [min]	90

battery 5000 mAh

Li-ion Powered

HECHT 30003

SKIMMER

hose coupler [mm]	32/38

Complete mounting kit



HECHT 003609

CARTRIDGE FILTRATION

voltage [V]	220-240
water flow [m³/hod]	1,2
hose coupler [mm]	32

Complete mounting kit

029587

REPLACEMENT FILTERS FOR CARTRIDGE FILTRATION – 2 PCS

Dimensions: 90 × 80 mm

Hole diameter: 48 mm



Available from 4/23



HECHT 305810

SOLAR COLLECTOR

dimensions [cm]	96x75	max. pressure [bar]	1
capacity [l]	12	hose coupler [mm]	32/38



Available from 4/23

Solar collector for water heating with a capacity of 12 liters. 38 mm hose flange. Possibility to adjust the feet towards the sun. Large area of 0,7 m² of high quality and durable material for fast heating of pool water.

HECHT 00090

LADDER FOR POOLS

width x height [cm] 138 × 135,5

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)




HECHT 00091

SAFETY LADDER FOR POOLS

width x height [cm] 133 × 164

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)





HECHT 00122

LADDER FOR POOLS

width x height [cm] 158 × 177

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



www.hecht.cz

POOL ACCESSORIES

HECHT 060501
THERMOMETER



HECHT 060504
FLOATING THERMOMETER



HECHT 060510
THERMOMETER

Available from 4/23



HECHT 060511
THERMOMETER

Available from 4/23



HECHT 060512
THERMOMETER



HECHT 060301
LEAF SKIMMER
for surface-collecting debris



HECHT 060302
LEAF SKIMMER
for surface-collecting debris



HECHT 060308
LEAF SKIMMER
for deep-collecting debris



HECHT 060309
LEAF SKIMMER
for deep-collecting debris
(reinforced frame)



HECHT 060307
LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic handle

Available from 4/23



HECHT 060402
TELESCOPIC ROD
two-parts 1,9 - 3,6 m



HECHT 060203
BRUSH
for removing dirt from the bottom and the edges
Dimension: 25 cm



HECHT 060205
BRUSH
for removing dirt from the bottom and the edges
Dimension: 45 cm



HECHT 060702
FLOATING CHLORINE DISPENSER
(medium) 20g / 200g



HECHT 060703
FLOATING CHLORINE DISPENSER
200g



Available from 4/23

HECHT 061002
POOL SERVICE KIT
4 PCS



HECHT 060104
TRIANGULAR VACUUM
cleaner 30 cm



Available from 4/23

HECHT 060102
VACUUM CLEANER DE LUX
with side brushes



HECHT 060109
VACUUM CLEANER DE LUX
working width
30 cm



HECHT 060060
FOOT BASIN



Available from 4/23

HECHT 060607
4 IN 1 TEST STRIPS
for testing pH, total chlorine, free chlorine and total water quality.



Available from 4/23

HECHT 061210
REPAIR KIT
including glue and patches



Available from 4/23

HECHT 060601
TESTER PH/CL
basic set for measuring pH / CL in pool water.



HECHT 06040218

180 cm RIBBED ALUMINIUM POOL POLE
0.8 mm thickness
Available from 4/23



NEW

HECHT 060705

FLOATING CHLORINE DISPENSER
WITH TERMOMETER
medium 20 / 200 g
Available from 4/23

NEW



Accessories for filtration pumps and solar collectors

HECHT 305811

3-WAY VALVE
Available from 4/23



HECHT 305813

3× 32/38MM CONNECTORS + 3× HOSE CLAMP
Available from 4/23



HECHT 305812

32/38MM T-CONNECTOR + 3× HOSE CLAMP
Available from 4/23





HECHT 000030

COVERING TARP Ø 300 CM



Drainage holes, pulling rope	material PE	90 g/m²

HECHT 000036

COVERING TARP Ø 360 CM

HECHT 000300

COVERING TARP Ø 300 CM



Drainage holes, pulling rope	material PE	90 g/m²

HECHT 000360

COVERING TARP Ø 360 CM

016123

UNDERLAY PAD FOR POOLS

dimensions [cm]	309×309
material PE [g/m²]	90

HECHT 016124

UNDERLAY PAD FOR POOLS

dimensions [cm]	390×390
material PE [g/m²]	90

Solar tarps for pools	
Nr.	Dimensions
HECHT 060250	ø 2,5 m
HECHT 060300	ø 3 m
HECHT 060360	ø 3,6 m

MADE IN CZECH REPUBLIC





Thickness 180 µm

HECHT ACTIVE

INFRASAUNA



Towel holder



MP3 player, radio



Glass door with stylish accessories



Towel holder



dimensions	1200 x 1000 x 1900 mm	power input	2080 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner control panel	✓
MP3 player, full glass door, 5 heating elements, towel holder			

HECHT ESSENTIAL

INFRASAUNA



Color therapy



Towel holder



Oxygen ionizer



MP3 player, radio



Glass door with stylish accessories



dimensions	1200 x 1150 x 1900 mm	power input	2000 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5 heating elements, color therapy, oxygen ionizer, towel holder			

HECHT DELUXE

INFRASAUNA



Color therapy



MP3 player, radio



Oxygen ionizer



Glass door with stylish accessories



dimensions	1200 x 1150 x 1900 mm	power input	1850 W
temperature	< 60 °C	for 2 persons	✓
voltage	230 V / 50 Hz	carbon heaters	✓
material	kanadský jedlovec	inner and outer control panel	✓
8 carbon heating elements, MP3 player, radio, air ionizer, color therapy, glass door, temperature sensor, indirect lighting			

HECHT FANTASY

INFRASAUNA



MP3 player, radio



Electric massage stones



Oxygen ionizer



Color therapy




dimensions	1800 × 1800 × 1900 mm	power input	3400 W
temperature	15-65 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heater, carbon fiber heater	✓
material	canadian hemlock	inner and outer control panel	✓

MP3 player, full glass door, 5+9 heating elements, control panel, tinted glass, made from canadian hemlock

HECHT 20020

INFRATED HEATED FLOOR

Infrared underfloor heating grid for HECHT Active and Essential, canadian hemlock, 90 x 29,5 cm, 100 W



For model year 2016 is reduction necessary.



Benefits Of Infra-red Sauna Therapy

- Internal temperature 30-60 °C
- Effective detoxification of organism
- Stress relieve
- Eliminates tiredness
- Cellulite prevention
- Skin purification - clearer, softer and healthier looking skin
- Strengthens immune system
- Pain relief (muscles, joints, back)
- Weight loss at 30 minutes up to 600 kcal
- Suitable for people with allergy, asthma, cardiac and blood pressure problems



KIDS

TRAMPOLINES
PEDAL CARS
ACCU CARS







HECHT 511001
LUXURY TRAMPOLINE 3,05 m

HECHT 512001
LUXURY TRAMPOLINE 3,66 m



Stairs and net included

dimensions	Ø 305/366 × h 251 cm
max. load	150 kg
jumping surface with 64/72 springs	
spring size	Ø 3,1 mm × 144 mm

INNER SAFETY NET

Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.


HECHT 514001
LUXURY TRAMPOLINE SUNK INTO THE GROUND 3,66 m

NEW



INNER SAFETY NET

Scheme of immersion of the trampoline in the ground



dimensions	Ø 366 × h 203 cm
max. load	150 kg
jumping surface with 72 springs	
spring size	Ø 3,1 × 144 mm

Available from 2/23

Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

www.hecht.cz

HECHT 59788
PEDAL KART



dimensions	94 × 63 × 51 cm	✓	for children aged	3-6 years	
max. load	30 kg	Pedal kart with chain drive.			
weight	10,2 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC			

HECHT 59789
PEDAL KART



dimensions	94 × 63 × 51 cm	✓	for children aged	3-6 years	
max. load	30 kg	Pedal kart with chain drive.			
weight	10,2 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC			

ORIGINAL LICENSED ABARTH

ABARTH RED
PEDAL KART

Adjustable seat

Handbrake

Rubber wheels 30 cm

RIDING/ SKIDDING MODE





dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years	
max. load	25 kg	Pedal kart with chain drive			
weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC			

ORIGINAL LICENSED ABARTH

ABARTH WHITE
PEDAL KART

Adjustable seat

Handbrake

Rubber wheels 30 cm

RIDING/ SKIDDING MODE





dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years	
max. load	25 kg	Pedal kart with chain drive			
weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC			

ORIGINAL LICENSED ABARTH

ABARTH BLACK
PEDAL KART

Adjustable seat

Handbrake

Rubber wheels 30 cm

RIDING/ SKIDDING MODE





dimensions	113 × 57 × 73 cm	✓	for children aged	3–7 years	
max. load	25 kg	Pedal kart with chain drive			
weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC			

ORIGINAL LICENSED MERCEDES

MERCEDES BENZ PEDAL GO KART WHITE
PEDAL GO KART

Adjustable seat

Handbrake

Rubber wheels 30 cm



dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-8 years	
max. load	25 kg	Pedal kart with chain drive			
weight	13,5 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC			

ORIGINAL LICENSED MERCEDES

MERCEDES BENZ PEDAL GO KART RED

Handbrake

Rubber wheels 30 cm

Adjustable seat



	dimensions	108,5 × 61 × 62 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	13,5 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

ORIGINAL LICENSED MERCEDES

MERCEDES BENZ PEDAL GO KART BLACK

Handbrake

Rubber wheels 30 cm

Adjustable seat



	dimensions	108,5 × 61 × 62 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	13,5 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

HECHT 50925 GREEN

ACCU TRACTOR

10 Ah



	dimensions	155 × 66,5 × 62 cm		accu	12 V / 10 Ah, 2x 45 W
	max. load	30 kg		speed	5-7 km/h
✓	for children aged	3-8 years	✓	MP3 & USB	

HECHT 50925 RED

ACCU TRACTOR

10 Ah



	dimensions	155 × 66,5 × 62 cm		accu	12 V / 10 Ah, 2x 45 W
	max. load	30 kg		speed	5-7 km/h
✓	for children aged	3-8 years	✓	MP3 & USB	

aprilia

ORIGINAL LICENSED APRILIA

APRILIA DORSODURO 900

ACCU BIKE



	dimensions	108 x 48 x 71 cm		accu	12 V / 4,5 Ah
	max. load	30 kg		power output	2x 18 W
	weight	14,6 kg		speed	3-4,5 km/h
✓	for children aged	3-8 years	Sound and light effects, MP3.		

ORIGINAL LICENSED BMW

BMW S1000RR GREY

ACCU BIKE



	dimensions	110 x 52 x 70 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	14,6 kg		speed	3-6 km/h
✓	for children aged	3-8 years	Sound and light effects, reverse.		

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

ORIGINAL LICENSED BMW

BMW S1000RR RED

ACCU BIKE



	dimensions	110 x 52 x 70 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	14,6 kg		speed	3-6 km/h
✓	for children aged	3-8 years	Sound and light effects, reverse.		

ORIGINAL LICENSED BMW

BMW R1200RT POLICE

ACCU BIKE



	dimensions	123,5 x 54 x 75 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	35 W
	weight	19,2 kg		speed	3-6 km/h
✓	for children aged	3-8 years	Sound and light effects, MP3, start key, battery level indicator, storage compartment		

HECHT 56185

ACCU CAR

10 Ah



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	4-7 km/h
✓	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.

HECHT 56187

ACCU CAR

10 Ah



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	4-7 km/h
✓	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.

ORIGINAL LICENSED BMW

BMW X6 WHITE

ACCU CAR



	dimensions	117 x 73,5 x 59 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	12,6 kg		speed	3-5 km/h
✓	for children aged	3-8 years		remote control	✓

Sound and light effects, opening doors.

ACCESSORIES INCLUDES:
- Fireman hat
- Functional water gun
- Fire extinguisher

The car is fitted with lights that flash like real fire truck.

HECHT 51818

ACCU CAR

10 Ah



	dimensions	115 × 65 × 60 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
✓	for children aged	3-8 years		speed	3-4,5 km/h
	remote control	✓	Sound and light effects, MP3		

FREE TIME

Speed and battery life depends on the terrain and the weight of the operator.

ACCU CARS

JEEP WRANGLER RUBICON WHITE
(no.: JEEEPWRANGLERRED)
ACCU CAR

ORIGINAL LICENSED JEEP WRANGLER RUBICON



dimensions	126 x 80 x 70 cm	accu		12 V / 10 Ah
max. load	35 kg	power output		2x 35 W
for children aged	3-8 years	speed		3-6 km/h
Sound and light effects,, MP3, USB, SD.				

JEEP WRANGLER RUBICON RED
(no.: JEEEPWRANGLERRED)
ACCU CAR

ORIGINAL LICENSED JEEP WRANGLER RUBICON



dimensions	126 x 80 x 70 cm	accu		12 V / 10 Ah
max. load	35 kg	power output		2x 35 W
for children aged	3-8 years	speed		3-6 km/h
Sound and light effects,, MP3, USB, SD.				

HECHT 52108 RED
ACCU FORKLIFT







dimensions	146 × 63 × 101 cm	accu		12 V / 10 Ah
max. load	35 kg	power output		2× 40 W
front dumper max. load	10 kg	max. speed		2–6 km/h
weight	22,5 kg	✓	for children aged	3–8
remote control	✓	USB, bluetooth, lighting		

MERCEDES BENZ XMX606 RED
ACCU CAR

ORIGINAL LICENSED MERCEDES 4×4



dimensions	141 × 78 × 66 cm	accu		12 V / 10 Ah
max. load	50 kg	power output		4× 35 W
for children aged	3-8 years	speed		2-8 km/h
remote control	✓	Sound and light effects, MP3, opening doors		

MERCEDES BENZ XMX606 BLACK
ACCU CAR

ORIGINAL LICENSED MERCEDES 4×4



dimensions	141 × 78 × 66 cm	accu		12 V / 10 Ah
max. load	50 kg	power output		4× 35 W
for children aged	3-8 years	speed		2-8 km/h
remote control	✓	Sound and light effects, MP3, opening doors		

Speed and battery life depends on the terrain and the weight of the operator.

www.hecht.cz

MOBILITY

ATVs and QUADs
E-BIKES
E-SCOOTERS
HELMETS









ACCU ATV – BIKES

HECHT 54500
ACCU BIKE



dimensions	125 x 56 x 80 cm	accu		36 V / 8 Ah, 500 W
max. load	75 kg	max. speed		7-25 km/h
wheels	10/10"	charging time		8 hours
max. range	20 km	weight		25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54501
ACCU BIKE



dimensions	125 x 56 x 80 cm	accu		36 V / 8 Ah, 500 W
max. load	75 kg	max. speed		7-25 km/h
wheels	10/10"	charging time		8 hours
max. range	20 km	weight		25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54502
ACCU BIKE



dimensions	125 x 56 x 80 cm	accu		36 V / 8 Ah, 500 W
max. load	75 kg	max. speed		7-25 km/h
wheels	10/10"	charging time		8 hours
max. range	20 km	weight		25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 ORANGE
ACCU BIKE



dimensions	133 x 64 x 86,5 cm	accu		36 V / 12 Ah, 1000 W
max. load	65 kg	max. speed		28 km/h
wheels	10/12"	charging time		8-12 hours
max. range	15 km	weight		42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 GREEN
ACCU BIKE



dimensions	133 x 64 x 86,5 cm	accu		36 V / 12 Ah, 1000 W
max. load	65 kg	max. speed		28 km/h
wheels	10/12"	charging time		8-12 hours
max. range	15 km	weight		42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 BLUE
ACCU BIKE



dimensions	133 x 64 x 86,5 cm	accu		36 V / 12 Ah, 1000 W
max. load	65 kg	max. speed		28 km/h
wheels	10/12"	charging time		8-12 hours
max. range	15 km	weight		42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 54812 RED
ACCU BUGGY





dimensions	138 x 83 x 90 cm	accu	48 V / 12 Ah, 500 W
max. load	80 kg	max. speed	35 km/h
wheels	13 × 5-6"	charging time	8-10 hours
max. range	30 km	weight	73 kg

3 speeds forward + 1 backward, battery indicator

HECHT 54812 SILVER
ACCU BUGGY





dimensions	138 x 83 x 90 cm	accu	48 V / 12 Ah, 500 W
max. load	80 kg	max. speed	35 km/h
wheels	13 × 5-6"	charging time	8-10 hours
max. range	30 km	weight	73 kg

3 speeds forward + 1 backward, battery indicator

HECHT 54899 RED
ACCU BUGGY



dimensions	145 x 78 x 111 cm	accu	36 V / 12 Ah, 500 W
max. load	54 kg	max. speed	30 km/h
wheels	14 × 5-6"	charging time	8-12 hours
max. range	15-20 km	weight	68 kg

Speed limit key switch, hand brake

HECHT 54899 SILVER
ACCU BUGGY



dimensions	145 x 78 x 111 cm	accu	36 V / 12 Ah, 500 W
max. load	54 kg	max. speed	30 km/h
wheels	14 × 5-6"	charging time	8-12 hours
max. range	15-20 km	weight	68 kg

Speed limit key switch, hand brake

HECHT 54803
ACCU QUAD



Big front LED light



dimensions	105 x 59 x 71 cm	accu	36 V / 12 Ah, 800 W
max. load	65 kg	max. speed	25 km/h
wheels	6"	charging time	8 hours
max. range	13-18 km	weight	47 kg

3 speeds forward + 1 backward, big front LED light, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 54800
ACCU QUAD



Digital display



dimensions	100 x 59 x 60 cm	accu	36 V / 12 Ah, 800 W
max. load	65 kg	max. speed	25 km/h
wheels	6"	charging time	8 hours
max. range	13-18 km	weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

FREE TIME

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 54801
ACCU QUAD


Digital display



Front LED lights

dimensions	100 x 59 x 60 cm	accu	36 V / 12 Ah, 800 W
max. load	65 kg	max. speed	25 km/h
wheels	6"	charging time	8 hours
max. range	13-18 km	weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 56801
ACCU QUAD



Digital display



dimensions	110 x 51 x 71 cm	accu	36 V / 12 Ah, 800 W
max. load	65 kg	speed	20-25 km/h
wheels	6"	charging time	8 hours
max. range	13-18 km	weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 56800
ACCU QUAD


Digital display

Front LED lights



dimensions	110 x 51 x 71 cm	accu	36 V / 12 Ah, 800 W
max. load	65 kg	speed	20-25 km/h
wheels	6"	charging time	8 hours
max. range	13-18 km	weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 56800 COMIC
ACCU QUAD


Digital display

Front LED lights



dimensions	110 x 51 x 71 cm	accu	36 V / 12 Ah, 800 W
max. load	65 kg	speed	20-25 km/h
wheels	6"	charging time	8 hours
max. range	13-18 km	weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT batteries

Leaded, maintenance-free batteries for toy cars, quads, scooters and lawnmowers with e-start.



Order No.	Battery	Intended for use with model	Dimensions in mm
561810030	6 V / 7 Ah	2 pcs – BMWX6	151×35×93
561850030	6 V / 10 Ah	2 pcs – 56185, 56787	151×51×94
005484	12 V / 4 Ah	1 pc – 543 SWE, 548 SWE, 5483 SWE, 5484 SXE, 5534 SWE, 5543 SXE	91×71×105
005564	12 V / 9 Ah	1 pc – 5563 SXE, 5564 SXE, 5161, Aprilia Dorsoduro 900, BMW S1000RR, BMW R1200RT 2 pcs – Ford Ranger MT	151×65×94
545000087	12 V / 9 Ah	3 pcs – 54500, 54501, 54502	151×65×94
548000066	12 V / 12 Ah	3 pcs – 50925, 51818, 55999, JeepWrangler, FordRanger, 52108, MercedesBENZXMX606, 59100, 54899, 54803, 54800, 54801, 56801, 56800, 56800CO-MIC, 51060, 4 pcs – 54812	151×98×96
703110014(e)	12 V / 20 Ah	5 pcs – 56150, Grace 6 pcs – 56155, Equis, Citis, CitisMax	181×77×167
593990013	12 V / 52 Ah	1 pc – 59399	180×225×136

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

ACCU ATV – QUADS

HECHT 51060 GREEN
ACCU QUAD



Front
LED lights



dimensions	118 × 70 × 71 cm	accu		36 V / 12 Ah, 1060 W
max. load	70 kg	max. speed		35 km/h
wheels	6"	charging time		8 hours
max. range	15-20 km	weight		57 kg

Chainless drive, backward gear, horn, battery indicator

HECHT 51060 BLUE
ACCU QUAD



Front
LED lights



dimensions	118 × 70 × 71 cm	accu		36 V / 12 Ah, 1060 W
max. load	70 kg	max. speed		35 km/h
wheels	6"	charging time		8 hours
max. range	15-20 km	weight		57 kg

Chainless drive, backward gear, horn, battery indicator

HECHT 51060 RED
ACCU QUAD



Front
LED lights



dimensions	118 × 70 × 71 cm	accu		36 V / 12 Ah, 1060 W
max. load	70 kg	max. speed		35 km/h
wheels	6"	charging time		8 hours
max. range	15-20 km	weight		57 kg

Chainless drive, backward gear, horn, battery indicator

HECHT 56150 ARMY
ACCU QUAD







dimensions	145 x 102 x 96 cm	accu		60 V / 20 Ah, 1200 W
max. load	120 kg	max. speed		35 km/h
calculated range	42 km **	charging time		8-10 hours
real range at Ø 22km/h, 70 kg	31 km	weight		120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 56150 RED
ACCU QUAD







dimensions	145 x 102 x 96 cm	accu		60 V / 20 Ah, 1200 W
max. load	120 kg	max. speed		35 km/h
calculated range	42 km **	charging time		8-10 hours
real range at Ø 22km/h, 70 kg	31 km	weight		120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 56150 BLUE
ACCU QUAD







dimensions	145 x 102 x 96 cm	accu		60 V / 20 Ah, 1200 W
max. load	120 kg	max. speed		35 km/h
calculated range	42 km **	charging time		8-10 hours
real range at Ø 22km/h, 70 kg	31 km	weight		120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

FREE TIME

Speed and battery life depends on the terrain and the weight of the operator.

PETROL AND ACCU ATV – QUADS

HECHT 54125 BLACK
PETROL QUAD

HECHT 0054125
Additional rear hinge 2“



Big front LED light

4-STROKE 125 CM³



	engine	4-stroke, 125 cm³		max. speed	45 km/h
HP	output	5,6 kW / 7,6 HP	litres	tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 x 96 x 97 cm			

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears, flag

HECHT 54125 ORANGE
PETROL QUAD

HECHT 0054125
Additional rear hinge 2“



Big front LED light

4-STROKE 125 CM³



	engine	4-stroke, 125 cm³		max. speed	45 km/h
HP	output	5,6 kW / 7,6 HP	litres	tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 x 96 x 97 cm			

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears, flag

HECHT 56125 ARMY
PETROL QUAD

Front LED lights

4-STROKE 125 CM³



	engine	4-stroke, 125 cm³		max. speed	50 km/h
HP	output	6 kW / 8,1 HP	litres	tank capacity	2,5 l
	max. load	120 kg		dimensions	148 × 108 × 102 cm

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V / 5 Ah battery), 3 + 1 gears

HECHT 56125 RED
PETROL QUAD

Front LED lights

4-STROKE 125 CM³



	engine	4-stroke, 125 cm³		max. speed	50 km/h
HP	output	6 kW / 8,1 HP	litres	tank capacity	2,5 l
	max. load	120 kg		dimensions	148 × 108 × 102 cm

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V / 5 Ah battery), 3 + 1 gears

HECHT 56155 ARMY
ACCU QUAD





COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56155 RED
ACCU QUAD





COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 56155 BLUE
ACCU QUAD





COC Certification

Keyless



dimensions	154 x 105 x 99 cm	accu		72 V / 20 Ah, 1200 W
max. load	106 kg	max. speed		40 km/h
calculated range	46 km	charging time		8-10 hours
real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56155 SAND
ACCU QUAD





COC Certification

Keyless

Available from 1/23



dimensions	154 x 105 x 99 cm	accu		72 V / 20 Ah, 1200 W
max. load	106 kg	max. speed		40 km/h
calculated range	46 km	charging time		8-10 hours
real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears



HECHT 56199 ARMY
ACCU QUAD



COC Certification

Keyless

Available from 3/23

NEW

Box size 96x55x40 cm



Digital display



Storage box 82 l



Rear hinge

dimensions	160 x 104 x 121 cm	accu		72 V / 20 Ah, 1200 W
max. load	120 kg	max. speed		45 km/h
calculated range	54 km	charging time		7-10 hours
real range at Ø 24,5 km/h, 70 kg	39 km	brakes		disc / disc

COC, homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l



HECHT 56199 HURON
ACCU QUAD



COC Certification

Keyless

Available from 3/23

NEW

Box size 96x55x40 cm



Digital display



Storage box 82 l



Rear hinge

dimensions	160 x 104 x 121 cm	accu		72 V / 20 Ah, 1200 W
max. load	120 kg	max. speed		45 km/h
calculated range	54 km	charging time		7-10 hours
real range at Ø 24,5 km/h, 70 kg	39 km	brakes		disc / disc

COC, homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l

FREE TIME

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 59399 ARMY
ACCU QUAD



COC Certification


Keyless start/stop


Rear disc brakes


Rear hinge

dimensions	184 x 111 x 110 cm	accu		72 V / 52 Ah, 2200 W
calculated range	70 km	max. speed		45 km/h
real range at Ø 35 km/h, 70 kg	60 km	charging time		8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 RED
ACCU QUAD



COC Certification


Keyless start/stop


Rear disc brakes


Rear hinge

dimensions	184 x 111 x 110 cm	accu		72 V / 52 Ah, 2200 W
calculated range	70 km	max. speed		45 km/h
real range at Ø 35 km/h, 70 kg	60 km	charging time		8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear



Speed and battery life depends on the terrain and the weight of the operator.

www.hecht.cz

HECHT 59399 BLUE
ACCU QUAD





COC Certification



Keyless start/stop



Rear disc brakes



Rear hinge

dimensions	184 x 111 x 110 cm	accu		72 V / 52 Ah, 2200 W
calculated range	70 km	max. speed		45 km/h
real range at Ø 35 km/h, 70 kg	60 km	charging time		8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 SAND
ACCU QUAD





COC Certification



Keyless start/stop



Rear disc brakes



Rear hinge

dimensions	184 x 111 x 110 cm	accu		72 V / 52 Ah, 2200 W
calculated range	70 km	max. speed		45 km/h
real range at Ø 35 km/h, 70 kg	60 km	charging time		8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HELMETS FOR ATVS

Product conforms to relevant EU standards.
European homologation ECE/22-05.
Material: ABS
Weight: 1320 g (±50)



Removable and washable insert, clamping strap with quick coupling, adjustable peak. Smooth finishing with high-quality varnishing, cloth bag.

Sizes/Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm

HECHT 56915



HECHT 52915



HECHT 53915



HECHT 54915



HECHT 51915



HECHT 55915



FREE TIME

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

HECHT 0056155

SET OF 4 PCS ALUMINIUM DISCS for HECHT 56150, 56152, 56155 (tyres not included).



4 pcs set

HECHT 0054700

FLAG FOR ATVS



ATV BAGS

HECHT 52002 BLACK 70×30×31 cm

Suitable for HECHT 59399



Waterproof, PE board, Velcro straps with reflective elements

HECHT COMPOS BLACK

E-BIKE

Battery hidden inside the frame

FOLDING FRAME

NEW



ALU	frame	20" aluminium		battery Li-ion	36 V / 8,8 Ah / 250 W
	wheels	Kenda 20"×2.0		max. load	127 kg
	calculated range	70 km		charging time	2-5,5 hours
	real range	≤ 50 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano 7 speed, disc brakes, front suspension fork with lock out, front LED light, rear carrier, bell

HECHT COMPOS GRAPHITE

E-BIKE

Battery hidden inside the frame

FOLDING FRAME

NEW



ALU	frame	20" aluminium		battery Li-ion	36 V / 8,8 Ah / 250 W
	wheels	Kenda 20"×2.0		max. load	127 kg
	calculated range	70 km		charging time	2-5,5 hours
	real range	≤ 50 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano 7 speed, disc brakes, front suspension fork with lock out, front LED light, rear carrier, bell

HECHT COMPOS XL BLACK

E-BIKE

Battery hidden inside the frame

NEW



LED DISPLAY



FOLDING FRAME

DERAILLEUR SHIMANO 7 SPEED

ALU	frame	20" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	CST 20"×4.0		max. load	127 kg
	calculated range	90 km		charging time	2-5,5 hours
	real range	≤ 60 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano 7 speed, disc brakes, front suspension fork with lock out, front LED light, rear carrier, bell

HECHT PRIME RED
E-BIKE

DISC BRAKES



LED DISPLAY



frame	18" aluminium	battery Li-ion	36 V / 10 Ah / 250 W
wheels	26 × 1,75" KENDA	max. load	120 kg
calculated range	90 km	charging time	4-5 hours
real range	60 km *	weight	25,2 kg

derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover

HECHT PRIME BLUE
E-BIKE

DISC BRAKES



LED DISPLAY



frame	18" aluminium	battery Li-ion	36 V / 10 Ah / 250 W
wheels	26 × 1,75" KENDA	max. load	120 kg
calculated range	90 km	charging time	4-5 hours
real range	60 km *	weight	25,2 kg

derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover

HECHT PRIME WHITE
E-BIKE

DISC BRAKES



LED DISPLAY



frame	18" aluminium	battery Li-ion	36 V / 10 Ah / 250 W
wheels	26 × 1,75" KENDA	max. load	120 kg
calculated range	90 km	charging time	4-5 hours
real range	60 km *	weight	25,2 kg

derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover

HECHT PRIME SHADOW
E-BIKE

DISC BRAKES



LED DISPLAY



frame	18" aluminium	battery Li-ion	36 V / 10 Ah / 250 W
wheels	26 × 1,75" KENDA	max. load	120 kg
calculated range	90 km	charging time	4-5 hours
real range	60 km *	weight	25,2 kg

derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover

*** The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.**

HECHT 5177
E-SCOOTER

NEW

Available from 3/23

Stand included

Honeycomb tires

Easy folding



ALU	frame	aluminium		battery	36 V / 7,5 Ah / 350 W
	wheels	8,5"		climbing capacity	10 °
	max. range *	25 km		charging time	3-5 hours
	max. speed assisted	25 km/h		weight	12 kg
	max. load	100 kg		motor	front
	brakes	rear, disc			

Integrated light, stand, honeycomb tires

HECHT 5189
E-SCOOTER

Shock absorber

Stand included

Easy folding







ALU	frame	aluminium		battery	36 V / 10 Ah / 400 W
	wheels	12/12"		climbing capacity	15 °
	max. range *	30 km		charging time	4-6 hours
	max. speed assisted	25 km/h		weight	18,5 kg
	max. load	100 kg		motor	back
	brakes	rear, disc			

Integrated light, stand, shock absorber

HECHT TERRIS WHITE / BLACK
FOLDABLE E-SCOOTER

Anti-slip board



2× front light



COC Certification



Front and rear suspension



Digital display



	power	3000 W		battery	60 V / 20 Ah
	tubeless tyres	145/70-6"		max. speed	45 km/h
	max. range	50 km		charging time	8–12 hours
	technically permisible load	150 kg		weight	55 kg
	brakes front/rear	disc	✓	removable seat, metal wheel trim, two front lights	

Li-ion Powered



Folding frame

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

www.hecht.cz

HECHT BETIS RED / GREEN / SILVER

E-SCOOTER



Thanks to the pedals it is possible to adapt the riding style like on an e-bike with minimal effort and thus increase the overall range or performance.



LCD display



electromotor

40 km

∞



COC Certification

Large wheels and shock absorbers make it easier to drive off-road and on dirt roads

HECHT 00513

ADDITIONAL BASKET










Front and rear disc brakes



Front and rear suspension

	power	800 W		battery	48 V / 12 Ah
	tubeless tyres	14" × 2,25 14" × 2,25		max. speed	40 km/h
	max. range	40 km		charging time	6–7 h
	brakes	disc / disc		weight incl. batteries	65 kg
	dimensions	170 × 62 × 105 cm			



* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

HECHT COCIS ZERO RED / BLUE / BLACK

E-SCOOTER

Li-ion Powered



COC Certification





	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	technically permisible load	219 kg		climbing capacity	18 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight without batteries	69 kg
	brakes	disc		wide tyres	225×40-8"
✓	front and rear suspension		✓	detachable battery, one extra battery space, bluetooth	

HECHT COCIS RED / BLUE / BLACK

E-SCOOTER



COC Certification

Li-ion Powered





	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	technically permisible load	219 kg		climbing capacity	18 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight inc. batteries	69 kg
	brakes	disc		wide tyres	225×40-8"
✓	front and rear suspension		✓	detachable battery, one extra battery space, bluetooth	

www.hecht.cz

HECHT COCIS MAX RED / BLUE / BLACK

E-SCOOTER

Li-ion Powered

COC Certification





***Additional battery**
60 V 20 Ah
No. 704005061

	power	2000 W		battery	60 V / 20 Ah
	technically permisible load	238 kg		climbing capacity	18 °
	max. range on 1 / 2 batteries	50 / 100 km		charging time	8 hours
	max. speed	45 km/h		weight incl. battery	88 kg
	brakes	disc/drum		wide tyres	225×40-10"
✓	front and rear suspension		✓	detachable battery, one extra battery space, bluetooth	

HECHT EQUIS BLACK / WHITE

E-SCOOTER

Available from 3/23

NEW



COC Certification



Digital display



Storage place under the seat





	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12" 110/70-12"		climbing capacity	15 °
	max. range	60 km		max. speed	45 km/h
	technically permisible load	271 kg		charging time	8 hours
	brakes	disc/disc		weight incl. batteries	121 kg
✓	front and rear suspension		✓	storage place under the seat	

HECHT CITIS WHITE / BLUE
E-SCOOTER



COC Certification



Digital tachometer





	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12", 110/70-12"		max. speed	45 km/h
	max. range	60 km		charging time	8 hours
	technically permisible load	279 kg		weight incl. batteries	130 kg
	brakes	disc / drum			

HECHT STRATIS BLACK
E-SCOOTER

COC Certification

Li-ion Powered

NEW





Digital display



Available from 4/23

	power	2000 W		battery Li-ion	72 V / 20 Ah
	tubeless tyres	130/70-12" 130/70-12"		max. speed	45 km/h
	max. range	65 km		charging time	4 hours
	technically permisible load	259 kg		weight incl. batteries	76 kg
	brakes	disc/disc	✓	two-seated	

www.hecht.cz

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)



HECHT 52588



HECHT 51588



HECHT 51627



HECHT 52627

Adjustable inner shade



HECHT 53627



HELMETS for scooters

Product conforms to relevant EU standards.
European homologation
E13*22R00*22RO5*10255*00

Removable and washable insert, clamping strap with quick coupling, adjustable peak. High quality finish.

HECHT 52588, 51588, 51627, 52627, 53627 – Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm



HECHT 51631, 52631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

HECHT 51631



HECHT 52631

FREE TIME

HECHT CITIS MAX WHITE / SHADOW / BLUE

E-SCOOTER



Digital tachometer



COC Certification







	power	800 W		battery	60 V / 20 Ah
	tubeless tyres	3.00-10", 3.00-10"		max. speed	15 / 20 / 25 km/h
	max. range	60 km		charging time	8 hours
	technically permisible load	211 kg		weight incl. batteries	111 kg
	dimensions	155,5 × 70 × 109 cm		brakes	disc / drum

HECHT WISE BLUE / RED

ELECTRIC SENIOR WHEELCHAIR







HECHT 00413

ADDITIONAL BASKET



Available from 3/23



	power	500 W		battery	24 V / 40 Ah
	dimensions	140 × 69 × 126 cm		max. speed	15 km/h
	max. range	42 km		climbing capacity	20 °
	max. load	150 kg		weight incl. battery	108 kg

www.hecht.cz

PETS

PET FOOD PROMINENT
RABBIT CAGES
HENHOUSES





SUPER PREMIUM CAT TINS / PREMIUM CAT GRANULES

Prominent cat Chicken



180 g	100 % meat and fresh products

Prominent cat Fish



180 g	100 % meat and fresh products

Prominent cat Beef



180 g	100 % meat and fresh products

Supplementary food for cats. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.

Prominent cat Kitten

Complete extruded feed for kittens up to 12 months, pregnant and lactating cats



- 89 % animal proteins
- Fresh pork liver
- Salmon oil
- Yucca root

1,5 kg	22,5 % meat and fresh products

Prominent cat Adult Chicken

Complete feed for adult cats



- 88 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg	45 % meat and fresh products

Prominent cat Adult Salmon

Complete feed for adult cats



- 87 % animal proteins
- Fresh salmon
- Salmon oil
- Yucca root

1,5 kg	9 % meat and fresh products

Prominent cat Sterilized

Complete food for overweight adult cats, neutered and sterilized cats



- 86 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg	15 % meat and fresh products

Prominent cat Senior

Complete feed for overweight adult cats or older cats



- 87 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg	15 % meat and fresh products

www.hecht.cz

What is Prominent granule feed?

- complete premium feed
- feed with a significant proportion of fresh meat
- feed with a varied composition and balanced content of raw materials
- food with a positive effect on joints and strengthening immunity
- high palatability feed produced in the Czech Republic

Recipes compiled by professional nutritionists with many years' experience regarding the needs of your dogs, new trends and customer demand. An excellent option for breeders who are looking for lower price feed and at the same time quality raw materials.

Benefits of Prominent granules

- Salmon oil – to support quality fur and skin.
- Glucosamine, chondroitin sulphate – have a positive effect on the musculoskeletal system, both in terms of prevention and possible treatment. It's accelerating regeneration of articular cartilage and acts preventively against osteoarthritis.
- Wheat germ – to strengthen immunity.
- Yucca root – acts on the binding intestinal gases, supports the immune system functions, supports the liver and kidneys, acts as anti-inflammatory.
- Chicory root - supports the digestive system, detoxifies the digestive tract.

Main raw materials used

- **Animal component**
  - Dried meat, Fresh meat, Liver, Salmon oil (EPA, DHA)
- **Plant component**
  - Wheat, Rice

Raw meat is added to the granules without any modifications. The granules therefore contain important nutrients, minerals and vitamins.

Traditional food for dogs and cats in premium quality produced in cooperation with proven feed manufacturers with many years of experience. Meat is added to the feed only in the raw state without further modifications. The granules therefore taste great and contain important nutrients, minerals and vitamins. Give your pets a quality and well balanced food. Product of the Czech republic.

ČESKÝ VÝROBEK®

SUPER PREMIUM DOG TINS / PREMIUM DOG GRANULES

Prominent dog Chicken & Turkey
415 g 1275 g

Prominent dog Lamb & Rice
415 g 1275 g

Prominent dog Beef & Liver
415 g 1275 g

Prominent dog Venison
415 g 1275 g

Supplementary food for dogs. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.









100 % meat and fresh products

95 % meat and fresh products, 5 % rice

100 % meat and fresh products

100 % meat and fresh products

Prominent Dog biscuits
Supplementary food for dogs



200 g

Prominent dog Puppy
Complete feed for puppies of all breeds, feed is also suitable for pregnant and lactating dogs



3 kg 10 kg

25 % meat and fresh products

Prominent dog Junior Large breeds
Complete feed for young dogs of large and giant breeds



3 kg 10 kg

22,5 % meat and fresh products

Prominent dog Adult MINI
Complete feed for adult dogs of small breeds



3 kg 10 kg

30 % meat and fresh products

Prominent dog Active
Complete feed for adult dogs of all breeds



12 kg

GLUTEN FREE

50 % meat and fresh products

Prominent dog Adult
Complete feed for adult dogs of all breeds



12 kg

20 % meat and fresh products

Prominent dog Adult Large breed
Complete feed for adult dogs of large and giant breeds



12 kg

20 % meat and fresh products

Prominent dog Sensitive
Hypoallergenic feed for adult dogs of all breeds



12 kg

15 % meat and fresh products

Prominent dog Senior
Complete feed for overweight adult dogs or older dogs




12 kg

20 % meat and fresh products

MICKEY
RABBIT CAGE





dimensions	91,5 × 45 × 70 cm	
Made from durable fir wood		
Roof covered with asphalt shingle		

BUNNY
RABBIT CAGE WITH PADDOCK







dimensions	111,5 × 45 × 92 cm	Without ground wires	
Made from durable fir wood		Roof covered with asphalt shingle	

HECHT RAPHAELO
TWO-LEVEL RABBIT CAGE





dimensions	101 x 55 x 100 cm	
Made from durable fir wood		

HECHT SALLY
TWO-LEVEL RABBIT CAGE






dimensions	104 x 50 x 104 cm	
Made from durable fir wood		

www.hecht.cz


MOLLY
RABBIT CAGE WITH PADDOCK





dimensions	146,5 × 52 × 85,5 cm	Without ground wires
Made from durable fir wood		Roof covered with asphalt shingle

HOLIDAY
RABBIT CAGE WITH PADDOCK




dimensions	98 × 50 × 41 cm	Without ground wires
Made from durable fir wood		

OLIVER
HENHOUSE




dimensions	134 × 90 × 99 cm	Without ground wires
Made from durable fir wood		Roof covered with asphalt shingle

OREO
HENHOUSE WITH PADDOCK



dimensions	195 × 73 × 98 cm	wires thickness	0,7 mm
wood thickness	20 mm	Roof covered with asphalt shingle	
Without ground wires		Made from durable fir wood	

TWEETY
HENHOUSE WITH PADDOCK



dimensions	201 x 68 x 102 cm	wires thickness	0,7 mm
wood thickness	20 mm	side box	61 x 32 x 40 cm
Made from durable fir wood		Without ground wires	
Roof covered with asphalt shingle			

BRAND HECHT® made for garden IN EUROPE



Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: December 2022

HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov–Tehovec, tel.: 323 661 347, fax: 323 661 348, www.hecht.cz
HECHT SK, spol. s r. o., Letisková 20, 971 01 Prievidza, e-mail: hecht@hecht.sk, tel.: 046/542 0320, www.hecht.sk
HECHT Polska Sp. z o. o., Mickiewicza 54, 66-450 Bogdaniec, e-mail: info@hechtpolska.pl, tel.: 48/957 117 140 www.hechtpolska.pl
HECHT HUNGARY Kft., II. Rákoczi Ferenc út 323, 1214 Budapest, e-mail: hecht@hecht.hu, tel.: +36 1/445 4094 www.hecht.hu

E-MAIL: HECHT@HECHT.CZ **WWW.HECHT.CZ**