HECHT®

made for garden

30 years together

2024

catalogue

2 000000 003740

HECHT MOTORS s.r.o.

www.hecht.cz

CONTENT

LAWN & GROUND CARE
- MOWERS 5
- TRACTORS 18
- SPREADERS & TRAILERS 22
- SERVICE KITS, LUBRICANTS & ACCESSORIES 23
- AERATORS 24
- TILLERS 26

WOODWORKING
- HEDGE TRIMMERS 31
- PRUNNIG SAWS 35
- CHAINSAWS 36
- CHAINSAWS ACCESSORIES 40
- AXES 42
- LOG SAWS & WEDGE SPLITTERS 43
- SHREDDERS 46
- LEAF VACS / BLOWERS 48

ACCU PROGRAM
- 6020 52
- 1278 54
- 5040 56
- 6260 58

CLEANING SOLUTIONS
- ACCESSORIES 59
- WEED SWEEPERS & GRASS TRIMMERS 60
- BRUSHCUTTERS & EARTH AUGER 61
- SNOW SCRAPERS 65
- SNOW THROWERS & ACCESSORIES 65
- PETROL SWEEPERS 68
- SPREADERS & COMPOSTERS 69
- GARDEN TOOLS & RAKES 71

WATER PROGRAM
- SPRAYERS & ACCESSORIES 73
- GARDEN PUMPS 75
- CONNECTIONS, EXTENSIONS & GUNS 79
- HIGH PRESSURE WASHERS & ACCESSORIES 81
- GREENHOUSES 83

BUILDING MACHINERY & EQUIPMENT
- VACUUM CLEANERS 85
- HOISTS 86
- GENERATORS & INVERTORS 87
- COMPACTORS 89
- TRANSPORTERS 90
- CONCRETE MIXERS & STIRRERS 91

WORKSHOP EQUIPMENT
- BATTERY CHARGERS 92
- WORKBENCHES, HAND TOOLS 93
- AIR GUNS & COMPRESSORS ACCESSORIES 94
- COMPRESSORS 95
- CORDLESS AND POWER TOOLS 97
- LATHES & WELDING TOOLS 107

THERMAL COMFORT & INDOOR AIR QUALITY
- HEATERS 109

HOME & GARDEN
- AIR COOLERS & AIR CONDITIONERS 112
- WOOD STOVES & ACCESSORIES 113
- GARDEN GRILLS & ACCESSORIES 115
- GARDEN FURNITURE 118
- STORAGE BOXES, CHAIR & BENCH SWINGS 127
- PARASOLS 129
- PERGOLAS 130
- GARDEN SHEDS 131

SWIMMING POOLS & RELAX
- GARDEN POOLS & FILTRATION PUMPS 133
- POOL ACCESSORIES 134
- INFRASAUNAS 137

KIDS WORLD
- TRAMPOLINES 140
- PEDAL CARS 141
- ACCU CARS & BIKES 142

VEHICLES
- ACCU & PETROL QUADS & BIKES 145
- HECHT BATTERIES 148
- ATV ACCESSORIES 154
- E-BICYCLES 155
- E-SCOOTERS & ACCESSORIES 156

PET SUPPLIES & PET FOOD
- CAT SCRATCHING POSTS 163
- CAT TINS / GRANULES 164
- DOG TINS / GRANULES 165
- ANIMAL HOUSES 166

GARDEN

LAWN MOWERS & TRACTORS
GROUND CARE
WOOD WORKING
CLEANING SOLUTIONS
SNOW THROWERS
GARDEN TOOLS
WATER PROGRAM

HECHT 500046

Special lawn mower „TURBO" blade 46 cm for prod. year till 2019

For models:
HECHT 548 SW (from 2014), 5484 SX, 548 SWE, 5484 SXE

HECHT 500051

Special lawn mower „TURBO" blade 51 cm for prod. year till 2019

For models:
HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART

HECHT 502046

Special lawn mower „TURBO" blade 46 cm for prod. year from 2020

For models:
HECHT 548 SW, 5483 SWE

HECHT 502051

Special lawn mower „TURBO" blade 51 cm for prod. year from 2020

For models:
HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE

HECHT 502056

Special lawn mower „TURBO" blade 56 cm for prod. year from 2020



For models:
HECHT 5564 SX, 5564 SXE, 5563 SXE

Patented wheels HECHT

The brand new design of wheels HECHT improves traction on wet grass and helps with self-cleaning properties.

HECHT 50437

MOWER WITH SOUND - TOY

MADE IN ITALY

APPROVED

With sound while moving

6 PCS

weight	0,9 kg	dimensions	50 × 27,5 × 52 cm

120153

EXTENSION CORD

cable length	20 m
electric	230 V/50 Hz
3 × 1,5 mm²	

130153

EXTENSION CORD

cable length	30 m
electric	230 V/50 Hz
3 × 1,5 mm²	

121153

CABLE REEL

cable length	20 m
electric	230 V/50 Hz
3 × 1,5 mm²	

420153

CABLE REEL WITH 4 SOCKETS

cable length	20 m
electric	230 V/50 Hz
3 × 1,5 mm²	

150153

CABLE REEL

cable length	50 m
electric	230 V/50 Hz
3 × 1,5 mm²	

450153

CABLE REEL WITH 4 SOCKETS

cable length	50 m
electric	230 V/50 Hz
3 × 1,5 mm²	

www.hecht.cz

APPROVED **The product meets strict standards for children's toys** (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

HECHT 5030

CYLINDER LAWN MOWER

Contact knife cylinder

Blade thickness 2 mm

pushed		height adjustment	10–36 mm
working width	30 cm	chassis	steel contact
weight	7,8 kg	collecting box	15 l
		blade thickness	2 mm

HECHT 504

CYLINDER LAWN MOWER

Contact knife cylinder

Blade thickness 2 mm

pushed		height adjustment	17–43 mm
working width	40 cm	chassis	steel contact
weight	8,8 kg	collecting box	15 l
		blade thickness	2 mm

HECHT 514 PROFI

CYLINDER LAWN MOWER

Contactless knife cylinder

Blade thickness 3 mm

pushed		height adjustment	24–75 mm
working width	46 cm	chassis	steel contactless
weight	17,2 kg	collecting box	50 l
		blade thickness	3 mm

HECHT 1233

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"

pushed		height adjustment	20–60 mm
electric	230 V/50 Hz	chassis	plastic
power input	1200 W	collecting box	30 l
working width	33 cm	wheels (front/rear)	5,5/5,5"
weight	7,1 kg		

HECHT 1333

ELECTRIC LAWN MOWER

NEW

Plastic grass catcher

pushed		height adjustment	25–65 mm
electric	230 V/50 Hz	chassis	plastic
power input	1300 W	collecting box	28 l
working width	32 cm	wheels (front/rear)	5,5/5,5"
weight	8,5 kg		

HECHT 1434

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"

pushed		height adjustment	25–65 mm
electric	230 V/50 Hz	chassis	plastic
power input	1400 W	weight	12 kg
working width	34 cm	collecting box	35 l
central adjustment of cutting height		wheels (front/rear)	5,5/6"

HECHT 1638 R

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"

pushed		height adjustment	25–65 mm
electric	230 V/50 Hz	chassis	plastic
power input	1600 W	weight	13 kg
working width	38 cm	collecting box	45 l
central adjustment of cutting height		wheels (front/rear)	5,5/7"

HECHT 1844

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"

	pushed			height adjustment	25–85 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1800 W		weight	15,5 kg
	working width	42 cm		collecting box	50 l
	central adjustment of cutting height			wheels (front/rear)	6/8"

HECHT 2044

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"

	pushed			height adjustment	20–70 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	2000 W		collecting box	50 l
	working width	43 cm		wheels (front/rear)	6 / 9,5"
	weight	13,4 kg		central adjustment of cutting height	

HECHT 1640

ELECTRIC LAWN MOWER

Induction brushless motor

	pushed			height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	45 l
	working width	40 cm		wheels (front/rear)	6/8"
	weight	20 kg		central adjustment of cutting height	

Patented wheel design

HECHT 1641

ELECTRIC LAWN MOWER

Mulching kit included

Powerful high torque electric motor "TURBO motor"

	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	50 l
	working width	41 cm		wheels (front/rear)	7/8"
	weight	21,3 kg		central adjustment of cutting height	

Patented wheel design

HECHT 1845

ELECTRIC LAWN MOWER

Mulching kit included

Powerful high torque electric motor "TURBO motor"

	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	23,8 kg		central adjustment of cutting height	

HECHT 1802 S

ELECTRIC LAWN MOWER

Induction brushless motor

	self propelled	3,3 km/h		height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	50 l
	working width	46 cm		wheels (front/rear)	7/10"
	weight	27 kg	✓	alternative side ejection + mulching kit	
	central adjustment of cutting height				

EXPLANATION: ball bearings in all wheels

www.hecht.cz

Patented wheel design

HECHT 1803 S 5 in 1

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"

	self propelled	3,6 km/h		height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	26,4 kg	✓	alternative side ejection + mulching kit	
	central adjustment of cutting height				

Patented wheel design

HECHT 1805 S 5 in 1

ELECTRIC LAWN MOWER

Induction brushless motor

	self propelled	3,6 km/h		height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	31,2 kg	✓	alternative side ejection + mulching kit	
	central adjustment of cutting height				

HECHT 5408

PETROL LAWN MOWER

NEW

	pushed			height adjustment	25–65 mm
	engine HECHT	OHV	Nm	max.torque	3,6 Nm
	displacement	80 cm³		chassis	plastic
	working width	41 cm		collecting box	45 l
	weight	17,5 kg		wheels (front/rear)	6/6"

Patented wheel design

HECHT 540

PETROL LAWN MOWER

	pushed			height adjustment	25-75 mm
	engine	OHV	Nm	max.torque	6,8 Nm
	displacement	127 cm³		chassis	steel
	working width	40,6 cm		collecting box	40 l
	weight	20 kg		wheels (front/rear)	7/7"

Patented wheel design

HECHT 543

PETROL LAWN MOWER

	pushed			height adjustment	25-65 mm
	engine HECHT	OHV	Nm	max.torque	4,7 Nm
	displacement	139 cm³		chassis	steel
	working width	43 cm		collecting box	45 l
	weight	20,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

HECHT 546 C

PETROL LAWN MOWER

	pushed			height adjustment	25-75 mm
	engine	OHV	Nm	max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	29 kg		wheels (front/rear)	7/8"

EXPLANATION: ball bearings in all wheels

HECHT 5511

PETROL LAWN MOWER

Side ejection

Patented wheel design

pushed		height adjustment	30-80 mm
engine	OHV	max.torque	7,8 Nm
displacement	144 cm³	chassis	steel
working width	51 cm	side ejection only	
weight	23 kg	wheels (front/rear)	7/10"

HECHT 5511 BS

PETROL LAWN MOWER

Side ejection

BRIGGS & STRATTON

Patented wheel design

pushed		height adjustment	30-80 mm
engine B&S	Series 450 E	max.torque	5,9 Nm
displacement	125 cm³	chassis	steel
working width	51 cm	side ejection only	
weight	23 kg	wheels (front/rear)	7/10"

HECHT 546

PETROL LAWN MOWER

Patented wheel design

pushed		height adjustment	25-75 mm
engine	OHV	max.torque	7,8 Nm
displacement	150 cm³	chassis	steel
working width	46 cm	collecting box	55 l
weight	31 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			

HECHT 541 SW

PETROL LAWN MOWER

Patented wheels design

self propelled	3,4 km/h	height adjustment	25–75 mm
engine	OHV	max.torque	6,8 Nm
displacement	127 cm³	chassis	steel
working width	40 cm	collecting box	40 l
weight	23,5 kg	wheels (front/rear)	7/8"
central adjustment of cutting height			

HECHT 541 BSW

PETROL LAWN MOWER

BRIGGS & STRATTON

self propelled	3,45 km/h	height adjustment	25–75 mm
engine B&S	Series 450 E	max.torque	5,93 Nm
displacement	125 cm³	chassis	steel
working width	40 cm	collecting box	40 l
weight	25 kg	wheels (front/rear)	7/8"
central adjustment of cutting height			

HECHT 543 SX

PETROL LAWN MOWER

Patented wheel design

self propelled	3,25 km/h	height adjustment	25–65 mm
engine	OHV	max.torque	7,2 Nm
displacement	139 cm³	chassis	steel
working width	42,5 cm	collecting box	45 l
weight	26 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			

EXPLANATION: ball bearings in all wheels

www.hecht.cz

HECHT 543 SW 5 in 1

PETROL LAWN MOWER

Patented wheels design

Gearbox

self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	5,1 Nm
displacement	98,5 cm³	steel chassis	5 in 1
working width	43 cm	collecting box	50 l
weight	30 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 543 SWE 5 in 1

PETROL LAWN MOWER

Patented wheels design

EASY ELECTRIC START · JUST PRESS THE BUTTON ·

Gearbox

self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	5,1 Nm
displacement	98,5 cm³	steel chassis	5 in 1
working width	43 cm	collecting box	50 l
weight	33,7 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 546 SC

PETROL LAWN MOWER

self propelled	3,2 km/h	height adjustment	25-75 mm
engine	OHV	max.torque	7,8 Nm
displacement	144 cm³	chassis	steel
working width	46 cm	collecting box	60 l
weight	31 kg	wheels (front/rear)	7/8"
central adjustment of cutting height			

HECHT 546 SCW 5 in 1

PETROL LAWN MOWER

self propelled	3,2 km/h	height adjustment	25-75 mm
engine	OHV	max.torque	7,8 Nm
displacement	144 cm³	chassis	steel
working width	46 cm	collecting box	60 l
weight	31,5 kg	wheels (front/rear)	7/8"
central adjustment of cutting height			

HECHT 546 SX

PETROL LAWN MOWER

Patented wheel design

self propelled	3,5 km/h	height adjustment	25–75 mm
engine	OHV	max.torque	7,8 Nm
displacement	150 cm³	chassis	steel
working width	46 cm	collecting box	55 l
weight	32 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			

HECHT 547 SXW 5 in 1

PETROL LAWN MOWER

Patented wheel design

self propelled	3,6 km/h	height adjustment	25–75 mm
engine	OHV	max.torque	7,8 Nm
displacement	150 cm³	chassis	steel
working width	46 cm	collecting box	55 l
collecting box	32 kg	wheels (front/rear)	7/10"
central adjustment of cutting height		alternative side ejection + mulching kit	

EXPLANATION: ball bearings in all wheels

HECHT 547 SWR 5 in 1

PETROL LAWN MOWER

Plastic grass catcher

Patented wheel design

self propelled	3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	7,8 Nm
displacement	150 cm³	chassis	steel
working width	46 cm	collecting box	55 l
collecting box	34,5 kg	wheels (front/rear)	7/10"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	

HECHT 547 SWE 5 in 1

PETROL LAWN MOWER

EASY ELECTRIC START · JUST PRESS THE BUTTON ·

Patented wheel design

self propelled	3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	7,8 Nm
displacement	150 cm³	chassis	steel
working width	46 cm	collecting box	55 l
collecting box	34,5 kg	wheels (front/rear)	7/10"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	

HECHT 546 BSW 5 in 1

PETROL LAWN MOWER

BRIGGS & STRATTON

Patented wheel design

self propelled	3,35 km/h	height adjustment	30-80 mm
engine B&S	Series 500 E	max.torque	6,8 Nm
displacement	140 cm³	chassis	steel
working width	46 cm	collecting box	60 l
collecting box	29,9 kg	wheels (front/rear)	7/10"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	

HECHT 548 SW 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

Gearbox

self propelled	3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	7 Nm
displacement	135 cm³	chassis	steel 5 in 1
working width	46 cm	collecting box	60 l
weight	35,6 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	

HECHT 5484 SX 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

VARIATOR

Gearbox

4 speed

self propelled	3-4,5 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	7 Nm
displacement	135 cm³	chassis	steel 5 in 1
working width	46 cm	collecting box	60 l
weight	36,7 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	

HECHT 548 SWE 5 in 1

PETROL LAWN MOWER

Heimwerker Profi 1,4

EDGE CUTTING
ability of mowing at fence or wall

Patented wheels design

EASY ELECTRIC START · JUST TURN THE KEY ·

Gearbox

self propelled	3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	7 Nm
displacement	135 cm³	chassis	steel 5 in 1
working width	46 cm	collecting box	60 l
weight	39 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	
battery 12 V DC, 4,5 Ah			

EXPLANATION: ball bearings in all wheels

www.hecht.cz

HECHT 5484 SXE 5 in 1

PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheels design

VARIATOR

Gearbox

4 speed

self propelled	3-4,5 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	7 Nm
displacement	135 cm³	steel chassis	5 in 1
working width	46 cm	collecting box	60 l
weight	39,6 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	
battery 12 V DC, 4,5 Ah			

HECHT 550 SW 5 in 1

PETROL LAWN MOWER

Plastic grass catcher

self propelled	3,2 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	170 cm³	chassis	steel 5 in 1
working width	48 cm	collecting box	60 l
weight	35,5 kg	wheels (front/rear)	8/11,5"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	

HECHT 551 SX 5 in 1

PETROL LAWN MOWER

self propelled	3,2–3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	9,4 Nm
displacement	175 cm³	chassis	steel 5 in 1
working width	51 cm	collecting box	70 l
weight	37 kg	wheels (front/rear)	8/10"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	

HECHT 551 BS 5 in 1

PETROL LAWN MOWER

BRIGGS&STRATTON

self propelled		height adjustment	25–75 mm
engine B&S	Series 750 EX	max.torque	9,5 Nm
displacement	161 cm³	chassis	steel
working width	51 cm	collecting box	70 l
✓ alternative side ejection + mulching kit		wheels (front/rear)	8/10"
central adjustment of cutting height			

HECHT 553 SW 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

Gearbox

self propelled	3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	8,5 Nm
displacement	173 cm³	chassis	steel 5 in 1
working width	51 cm	collecting box	60 l
weight	38,1 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	

HECHT 551 SXE 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

EASY ELECTRIC START · JUST TURN THE KEY ·

self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	11,2 Nm
displacement	200 cm³	chassis	steel 5 in 1
working width	51 cm	collecting box	65 l
weight	40 kg	wheels (front/rear)	8/10"
central adjustment of cutting height		✓ alternative side ejection + mulching kit	

EXPLANATION: ball bearings in all wheels

HECHT 5534 SX 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

VARIATOR Gearbox

4 speed

self propelled	3-4,5 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	173 cm³	chassis	steel 5 in 1
working width	51 cm	collecting box	60 l
weight	38,7 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 5534 SWE 5 in 1

PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheels design

VARIATOR Gearbox

4 speed

self propelled	3-4,5 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	8,5 Nm
displacement	173 cm³	chassis	steel 5 in 1
working width	51 cm	collecting box	60 l
weight	42,3 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	
battery 12 V DC, 4,5 Ah			

HECHT 554 SX 5 in 1

PETROL LAWN MOWER

Patented wheel design

EDGE CUTTING ability of mowing at fence or wall

self propelled	3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	12,2 Nm
displacement	224 cm³	chassis	steel 5 in 1
working width	53 cm	collecting box	75 l
weight	40 kg	wheels (front/rear)	8/10"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 554 SXE 5 in 1

PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheel design

self propelled	3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	12,2 Nm
displacement	224 cm³	chassis	steel 5 in 1
working width	53 cm	collecting box	75 l
weight	41 kg	wheels (front/rear)	8/10"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 5564 SX 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

Powered By LONCIN

VARIATOR Gearbox

4 speed

self propelled	3-4,5 km/h	height adjustment	25–75 mm
engine Loncin	OHV	max.torque	10,5 Nm
displacement	196 cm³	chassis	steel 5 in 1
working width	56 cm	collecting box	70 l
weight	40,6 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 5564 SXE 5 in 1

PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheels design

Powered By LONCIN

VARIATOR Gearbox

4 speed

self propelled	3-4,5 km/h	height adjustment	25–75 mm
engine Loncin	OHV	max.torque	10,5 Nm
displacement	196 cm³	chassis	steel 5 in 1
working width	56 cm	collecting box	70 l
weight	45,2 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	
battery 12 V DC, 7 Ah			

www.hecht.cz

**** **5 in 1** marks a lawn mower which has the following functions: 1) mowing 2) grass collection 3) self-propulsion 4) mulching 5) side discharge

Patented wheels design

HECT 1863 S 5 in 1

ELECTRIC LAWN MOWER

Induction brushless motor

360° rotating front wheel

self propelled	3,6 km/h	height adjustment	25–75 mm
electric	230 V/50 Hz	chassis	steel
power input	1800 W	collecting box	60 l
working width	46 cm	wheels (front/rear)	8/11"
weight	33 kg	alternative side ejection + mulching kit	
central adjustment of cutting height			

Patented wheels design

HECT 5433 SW 5 in 1

PETROL LAWN MOWER

360° rotating front wheel

self propelled	3,3 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	5,1 Nm
displacement	98,5 cm³	chassis	steel 5 in 1
working width	43 cm	collecting box	50 l
weight	31 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

Patented wheels design

HECT 5483 SW 5 in 1

PETROL LAWN MOWER

360° rotating front wheel

self propelled	3,3 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	7 Nm
displacement	135 cm³	chassis	steel 5 in 1
working width	46 cm	collecting box	60 l
weight	36,1 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

Patented wheels design

Electric starter

EASY ELECTRIC START - JUST PRESS THE BUTTON -

HECT 5483 SWE 5 in 1

PETROL LAWN MOWER

360° rotating front wheel

self propelled	3,3 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	7 Nm
displacement	135 cm³	chassis	steel 5 in 1
working width	46 cm	collecting box	60 l
weight	41,1 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

Patented wheels design

HECT 5533 SW 5 in 1

PETROL LAWN MOWER

360° rotating front wheel

self propelled	3,3 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	173 cm³	chassis	steel 5 in 1
working width	51 cm	collecting box	60 l
weight	39,2 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECT 5543 SXE 5 in 1

PETROL LAWN MOWER

360° rotating front wheel

EASY ELECTRIC START - JUST PRESS THE BUTTON -

self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	173 cm³	chassis	steel 5 in 1
working width	51	collecting box	60 l
weight	43,5 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

Patented wheels design

HECHT 5563 SXE 5 in 1

PETROL LAWN MOWER

360° rotating front wheel

EASY ELECTRIC START · JUST PRESS THE BUTTON ·

self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	173 cm³	chassis	steel 5 in 1
working width	56 cm	collecting box	60 l
weight	46 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 546 XR 5 in 1

PETROL LAWN MOWER

360° rotating front wheel

self propelled	3,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	7,8 Nm
displacement	144 cm³	chassis	steel 5 in 1
working width	46 cm	collecting box	60 l
weight	32,9 kg	wheels (front/rear)	7/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 551 XR 5 in 1

PETROL LAWN MOWER

360° rotating front wheel

self propelled	3,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	209 cm³	chassis	steel 5 in 1
working width	51 cm	collecting box	75 l
weight	37,3 kg	wheels (front/rear)	7/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

Accessories

HECHT 005612

PROTECTIVE ROOF FOR MODELS HECHT 5605, 5608, 5612, 5615

HECHT 005615W

Boundary wire 100 m (18 AWG)
- for HECHT 5615

HECHT005612W

Boundary wire 100 m (20 AWG)
- for HECHT 5605, 5608, 5612

HECHT005612K

Knife and screw set (3+3 pcs)
- for HECHT 5605, 5608, 5612, 5615

HECHT005612P

Demarcation pin (120 pcs)
- for HECHT 5605, 5608, 5612, 5615

HECHT005612C

Connection connector (2 pcs)
- for HECHT 5605, 5608, 5612, 5615

Wire 100 m, 20 AWG

HECHT 5605

ACCU ROBOTIC LAWN MOWER

MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I

Ke stažení na App Store

Ke stažení na Google Play

3 carbon brushless motors

3 knives

Front charge

LED display

ECO FRIENDLY

AUTOMATIC

accu Li-Ion	DC 20 V	chassis	plastic
Accu	2 Ah	recommended area	max. 500 m²
working width	180 mm	bluetooth app	✓
height adjustment	20-60 mm	charging base	✓
wire: length / diameter / cross section	AWG 20: 100 m / 0,8118 mm / 0,5176 mm²		

Wire 130 m, 20 AWG

HECHT 5608

ACCU ROBOTIC LAWN MOWER

MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I

Ke stažení na App Store

Ke stažení na Google Play

3 carbon brushless motors

3 knives

Front charge

LED display

ECO FRIENDLY

AUTOMATIC

accu Li-Ion	DC 20 V	chassis	plastic
Accu	2,5 Ah	recommended area	max. 800 m²
working width	180 mm	bluetooth app	✓
height adjustment	20-60 mm	charging base	✓
wire: length / diameter / cross section	AWG 20: 130 m / 0,8118 mm / 0,5176 mm²		

EXPLANATION: ball bearings in all wheels

www.hecht.cz

HECHT 5612
ACCU ROBOTIC LAWN MOWER

Wire 200 m, 20 AWG

3 carbon brushless motors

3 knives

Front charge

LED display

MOBILE APP
EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I

Ke stažení na App Store
Ke stažení na Google Play

ECO FRIENDLY

AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	max. 1200 m²
	working width	180 mm	✓	bluetooth app	
	height adjustment	20-60 mm	✓	charging base	
	wire: length / diameter / cross section	AWG 20: 200 m / 0,8118 mm / 0,5176 mm²			

HECHT 5615
ACCU ROBOTIC LAWN MOWER

Wire 220 m, 18 AWG

3 carbon brushless motors

3 knives

Front charge

LED display

MOBILE APP
EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I

Ke stažení na App Store
Ke stažení na Google Play

ECO FRIENDLY

AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	max. 1500 m²
	working width	180 mm	✓	bluetooth app	
	height adjustment	20-60 mm	✓	charging base	
	wire: length / diameter / cross section	AWG 18: 220 m / 1,0237 mm / 0,8230 mm²			

HECHT 5025
ACCU LAWN MOWER

ECO FRIENDLY

ACCU program 6020

Li-ion Powered

Battery and charger not included

	pushed			height adjustment	25–65 mm
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	2x 2,5 Ah		collecting box	26 l
	working width	32 cm		central adjustment of cutting height	
	weight	9,5 kg		charging time	120 min.
	wheels (front/rear)	5,5/6"		working time	≤ 20 min.

HECHT 5034
ACCU LAWN MOWER

ECO FRIENDLY

ACCU program 5040

Li-ion Powered

Battery and charger not included

	pushed			height adjustment	20-65 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	35 l
	working width	34 cm		central adjustment of cutting height	
	weight	9,9 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/7"		working time	≤ 30 min.

HECHT 5038
ACCU LAWN MOWER

model 2024

ECO FRIENDLY

ACCU program 5040

Li-ion Powered

Battery and charger not included

	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	40 l
	working width	38 cm		central adjustment of cutting height	
	weight	16,4 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 60 min.

HECHT 5043
ACCU LAWN MOWER

model 2024

ECO FRIENDLY

ACCU program 5040

Li-ion Powered

Battery and charger not included

	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	43 cm		central adjustment of cutting height	
	weight	14 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 64 min.

EXPLANATION: ball bearings in all wheels

HECHT 5070
ACCU LAWN MOWER (MODEL 2024)

ECO FRIENDLY · Li-ion Powered · ACCU program 1278

Battery and charger not included

Mulching kit included

	pushed			height adjustment	30–80 mm
	accu Li-Ion	DC 20+20 V		chassis	plastic
	Li-Ion	2× 2/4/6 Ah		collecting box	40 l
	working width	40 cm		central adjustment of cutting height	
	weight	16,5 kg		charging time*	≤ 50 min.
	wheels (front/rear)	6/8"		working time*	≤ 25 min.

Patented wheels design

HECHT 5041
ACCU LAWN MOWER

ECO FRIENDLY · ACCU program 5040 · Li-ion Powered

Battery and charger not included

Mulching kit included

	pushed			height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	41 cm		central adjustment of cutting height	
	weight	18,6 kg		charging time	≤ 150 min.
	wheels (front/rear)	7/8"		working time	≤ 66 min.

Patented wheels design

Battery and charger not included

Mulching kit included

HECHT 5041 S
ACCU LAWN MOWER

ECO FRIENDLY · ACCU program 5040 · Li-ion Powered

	self propelled	3,5 km/h		height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	41 cm		central adjustment of cutting height	
	weight	21,3 kg		charging time	≤ 150 min.
	wheels (front/rear)	7/8"		working time	≤ 44 min.

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

HECHT 5045 S
ACCU LAWN MOWER

ECO FRIENDLY · ACCU program 5040 · Li-ion Powered

	self propelled	3,5 km/h		height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	23,6 kg		charging time	≤ 150 min.
	wheels (front/rear)	7/8"		working time	≤ 40 min.
✓	alternative side ejection + mulching kit			battery and charger not included	

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

HECHT 5046 S 5 in 1
ACCU LAWN MOWER

ECO FRIENDLY · ACCU program 5040 · Li-ion Powered

	self propelled	3,3 km/h		height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	2x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	26 kg		charging time	≤ 150 min.
	wheels (front/rear)	8/11"		working time	≤ 80 min.
✓	alternative side ejection + mulching kit			battery and charger not included	

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

HECHT 5051 S 5in1
ACCU LAWN MOWER

ECO FRIENDLY · ACCU program 5040 · Li-ion Powered

	self propelled	3,3 km/h		height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	2x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	27,7 kg		charging time	≤ 150 min.
	wheels (front/rear)	8/11"		working time	≤ 64 min.
✓	alternative side ejection + mulching kit			battery and charger not included	

www.hecht.cz

EXPLANATION: ball bearings in all wheels * Maximum working time without load with 2 Ah battery.

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

HECHT 6246 S
5 in 1
ACCU LAWN MOWER

ECO FRIENDLY

ACCU program 6260

Li-ion Powered

Battery and charger not included

replaces the petrol engine in terms of performance

	self-propelled			height adjustment	25–75 mm
	accu Li-Ion	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	32 kg		charging time	≤ 75 min.
	wheels (front/rear)	8/11"		working time	≤ 58 min.

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

HECHT 6251 S
5 in 1
ACCU LAWN MOWER

ECO FRIENDLY

ACCU program 6260

Li-ion Powered

Battery and charger not included

replaces the petrol engine in terms of performance

	self-propelled			height adjustment	25–75 mm
	accu Li-Ion	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	33 kg		charging time	≤ 75 min.
	wheels (front/rear)	8/11"		working time	≤ 50 min.

HECHT 587
SICKLE BAR MOWER

Powered By LONCIN

Cutting bar made of one piece

Laser cut blade

	self propelled			height adjustment	30-80 mm
	engine Loncin	OHV		max.torque	10,5 Nm
	displacement	196 cm³		chassis	steel
	working width	87 cm		wheels	13"
	weight	59 kg			

HECHT 5060
MOTORIZED SELF-SEEDED WEED TRIMMER

SPEED 3 KM/H

MADE IN THE CZECH REPUBLIC

	self propelled			height	35 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel
	working width	60 cm		wheels	16x3,5-8"
	weight	52 kg			

HECHT 5812
FLAIL MOWER

Powered By LONCIN

32× Y-shaped blades

	self propelled			height	20-80 mm
	engine Loncin	OHV		max.torque	15,6 Nm
	displacement	252 cm³		chassis	steel
	working width	60 cm		drive, 3 gears forward, 1 gear reverse	
	weight	130 kg		wheels	8/13"
	central adjustment of cutting height				

EXPLANATION: ball bearings in all wheels

HECHT 5161

LAWN TRACTOR

NEW

EASY ELECTRIC START · JUST TURN THE KEY ·

self propelled			height adjustment	35–75 mm
engine	OHV		max.torque	11,5 Nm
displacement	224 cm³		chassis	steel
working width	61 cm		collecting box	150 l
weight	115 kg		fuel tank volume	2 l
central adjustment of cutting height			max. speed: forward / reverse	4,6 / 2,3 km/h
wheels (front/rear)	10/13"		electric start, manual gearbox	

HECHT 5162

LAWN TRACTOR

BRIGGS&STRATTON

EASY ELECTRIC START · JUST TURN THE KEY ·

Gearbox PEERLESS GEAR

self propelled			height adjustment	30–90 mm
engine B&S	Series 950		max.torque	11,5 Nm
displacement	224 cm³		chassis	steel
working width	62 cm		basket	130 l
weight	125 kg		fuel tank volume	1,8 l
central adjustment of cutting height			max. speed: forward/reverse	4,5 / 1,5 km/h
wheels Ø (front/rear)	11 / 13"		engine Briggs&Stratton	

Powered By LONCIN

EASY ELECTRIC START · JUST TURN THE KEY ·

HECHT 5114

LAWN TRACTOR

Gearbox PEERLESS GEAR

WORKING WIDTH 98 CM

Side ejection only

self propelled			height adjustment	30–90 mm
engine Loncin	OHV, 1 cylinder		chassis	steel
displacement	432 cm³		fuel tank volume	7,5 l
engine power	12 HP		wheels Ø (front/rear)	15/18"
working width	98 cm		max. speed: forward/reverse	8,3 / 1,5 km/h
weight	165 kg		central adjustment of cutting height	
gearbox Peerless Gear			engine Loncin	

Powered By LONCIN

EASY ELECTRIC START · JUST TURN THE KEY ·

HECHT 5118

LAWN TRACTOR

NEW

WORKING WIDTH 107 CM

Side ejection only

AUTOMATIC

CONTIUNOULS VARAIBLE TRANSMISSION

self propelled			height adjustment	25–100 mm
engine Loncin	OHV, 1 cylinder		chassis	steel
displacement	546 cm³		fuel tank volume	5,7 l
engine power	13,6 HP		wheels Ø (front/rear)	15/20"
working width	107 cm		max. speed: forward/reverse	7,5 / 2,5 km/h
weight	194 kg		central adjustment of cutting height	
automatic CVT gearbox			engine Loncin	

www.hecht.cz

HECHT 5169
LAWN TRACTOR

WORKING WIDTH 69 CM

EASY ELECTRIC START - JUST TURN THE KEY -

Powered By Loncin

self propelled		height adjustment	35–75 mm
engine	Loncin	chassis	steel
displacement	224 cm³ 1 cylinder	collecting box	220 l
engine power	6,8 HP	fuel tank volume	1,4 l
working width	69 cm	wheels (front/rear)	13 / 15"
weight	173 kg	max. speed: forward/reverse	7,6 / 2,2 km/h
engine Loncin, electromagnetic clutch			

HECHT 5184
LAWN TRACTOR

WORKING WIDTH 84 CM

EASY ELECTRIC START - JUST TURN THE KEY -

Powered By Loncin

self propelled		height adjustment	35–75 mm
engine	Loncin	chassis	steel
displacement	352 cm³ 1 cylinder	collecting box	220 l
engine power	7,9 HP	fuel tank volume	5 l
working width	84 cm	wheels (front/rear)	13 / 15"
weight	186 kg	max. speed: forward/reverse	7,6 / 2,2 km/h
engine Loncin, electromagnetic clutch			

HECHT 5196
LAWN TRACTOR

WORKING WIDTH 96 CM

EASY ELECTRIC START - JUST TURN THE KEY -

Powered By Loncin

self propelled		height adjustment	35–75 mm
engine	Loncin	chassis	steel
displacement	452 cm³ 1 cylinder	collecting box	220 l
engine power	10,9 HP	fuel tank volume	5 l
working width	96 cm	wheels (front/rear)	13 / 18"
weight	190 kg	max. speed: forward/reverse	8,7 / 3 km/h
engine Loncin, electromagnetic clutch			

Gearbox

HYDRO-GEAR

Powered By LONCIN

EASY ELECTRIC START - JUST TURN THE KEY -

HECHT 5186
LAWN TRACTOR

HECHT 005186 MULCHING KIT

HECHT 005103 TRAILER HITCH KIT

WORKING WIDTH 86 CM

hydrostatic self propelled		height adjustment	30–90 mm
engine power	9,2 kW	max.torque	40–45 Nm
displacement	452 cm³ 1 cylinder	chassis	steel
working width	86 cm	collecting box	245 l
weight	190 kg	fuel tank volume	7,5 l
central adjustment of cutting height		wheels (front/rear)	15/18"
Hydro-Gear gearbox		max. speed: forward/reverse	8,8 / 4,5 km/h

Gearbox

HYDRO-GEAR

Powered By LONCIN

EASY ELECTRIC START - JUST TURN THE KEY -

HECHT 5192
LAWN TRACTOR

HECHT 005192 MULCHING KIT

HECHT 005103 TRAILER HITCH KIT

WORKING WIDTH 92 CM

hydrostatic self propelled		height adjustment	30–90 mm
engine power	9,2 kW	max.torque	40–45 Nm
displacement	452 cm³ 1 cylinder	chassis	steel
working width	92 cm	collecting box	245 l
weight	167 kg	fuel tank volume	7,5 l
central adjustment of cutting height		wheels (front/rear)	15/18"
Hydro-Gear gearbox		max. speed: forward/reverse	8,8 / 4,5 km/h

Gearbox

HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

HECHT 5176
LAWN TRACTOR

BRIGGS&STRATTON

INTEK

WORKING WIDTH 102 CM

hydrostatic self propelled		height adjustment	30–90 mm
engine B&S	INTEK 31R7 Series 4	max.torque	30,7 Nm
displacement	500 cm³ 1 cylinder	chassis	steel
engine power	13,3 HP	collecting box	270 l
working width	102 cm	fuel tank volume	7,5 l
weight	220 kg	wheels (front/rear)	15/18"
central adjustment of cutting height		max. speed: forward/reverse	8,8 / 3,8 km/h
Hydro-Gear gearbox		engine Briggs&Stratton	

www.hecht.cz

HECHT 5102 TWIN

LAWN TRACTOR

Suitable for mowing large areas and football fields.

Gearbox HYDRO-GEAR

Powered By LONCIN

EASY ELECTRIC START - JUST TURN THE KEY -

2 CYLINDERS

WORKING WIDTH 102 CM

HECHT 005102 MULCHING KIT

HECHT 005103 TRAILER HITCH KIT

hydrostatic self propelled		height adjustment	30–90 mm
engine power	12,5 kW	max.torque	40–45 Nm
displacement	586 cm³ 2 cylinder	chassis	steel
working width	102 cm	collecting box	245 l
weight	197 kg	fuel tank volume	7,5 l
central adjustment of cutting height		wheels (front/rear)	15/18"
Hydro-Gear gearbox		max. speed: forward/reverse	8,8 / 4,5 km/h

HECHT 5227

LAWN TRACTOR

Suitable for mowing large areas and football fields.

Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

2 CYLINDERS

WORKING WIDTH 102 CM

BRIGGS&STRATTON

POWERED BY BRIGGS&STRATTON PROFESSIONAL SERIES

hydrostatic self propelled		height adjustment	30–90 mm
engine B&S	44U8 Professional series	max.torque	47,5 Nm
displacement	724 cm³ 2 cylinders	chassis	steel
engine power	20,5 HP	collecting box	270 l
working width	102 cm	fuel tank volume	7,5 l
weight	230 kg	wheels (front/rear)	15/18"
central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h
Hydro-Gear gearbox		engine Briggs&Stratton	

HECHT 5927

LAWN TRACTOR

Suitable for mowing large areas and football fields.

Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

2 CYLINDERS

WORKING WIDTH 112 CM

BRIGGS&STRATTON

POWERED BY BRIGGS&STRATTON PROFESSIONAL SERIES

hydrostatic self propelled		height adjustment	30–90 mm
engine B&S	44U8 Professional series	max. torque	47,5 Nm
displacement	724 cm³ 2 cylinders	chassis	steel
engine power	20,5 HP	collecting box	270 l
working width	112 cm	fuel tank volume	7,5 l
weight	235 kg	wheels (front/rear)	15/18"
central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h
Hydro-Gear gearbox		engine Briggs&Stratton	

EXPLANATION: ball bearings in all wheels

HECHT 260
SPREADING CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

Tow-behind spreader for large areas of ground

Spreading regulation

Bin cover included

Tested with corn grains

pulled			max capacity	60 l
weight	12,6 kg	max.	max. width of spreading	4 m*
wheels	12×3"			

HECHT 50006
FOLDING WAGON FOR LEISURE ACTIVITIES

NEW

Available from 4/24

Easy folding

2x seatbelts for kids transportation

Front brakes

Polyester fabric, steel powder coated frame

dimensions	L 123 x W 56 x H 102 cm	wheels diameter / height	5 / 20 cm
weight	15 kg	max. load	80 kg

HECHT 52145
GARDEN CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

75 L

TILTING

Possible to use as trailer for lawn tractor

body dimensions	93 × 50 × 21 cm / 75 l	wheels	10"× 350-4
weight	14 kg	max. load	150 kg

HECHT 52184
GARDEN CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

180 L

Possible to use as trailer for lawn tractor

body dimensions	97 × 51,5 × 42 cm / 180 l	wheels	10"× 350-4
weight	23 kg	max. load	250 kg

HECHT 53350
GARDEN CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

290 L

Possible to use as trailer for lawn tractor

body dimensions	118 × 57 × 32 cm	wheels	13"× 5.00-6
weight	27 kg	max. load	350 kg

HECHT 0053080

Towing conection for HECHT 53080

HECHT 53080
TRAILER

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

200 L

TILTING

Transport wheel

body dimensions	150 × 93,5 × 74,5 cm	wheels	480/400-8
weight	37,3 kg	max. load	300 kg

www.hecht.cz

* The spreading width depends mainly on the speed / movement and the type of spreading material.

HECHT 2620

ACCU WHEELBARROW

ECO FRIENDLY

self-propelled			max capacity	80 l
accu	20,5–27 V		max speed	6 km/h
power input	250 W		weight	40 kg
wheel	5.00–8"		charging time	7 h
max load	260 kg		working time	2-10 h

GREASE GX 100 ml

PLASTIC LUBRICANT
for angle drives,
min. order 10 pcs

MADE IN CZECH REPUBLIC

HECHT DW-410

LUBRICATING AND PRESERVATIVE OIL IN SPRAY

12 pcs in package
Volume 400 ml

MADE IN CZECH REPUBLIC

HECHT TRANSMISSION

SPECIAL GEAR OIL
80W-90
Volume 0,8 l

MADE IN CZECH REPUBLIC

HECHT 4T

RECOMMENDED OIL FOR 4-STROKE ENGINES
Volume 0,8 l
Min. order
12 pcs

MADE IN CZECH REPUBLIC

HECHT 2T 450

RECOMMENDED OIL FOR 2-STROKE ENGINES
Volume 0,45 l
Min. order
12 pcs

MADE IN CZECH REPUBLIC

HECHT CHAINOIL 4L

SPECIAL OIL FOR GREASING BARS 4 L
Min. order 3 pcs

MADE IN CZECH REPUBLIC

HECHT 5W-40

RECOMMENDED OIL FOR 4-STROKE ENGINES
- suitable for all year use
Volume 0,8 l
Min. order 12 pcs

MADE IN CZECH REPUBLIC

HECHT CHAINOIL

SPECIAL OIL FOR GREASING BARS
Volume 0,8 l
Min. order
12 pcs

MADE IN CZECH REPUBLIC

HECHT HC22

SPECIAL HYDRAULIC OIL 4 L
Min. order
3 pcs

MADE IN CZECH REPUBLIC

HECHT 5011

SERVICE KIT FOR PUMPING OUT GAS AND MOTOR OIL

Suitable for all types of 4-stroke lawn mowers and tractors.

volume	1 l

HECHT 90001

UNIVERSAL MIXING BOTTLE



tank volume	1 l

PLASTIC CAN 5 l

No. K00050

»Made in Slovakia«

tank volume	5 l

PLASTIC CAN 20 l

No. K00200

»Made in Slovakia«

tank volume	20 l

PLASTIC CAN 10 l

No. K00100

»Made in Slovakia«

tank volume	10 l

PLASTIC CAN KOMBI

No. K00085

»Made in Slovakia«

tank volume	6 l + 2,5 l

All canisters are approved for transport and storage of fuel.

HECHT 1420 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque electric motor "TURBO motor"

electric	230 V/50 Hz	collecting box	35 l
power input	1500 W	chassis	plastic
working width	32 cm *	roller with metal wires	
weight	9,2 kg	variable adjustment	-12 to 4 mm
16 metal knives		recommended area	800 m²
wheels (front/rear)	7/4"		

HECHT 1683 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque electric motor "TURBO motor"

electric	230 V/50 Hz	collecting box	48 l
power input	1600 W	chassis	plastic
working width	36 cm *	roller with metal wires	
weight	11,6 kg	variable adjustment	-12 to 6 mm
16 metal knives		recommended area	1000 m²
wheels (front/rear)	8/6"		

HECHT 1848 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque electric motor "TURBO motor"

electric	230 V/50 Hz	collecting box	55 l
power input	1800 W	chassis	plastic
working width	40 cm *	roller with metal wires	
weight	13 kg	variable adjustment	-13 to 9 mm
20 metal knives		recommended area	1200 m²
wheels (front/rear)	7/5,5"		

HECHT 1999 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque electric motor "TURBO motor"

electric	230 V/50 Hz	collecting box	45 l
power input	2000 W	chassis	plastic
working width	38 cm *	roller with metal wires	
weight	14,5 kg	variable adjustment	-10 to 5 mm
16 metal knives		recommended area	1300 m²
wheels (front/rear)	7/6"		

HECHT 1739

ELECTRIC LAWN AERATOR

electric	230 V/50 Hz	collecting box	50 l
power input	1700 W	chassis	steel
working width	37 cm	variable adjustment	-8 to 12 mm
weight	22 kg	recommended area	1200 m²
26 metal knives		wheels (front/rear)	8/8"

HECHT 1384

ACCU LAWN AERATOR

ACCU program 5040

Li-ion Powered

ECO FRIENDLY

accu Li-Ion	DC 40 V / 2,5/4/5 Ah	collecting box	45 l
working width	38 cm *	chassis	plastic
weight	14,5 kg	variable adjustment	-10 to 5 mm
16 metal knives		working time	48 min
battery and charger not included			

* The working width can be different when using another aeration roller.

HECHT 5644 2 in 1

PETROL LAWN AERATOR



engine	HECHT	chassis	steel
displacement	212 cm³	roller with metal wires	
max.torque	12 Nm	variable adjustment -12 to 12 mm	
scarifier drum cutting width	42 cm*	17 metal knives	
weight	37 kg	wheels (front/rear)	8/8"
collecting box	40 l		

HECHT 5641 2 in 1

PETROL LAWN AERATOR



engine	HECHT	chassis	steel
displacement	149 cm³	roller with metal wires	
max.torque	7,2 Nm	variable adjustment -15 to +5 mm	
scarifier drum cutting width	40 cm *	18 metal knives	
weight	32 kg	wheels (front/rear)	8/8"
collecting box	45 l		

HECHT 5677 2 in 1

PETROL LAWN AERATOR



engine	B&S CR950	chassis	steel
displacement	208 cm³	roller with metal wires	
max.torque	14 Nm	variable adjustment -15 to +5 mm	
scarifier drum cutting width	40 cm *	18 metal knives	
weight	38,5 kg	wheels (front/rear)	8/8"
collecting box	45 l		

HECHT 501

LAWN ROLLER

working width	50 cm	empty weight	9 kg
diameter	32 cm	filled weight	50 kg ± 20%

HECHT 005003

LOADING RAMP

Galvanized sheet 1,5 mm

Unfoldable

2 pcs in package



450 KG

dimensions	183 × 22,5 × 5 cm
weight	14,2 kg / 1 pc
load capacity	450 kg

HECHT 005005

LOADING RAMP

2 PCS IN PACKAGE



680 KG

FOLDABLE

With supports

dimensions	225 × 28 × 5 cm
weight	7 kg / 1 pc
load capacity - pc / pair	340 kg / 680 kg

* The working width can be different when using another aeration roller.

EXPLANATION: ball bearings in all wheels

HECHT 7025
ACCU TILLER

Li-ion Powered

ACCU program 6020

ECO FRIENDLY

Battery and charger not included

	Accu Li-ion	DC 20 V / 1× 2,5 Ah		working width	20 cm
	weight	3,4 kg		4×4 knives Ø 15 cm	
	battery and charger not included			1 speed	

HECHT 732
ELECTRIC TILLER

	electric	230 V/50 Hz		working width	32 cm
	power input	750 W		weight	8 kg
	4×4 knives Ø 20 cm			1 speed	

HECHT 738
ELECTRIC TILLER

	electric	230 V/50 Hz		working width	36,5 cm
	power input	1000 W		weight	8,4 kg
	4×4 knives Ø 20 cm			1 speed	

HECHT 745
ELECTRIC TILLER

	electric	230 V/50 Hz		working width	40 cm
	power input	1500 W		weight	11 kg
	6×4 knives Ø 20,5 cm			1 speed	

HECHT 752
PETROL TILLER

	engine HECHT	2-stroke		working width	25 cm
	displacement	52 cm³		weight	14,3 kg
	4×4 knives Ø 23 cm			1 speed	

HECHT 761
PETROL TILLER

1 SPEED

	engine HECHT	OHV, 4-stroke		working width	40 cm
	displacement	150 cm³		weight	34 kg
	max.torque	7,5 Nm		4×4 knives Ø 26 cm	

www.hecht.cz

PETROL TILLERS, ACCESSORIES

HECHT 746
PETROL TILLER

1 SPEED

	engine HECHT	OHV, 4-stroke		working width	60 cm
	displacement	150 cm³		weight	32 kg
	max.torque	7,5 Nm		6×4 knives Ø 26 cm	

HECHT 784
PETROL TILLER

Powered By LONCIN

1 SPEED

	engine	OHV, 4-stroke		working width	43 cm
	displacement	79 cm³		weight	34 kg
	max.torque	4 Nm		6×4 knives Ø 24 cm	

HECHT 785
PETROL TILLER

1 SPEED

	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
	displacement	196 cm³		weight	52 kg
	max. torque	10,5 Nm		2/4/6×4 knives Ø 38 cm	

HECHT 790 BS
PETROL TILLER

Adjustable handle

Engine Briggs&Stratton

1 SPEED

	engine B&S	CR 950		working width	32/50/84 cm
	displacement	196 cm³		weight	55 kg
	max.torque	12,9 Nm		2/4/6x4 knives Ø 38 cm	

ACCESSORIES FOR HECHT 785, HECHT 790 BS

HECHT 8001022
BRACKET
for mounting accessories



HECHT 8001020
POTATO DIGGER



HECHT 8001015
DOUBLE SIDE RIDGE PLOUGH

HECHT 8001016
SINGLE SIDE RIDGE PLOUGH

HECHT 8001002
REAR BRACKET
for mounting accessories

HECHT 8001018
WHEEL WEIGHTS
2×10 kg

HECHT 8001005
SNOW PLOW

HECHT 8001021
SET OF DISTANCE TUBES
(2 pcs) for shaft extension
outer edge of wheels
65 - 85 cm

HECHT 8001017
WHEEL 4.00-8“
- 2 pcs

HECHT 8001004
IRON WHEEL SET
- 14“
- 2 pcs
- for use with plough or digger

PETROL TILLERS, ACCESSORIES

HECHT 750
PETROL TILLER

★★★★★

HECHT 000751
RIDGER

HECHT 000750
IRON WHEEL SET 14“
- 2 pcs. for use with ridger

1 SPEED

	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm³		weight	70 kg
	max.torque	12,4 Nm		4x3 knives Ø 34 cm	

HECHT 000797
IRON WHEEL SET 15“
- 2 pcs for use with plough or digger

Speed km/h	Gears	
	2 forward	1 forward
Speed on axis (rpm)	113	82
4.00-8“ Wheels with tires (km/h)	8,8	6,4

HECHT 796
PETROL TILLER

☆★★★★

	engine HECHT	OHV, 4-stroke		working width	80 cm
	displacement	212 cm³		weight	68 kg
	max.torque	12 Nm		6×4 knives Ø 31 cm	
	2 gears forward, 1 gear reverse				

HECHT 000796
WHEELS 4.00-8“
WITH SLIPPING PINIONS

Hecht 796 + Hecht 000796
+ Hecht 57970 (Hecht 57100) + Hecht 57101

ACCESSORIES FOR HECHT 7100 / 796 / 7970

HECHT 007116
SINGLE SIDE PLOUGH

Intended for HECHT 7100, 796

HECHT 007115
POTATO DIGGER

Intended for HECHT 7100, 7970 and 796

HECHT 007120
POTATO DIGGER



Intended for HECHT 7100, 7970 and 796

HECHT 007125
DOUBLE SIDE PLOUGH
20-25 cm, working depth ca 10 cm

Intended for HECHT 7100, 7970 and 796

HECHT 007129
BRACKET
for mounting accessories



100 cm

HECHT 007132
DITCHER
Working width 60 cm
Working depth ca 10 cm

Intended for HECHT 7100, 7970 and 796

www.hecht.cz

HECHT 7970

PETROL TILLER

	engine HECHT	OHV		working width	110 cm
	displacement	212 cm³		8x3 knives Ø 34 cm	
	max.torque	12 Nm		weight	78 kg
	2 speed, 1 reverse				

Gearbox

HECHT 000721

PLOUGH

HECHT 000720

WHEELS 4.00-8“ with slipping pinions

HECHT 000722

IRON WHEEL SET 15“ - 2 pcs - for use with plough or digger

Hecht 7970 + Hecht 000720
+ Hecht 57970 (Hecht 57100) + Hecht 57101

HECHT 57970

TRAILER FOR HECHT 7100, 7970, 796

PLASTIC BED BODY

TILTING

	overall dimensions	259 x 116 x 79 cm
	weight	52 kg
	wheels	4 x 8“
	max. load	300 kg net. / 375 kg including operator
	brakes	drum

Hand and foot brake

HECHT 7100

PETROL TILLER

engine HECHT	OHV, 4-stroke	working width	104 cm
displacement	212 cm³	weight	72 kg
max.torque	12 Nm	6×4 knives Ø 34 cm	
3 speed forward, 1 reverse			

Gearbox

HECHT 007104

IRON WHEEL SET 14“
- 2 pcs, for use with plough or digger

Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52

HECHT 007112

WHEEL 5.00-12“ WITH SLIPPING PINION - 2 pcs
- for use with trailer only (not designed for digging etc.)

Slipping pinion on wheels for better turning

Compatible with model from production year 2020

HECHT 7100 + Hecht 57100 (Hecht 57970) + Hecht 57101 + Hecht 007112

HECHT 007101

WEIGHTS FOR WHEELS 2 pcs (2× 12 kg)

Compatible with HECHT 007112 and HECHT 007104

HECHT 57101

DRAWBAR

(Compatible with HECHT 57100, 57970)

HECHT 57102

INTERCHANGEABLE DRAWBAR WITH 2“ CONNECTOR

(Compatible with HECHT 56150, 56151, 56152)

HECHT 57100

TRAILER FOR HECHT 7100, 7970, 796

METAL BED BODY

dimensions	130 × 92 × 34 cm
weight	105 kg
wheels	500 × 12”
max. load	400 kg net. / 475 kg including operator
brakes	drum

www.hecht.cz

HECHT 606
ELECTRIC HEDGE TRIMMER

	electric	230 V/50 Hz		bar length	50 cm
	power intput	520 W		bar working length	45 cm
	max. cutting diameter	20 mm		hmotnost	1,9 kg

HECHT 655
ELECTRIC HEDGE TRIMMER

	electric	230 V/50 Hz		bar length	62 cm
	power intput	600 W		bar working length	55 cm
	max. cutting diameter	20 mm		weight	3 kg

HECHT 610
ELECTRIC HEDGE TRIMMER

	electric	230 V/50 Hz		bar length	68 cm
	power intput	600 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	3,1 kg

HECHT 611
ELECTRIC HEDGE TRIMMER

	electric	230 V/50 Hz		bar length	68 cm
	power intput	750 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	4 kg

HECHT 6020
ACCU HEDGE TRIMMER

ACCU program 6020

Li-ion Powered

ECO FRIENDLY

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	61 cm
	max. cutting diameter	15 mm		bar working length	45 cm
	battery and charger not included			weight	2 kg

HECHT 6022
ACCU HEDGE TRIMMER

ACCU program 1278

Li-ion Powered

ECO FRIENDLY

Battery and charger not included

	Accu Li-ion	DC 20 V / 1x 2/4/6 Ah		bar length	58 cm
	max. cutting diameter	15 mm		bar working length	51 cm
	no load working time	65 min*		weight	3 kg

* Maximum working time without load with 2 Ah battery.

HECHT 6225
ACCU HEDGE TRIMMER

ACCU program 6020

Rotary handle

2× 20 V

ECO FRIENDLY

Li-ion Powered

LASER CUT BLADE

Working time ≤ 50 min

	Accu Li-Ion	DC 20 V		max. cutting diameter	24 mm
	Li-Ion	2× 2,5 Ah		bar working length	55 cm
	battery and charger not included				

HECHT 6040
ACCU HEDGE TRIMMER

ACCU program 5040

LASER CUT BLADE

ECO FRIENDLY

Li-ion Powered

Working time ≤ 50 min

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	76 cm
	max. cutting diameter	20 mm		bar working length	55 cm
	battery and charger not included			weight	4,3 kg

HECHT 9245
PETROL HEDGE TRIMMER

Rotary handle

LASER CUT BLADE

Available from 4/24

	engine volume	25,4 cm³		bar length	70 cm
	power output	1 HP		bar working length	60 cm
	max. cutting diameter	22 mm		weight	5,4 kg

HECHT 9275 PROFI
PETROL HEDGE TRIMMER

Rotary handle

LASER CUT BLADE

	engine volume	22,2 cm³		bar length	75 cm
	power output	1 HP		bar working length	69 cm
	max. cutting diameter	28 mm		weight	5,4 kg

HECHT 9375
PETROL HEDGE TRIMMER

PROFI TOOL

Collecting bar

LASER CUT BLADE

	engine volume	22,2 cm³		bar length	72 cm
	power output	0,9 HP		bar working length	67 cm
	max. cutting diameter	20 mm		weight	5,3 kg

www.hecht.cz

HECHT 9520
PRUNNING SAW

HECHT 9620
TELESCOPIC POLE





ACCU program 1278

Li-ion Powered

ECO FRIENDLY

accumulator	Li-ion	bar length - saw	20 cm
accu article (V)	DC 20 V / 1x 2/4/6 Ah	pole length	115- 155 cm
weight	4,2 kg	working time - saw	30 min*

HECHT 6025
ACCU TELESCOPIC HEDGE TRIMMER

ACCU program 6020

LASER CUT BLADE

Li-ion Powered

ECO FRIENDLY

accumulator	Lithium-ion	bar length	50 cm
accu article (V)	DC 20 V / 1x 2 Ah	bar working length	45 cm
max. cutting diameter	15 mm	weight	3,5 kg
battery and charger not included		machine length	2–2,5 m

HECHT 6504
ACCU HEDGE TRIMMER

Li-ion Powered

ACCU program 5040

ECO FRIENDLY

Battery and charger not included

accumulator	Lithium-ion	bar length	50 cm
accu article (V)	DC 40 V / 1x 2,5/4/5 Ah	weight	4,5 kg
max. cutting diameter	20 mm	machine length	1,9–2,4 m

*** Maximum working time without load with 2 Ah battery.**

HECHT 1441
ACCU HEDGE TRIMMER

	Optional accessories		Optional accessories
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight without accessories	3,95 kg
working width grass trimmer working width tiller	25,4 cm 25 cm		bar length saw bar length hedgetrimmer	25 cm 40,5 cm
battery and charger not included		machine length 1,9–2,4 m		

HECHT 695
ELECTRIC HEDGE TRIMMER

LASER CUT BLADE



electric	230 V/50 Hz		bar length	41 cm
power intput	900 W		weight	4,9 kg
max. cutting diameter	20 mm		machine length	2,64 m

HECHT 675
ELECTRIC TELESCOPIC HEDGE TRIMMER

electric	230 V/50 Hz		bar length	59 cm
power input	750 W		bar working length	51 cm
max. cutting diameter	24 mm		weight	5 kg
machine length 2,35–2,8 m				

HECHT 690 3in1
ELECTRIC HEDGE TRIMMER

electric	230 V/50 Hz		bar length saw	23 cm
power input	900 W		bar length hedgetrimmer	41 cm
weight	2,5 kg		working width hedgetrimmer	36 cm

www.hecht.cz

HECHT 971 W

ELECTRIC PRUNNING SAW

	electric	230 V/ 50 Hz		bar length	30 cm
	power intput	750 W		weight *	3,2 kg
	machine length	2–2,8 m			

HECHT 9025

ACCU PRUNNING SAW

Li-ion Powered

ACCU program 6020

ECO FRIENDLY

Bar + chain OREGON

	Accu Li-ion	DC 20 V/ 1x 2,5 Ah		bar length	20 cm
	machine length	2–2,5 m		weight *	3,5 kg
	battery and charger not included				

HECHT 9504

ACCU PRUNNING SAW

Li-ion Powered

ACCU program 5040

ECO FRIENDLY

Bar + chain OREGON

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight	4,4 kg
	bar length	20 cm		machine length	2,3–2,8 m
	battery and charger not included				

ACCESSORIES

HECHT 900101

FACE SHIELD

HECHT 900100

SAFETY HELMET WITH FACE SHIELD AND EAR PROTECTION

HECHT 9260

PETROL PRUNNING SAW



	engine volume	26 cm³		bar length	34 cm
	power output	1 HP		weight *	8,5 kg
	machine length	2,96–4,27 m			

HECHT 1000R

ENGINE TACHOMETER

LCD display, induction cable, battery, loop for hanging

Measuring range /min⁻¹	Engine type	
	Stroke	Cylinder
100~19000	2	1
	4	2
100~9500	2	2
	4	4

HECHT 900106

SAFETY GOGGLES

HECHT 900402

TIMBER WEDGE 8“

Blister

* Net weight of chainsaws is without guide bar and saw chain

HECHT 2039
ELECTRIC CHAINSAW

Sprocket teeth detail

Metal gearbox

TOP VIEW

	electric	230 V/50 Hz		bar length	35 cm
	power input	2200 W		chain type	33E52E
	weight *	4,2 kg		chain speed	13,5 m/s

HECHT 2250
ELECTRIC CHAINSAW

Sprocket teeth detail

Metal gearbox

TOP VIEW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5,6 kg		chain speed	14 m/s
	soft start	✓			

HECHT 2416 QT
ELECTRIC CHAINSAW

Sprocket teeth detail

Metal gearbox

Bar + chain OREGON

TOP VIEW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	4,7 kg		chain speed	14 m/s
	soft start	✓		quick chain tension system	✓

HECHT 2439
ELECTRIC CHAINSAW

Sprocket teeth detail

Metal gearbox

Bar + chain OREGON

TOP VIEW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5 kg		chain speed	13,5 m/s
	soft start	✓		quick chain-tension system	✓

ACCU program 1278

Li-ion Powered

ECO FRIENDLY

HECHT 9922
ACCU CHAIN SAW

Working time ≤ 20 min.**

	accu Li-ion	DC 20 V / 1× 2/4/6 Ah		bar length	11 cm
	weight *	1,33 kg		chain type	14E32E
	battery and charger not included			chain speed	5 m/s

ACCU program 1278

Li-ion Powered

ECO FRIENDLY

HECHT 9920
ACCU CHAIN SAW

Working time ≤ 13 min.**

Quick chain tension system

TOP VIEW

Bar + chain OREGON

	accu Li-ion	DC 20 V / 1× 2/4/6 Ah		bar length	25 cm
	weight *	3,14 kg		chain type	33E40E
	battery and charger not included			chain speed	6 m/s

www.hecht.cz

* Net weight of chainsaws is without guide bar and saw chain. ** Maximum working time without load with 2 Ah battery.

HECHT 920
ACCU CHAIN SAW

ACCU program 6020 · ECO FRIENDLY · Li-ion Powered

	accu Li-ion	DC 20 V / 1× 2,5 Ah		bar length	30,5 cm
	weight *	3,2 kg		chain type	31E40E
	battery and charger not included			chain speed	5,5 m/s

HECHT 9936
ACCU CHAINSAW

ACCU program 5040 · ECO FRIENDLY · Li-ion Powered

	accu Li-ion	DC 40 V / 1× 2,5/4/5 Ah		bar length	35 cm
	weight *	3,8 kg		chain type	31E52E
	battery and charger not included			chain speed	8,5 m/s

HECHT 9925
ACCU CHAINSAW

ACCU program 6020 · ECO FRIENDLY · Li-ion Powered

2× 20 V

	accu Li-ion	DC 20 V		bar length	30 cm
	Li-Ion	2× 2,5 Ah		max. chain speed	12 m/s
	battery and charger not included			auto oiling, quick chain tension system, metal spike	

HECHT 9940
ACCU CHAINSAW

ACCU program 5040 · ECO FRIENDLY · Li-ion Powered

	accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	35 cm
	weight *	5,5 kg		chain type	33E52E
	battery and charger not included			chain speed	9 m/s

HECHT 6294
ACCU CHAINSAW

ACCU program 6260 · ECO FRIENDLY · Li-ion Powered

	accu Li-ion	DC 62 V / 1× 2,5 / 4 Ah		bar length	41 cm / 16"
	weight *	4,3 kg		chain type	31E57E
	battery and charger not included			chain speed	6 m/s

HECHT 925 R
PETROL CHAINSAW

hanger for belt

	engine volume	25,4 cm³		bar length	30 cm / 12"
	power output	1 HP		chain type	33E44E
	weight *	2,9 kg		chain speed	12 m/s

* Net weight of chainsaws is without guide bar and saw chain

HECHT 941

PETROL CHAINSAW

Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	40 cm³	bar length	35 cm
power output	1,8 HP	chain type	33E53E
weight *	4,7 kg	chain speed	22,8 m/s

HECHT 45

PETROL CHAINSAW



Aluminium carters

engine volume	45 cm³	bar length	40 cm
power output	2,7 HP	chain type	25Q66E
weight *	5,4 kg	chain speed	23,1 m/s

HECHT 50

PETROL CHAINSAW

Aluminium carters

HECHT 50 BOX
PETROL CHAIN SAW HECHT 50 WITH TRANSPORT BOX

engine volume	50 cm³	bar length	40 cm
power output	2,9 HP	chain type	25Q66E
weight *	4,9 kg	chain speed	20,8 m/s

HECHT 56

PETROL CHAINSAW

engine volume	56,5 cm³	bar length	40 cm
power output	2,95 HP	chain type	25Q66E
weight *	5,72 kg	chain speed	21,8 m/s

HECHT 945

PETROL CHAINSAW

Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	45 cm³	bar length	40 cm
power output	2,4 HP	chain type	25Q66E
weight *	5,6 kg	chain speed	23 m/s

HECHT 950

PETROL CHAINSAW

Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	50 cm³	bar length	40 cm
power output	3 HP	chain type	25Q66E
weight *	5,6 kg	chain speed	23 m/s

www.hecht.cz

* Net weight of chainsaws is without guide bar and saw chain

HECHT 956

PETROL CHAINSAW

Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	56 cm³	bar length	40 cm
power output	3,2 HP	chain type	25Q66E
weight *	5,6 kg	chain speed	23 m/s

HECHT 958

PETROL CHAINSAW

Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

engine volume	58 cm³	bar length	39 cm
power output	3,3 HP	chain type	25Q66E
weight *	6 kg	chain speed	28,2 m/s

HECHT 962

PETROL CHAINSAW

Decompressor

Carburetor WALBRO
Chain OREGON

Aluminium carters

engine volume	62 cm³	bar length	45 cm
power output	4 HP	chain type	73E68E
weight *	6,3 kg	chain speed	24,4 m/s

HECHT 9588

PETROL CUT-OFF CHAIN SAW

Carrying case included

Spare saw blade
nr.: 958800134

engine volume	54 cm³	blade diameter	305 mm
power output	3,4 HP	weight	9,8 kg

HECHT 9744

PETROL CUT-OFF CHAIN SAW

NEW

Plastic carrying case with rollers included

engine volume	74 cm³	blade diameter	350 mm
power output	4,8 HP	weight	10,1 kg

* Net weight of chainsaws is without guide bar and saw chain

The original chains HECHT for chainsaws

THE ORIGINAL BARS HECHT FOR CHAINSAWS

BAR	CHAINSAW
14" 3/8" 1,3 mm **14D38R135**	HECHT 939 from 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940, 2039
16" 325" 1,5 mm **16D325R155**	HECHT 45, 50, 56, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958
16" 3/8" 1,3 mm **16D38R135**	HECHT 2239, 2250, 2416 QT, 2439, 939 do 2013
12" 3/8" 1,3 mm **12D38R135**	HECHT 26, 927, 927 R, 928 R, 929, 929 R

73E25R Roll	3/8 – 1,5 mm, 410 links, 7,6 m
25Q100R Roll	0,325 – 1,5 mm, 1840 links, 30,5 m
75E25R Roll	3,8 – 1,6 mm, 409 links, 7,6 m
33E100R Roll	3/8 micro – 1,3 mm, 1640 links, 30,5 m
95Q100R Roll	0,325–1,3 mm, 1840 links, 30,5 m

THE ORIGINAL CHAINS HECHT / COMPLIANCE WITH MODELS FROM OTHER MANUFACTURERS

Chain	Bar lenght	Pitch	Guide link width	Links number	Mountfield, Riwall, Fieldmann, Makita, Narex
25Q66E	16" / 39 cm	0,325	1,5 mm	66	Oleo-mac GS 520, 942/46/47, 952/56
33E57E	16" / 40 cm	3/8"	1,3 mm	57	Levita 180EP, Levita 160ES, Patriot 200ES, Patriot BP 41, FZP 4216-B / 5016-B EPR 40-23, EPR 40-25
33E52E	14" / 35 cm	3/8"	1,3 mm	52	Levita 180EP, Levita 160ES, Patrit 200ES ,FZP 2105-E / 2000/2001/2002/2020 E, UC3551AX1, EPR 35-25
33E44E	12" / 30 cm	3/8"	1,3 mm	44	Riwall RPCS 2530, 2630
33E53E	14" / 35 cm	3/8"	1,3 mm	53	Patriot BP 41, Oleo-mac GSH 400, EPR 35-23, EPR 35-25 HS
33E56E	16" / 40 cm	3/8"	1,3 mm	56	Riwall RECS 1840 / 2040 / 2340 / 2440/2440e, FZP 2005-E, UC4051AX1
25Q64E	16" / 40 cm	0,325	1,5 mm	64	Riwall RPCS 5040/5140, FZP 5816-B/ 5216-B / 3001/4516/4001/ 3714 B
25Q72E	18" / 45 cm	0,325	1,5 mm	72	Riwall RPCS 5545
31E52E	14" / 35 cm	3/8"	1,1 mm	52	UC3541A

ORIGINAL CHAINS TO HECHT CHAINSAWS

CHAIN	CHAINSAW	
14E32E	HECHT 9922, 99123	
25Q66E	HECHT 946 T, 945, 950, 44, 45, 46, 50, 51, 56, 944, 956	
33E40E	HECHT 927 (do 2015), 9920, 971W, 9750	
31E52E	HECHT 9936	
31E57E	HECHT 6294	
33E45E	HECHT 936	
31E40E	HECHT 920	
31E45E	HECHT 9925	
33E39E	HECHT 1331	
33E57E	HECHT 1840, 2040, 2040 QT, 2048, 2440, 2240 QT, 2416 QT, 2439, 2250	
33E56E	HECHT 2216	
25Q72E	HECHT 956	
33E44E	HECHT 927 R, 928 R, 929, 927, 9260	
25Q66E	HECHT 947, 950, 956, 951, 957	
33E33E	HECHT 975 W, 955 W, 976 W, 9504	
33E53E	HECHT 1835, 1836, 3518, 941, 2014, 2015, 939 S, 939	
33E52E	HECHT 2035, 2036, 2037, 9940, 2039	
25Q64E	WARIOR 645, RAPTOR 243	
73E64E	HECHT 962	chain bar Oregon 45 cm
HECHT48Y72E	HECHT 962	chain bar Oregon 50 cm
73E68E	HECHT 962	chain bar Hecht 45 cm

www.hecht.cz

HECHT 900407
CARBURATOR ADJUSTER SET

Blister

HECHT 000040
CHAINSAW FILE 4 MM

3 pcs

HECHT 000048
CHAINSAW FILE 4,8 MM

3 pcs

HECHT 900051
CHAINSAW FILE 5,5 MM

3 pcs — **Available from 5/24**

HECHT 000320
CHAINSAW FILE 3,2 MM

3 pcs — **Available from 5/24**

HECHT 903400
CHAIN SAW SHARPENING KIT
Files 4 mm

HECHT 903480
CHAIN SAW SHARPENING KIT
Files 4,8 mm

HECHT 004048
CHAIN SAW SHARPENING KIT
Files 4 mm, 4,8 mm, 5,5 mm

HECHT 9
CHAIN SHARPENER

SPARE GRINDING WHEELS
H928 (3,2 × 100 × 10)
H928A (4,5 × 100 × 10)

3,2 × 100 mm grinding wheel included

	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W	Ø	disc diameter	100 mm

HECHT 9230
CHAIN SHARPENER

SPARE GRINDING WHEELS
9230A0007 (145 × 3,2 × 22,3)
9230B0007 (145 × 4,7 × 22,3)
9230C0007 (145 × 6 × 22,3)

Positionable



145 × 22,3 × 3,2 mm grinding wheel included

	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W	Ø	disc diameter	145 mm

HECHT 002850
START ROPE Ø 2,8 mm, 50 m, material PE

HECHT 003450
START ROPE Ø 3,4 mm, 50 m, material PE

HECHT 003850
START ROPE Ø 3,8 mm, 50 m, material PE

HECHT 000550
START ROPE Ø 5 mm, 50 m, material PE

Spool

HECHT 900450
TRANSPORT PAD FOR CHAINSAW

HECHT 000045
GREASE GUN FOR CHAINSAW CHAINS

Grease filling included

HECHT 900404
FILING STUMP VISE

HECHT 900009
SAW CHAINS SHARPENING TOOL, file 4 mm included

HECHT A958P
SPARK PLUG FOR 2-STROKE ENGINES

thread length 9,5 mm, M14×1,25, key 19 mm

HECHT A969P
SPARK PLUG FOR 4-STROKE ENGINES

thread length 19 mm, M14×1,25, key 21 mm

HECHT 900600

UNIVERSAL AXE
Length 30 cm,
Weight 600 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000

UNIVERSAL AXE
Length 40 cm,
Weight 1000 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500

UNIVERSAL AXE
Length 55 cm
Weight 1500 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900444

UNIVERSAL AXE
Length 35 cm
Weight 650 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900700

UNIVERSAL AXE
Length 44 cm
Weight 910 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570

TEFLON COATED BLADE

UNIVERSAL AXE
Length 35 cm
Weight 570 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950

TEFLON COATED BLADE

SPLITTING AXE
Length 44 cm
Weight 950 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550

TEFLON COATED BLADE

SPLITTING AXE
Length 70 cm
Weight 1550 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 909100

PICK AXE
Length 91 cm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 909200

HAMMER
Length 90,5 cm, weight 4000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900680

UNIVERSAL AXE
Length 38 cm,
Weight 1000 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001

SPLITTING AXE
Length 40 cm
Weight 1000 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201

SPLITTING AXE
Length 55 cm
Weight 1200 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000

SPLITTING AXE
Length 63 cm
Weight 2000 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900800

UNIVERSAL AXE
Length 59 cm
Weight 1130 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

TEFLON COATED BLADE

HECHT 900901

UNIVERSAL AXE
Length 44 cm
Weight 900 g*

Available from 4/24

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 901170

SPLITTING AXE
Length 59 cm
Weight 1170 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 902550

SPLITTING AXE
Length 80 cm
Weight 2550 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 908500

SPLITTING AXE
Length 85 cm
Weight 2700 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600

SPLITTING AXE
Length 91 cm
Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

www.hecht.cz

* Axes are weighted as a splitting wedge without handle.

HECHT 8220
ROCKER SAW

	electric	230 V/50 Hz		max. log diameter	135 mm
	power input	2200 W		weight	38 kg
	saw blade	ø 405 mm			

HECHT 8300
LOG SAW

	electric	230 V/50 Hz		max. log diameter	170 mm
	power input	3000 W		weight	56,6 kg
	saw blade	ø 505 mm			

HECHT 850
LOG SAW

	electric	400 V/50 Hz		max. log diameter	250 mm
	power input	5000 W		weight	92,5 kg
	saw blade	ø 700 mm			

HECHT 890
PETROL LOG SAW

	engine volume	389 cm³		max. log diameter	230 mm
	power output	10,5 HP		weight	133 kg
	saw blade	ø 700 mm			

HECHT 6700
WEDGE SPLITTER



Part no.: HECHT 000650

	electric	230 V/50 Hz		log length	100-370 mm
	power input	2000 W		log diameter	50-250 mm
	max. pressure	4 t		weight	41 kg

HECHT 000651
Stand for HECHT 6500

HECHT 6500
WEDGE SPLITTER

Part no.: HECHT 000650

	electric	230 V/50 Hz		log length	100-520 mm
	power input	2200 W		log diameter	50-250 mm
	max. pressure	5 t		weight	50 kg

HECHT 000670

STAND FOR HECHT 670

HECHT 670

WEDGE SPLITTER

Part no.: HECHT 000671

	electric	230 V/50 Hz		log length	100-520 mm
	power input	2000 W		log diameter	50-250 mm
	max. pressure	7 t		weight	41 kg

HECHT 676

WEDGE SPLITTER

Part no.: HECHT 000671



	electric	230 V/50 Hz		log length	100-520 mm
	power input	2000 W		log diameter	50-250 mm
	max. pressure	7 t		weight	48 kg

HECHT 6060

WEDGE SPLITTER

Part no.: HECHT 006060

	electric	230 V/50 Hz		log length	100-550 mm
	power input	2200 W		log diameter	70-400 mm
	max. pressure	6 t		weight	105 kg
	piston stroke	480 mm			

HECHT 6070

WEDGE SPLITTER

Part no.: HECHT 006070

	electric	230 V/50 Hz		log length	100-550 mm
	power input	3000 W		log diameter	80-300 mm
	max. pressure	7 t		weight	98 kg
	piston stroke	495 mm			

HECHT 6810

WEDGE SPLITTER

Part no.: HECHT 000681

	electric	230 V/50 Hz		log length	100-550 mm
	power input	3000 W		log diameter	80-400 mm
	max. pressure	8 t		weight	112 kg
	piston stroke	495 mm			

HECHT 6110

WEDGE SPLITTER

Auxiliary arm for lifting the log

	electric	230 V/50 Hz		log length	100-700 mm
	power input	3000 W		log diameter	80-300 mm
	max. pressure	10 t		weight	98 kg
	piston stroke	628 mm			

www.hecht.cz

HECHT 6121
WEDGE SPLITTER

Auxiliary arm for lifting the log

electric	230 V/50 Hz	log length	100-700 mm
power input	3000 W	log diameter	80-350 mm
max. pressure	12 t	weight	98 kg
piston stroke	628 mm		

HECHT 6160
WEDGE SPLITTER

Auxiliary arm for lifting the log

electric	400 V/50 Hz	log length	100-1000 mm
power input	4000 W	log diameter	80-400 mm
max. pressure	16 t	weight	180 kg
piston stroke	923 mm		

HECHT 6422
PETROL WEDGE SPLITTER

BRIGGS&STRATTON

4-STROKE

VARIO SYSTEM *

Wheels 16“ without brake

engine B&S	XR950	log length	100-610 mm
displacement	208 cm³	log diameter	80-350 mm
max. torque	12,88 Nm	weight	246 kg
max. pressure	22 t	piston stroke	640 mm

HECHT 900
LOG CUTTING STAND

log diameter	25–300 mm	max load	150 kg
weight	6 kg	material thickness	1,5 mm
dimensions	80 × 79 × 81,5 cm		

HECHT 901
LOG SAW HORSE

Not intended for UK, D, FR, IT, A, CH

log diameter	25–230 mm
dimensions	120 × 37 × 95 cm
max load	110 kg
weight	12 kg

HECHT 902
LOG HORSE WITH CHAINSAW HOLDER

(The saw is not included)



log diameter	25–230 mm
dimensions	180 cm
max load	120 kg
weight	12 kg

* The splitter is equipped with an integrated system, which helps to set any working path of the piston, according to the length of the log. The system effectively shortens the piston path and thus speeds up the splitting cycle.

NEW

HECHT 625
KNIVES SHREDDER

☆☆★★★

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Shredded branches

Including ca. 50 l bag

Turbo engine

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2500 W		weight	10,5 kg
	electric overload protection	✓		collecting bag	cca 50 l

NEW

HECHT 626 BOX
KNIVES SHREDDER

☆★★★★

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Shredded branches

Box ca. 60 l

Turbo engine

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2600 W		weight	11,7 kg
	electric overload protection	✓		collecting box	cca 60 l

HECHT 626 Silent
CYLINDER SHREDDER

☆★★★★

The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Shredded branches

Induction carbon engine

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2600 W		automatic branch pulling	✓
	electric overload protection	✓		engine brake	✓
	shredding by crushing roller (very silent)	✓		weight	23,5 kg

HECHT 6284 XL
KNIVES SHREDDER

☆★★★★

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Shredded branches

Box ca. 60 l

Induction carbon engine

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection	✓		weight	25 kg

HECHT 6285 XL Silent
CYLINDER SHREDDER

☆★★★★

The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Automatic branching

Shredded branches

Box ca. 60 l

Turbo engine

	electric	230 V/50 Hz		cut branches up to	4,4 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection	✓		collecting box	cca 60 l
	shredding by crushing roller (very silent)	✓		weight	19,4 kg

HECHT 6280 XL Silent
CYLINDER SHREDDER

★★★★★

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose. Knife shredders can cope well with fresh and larger branches.

Shredded branches

Box ca. 60 l

Induction carbon engine

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection			weight	29 kg
	shredding by crushing roller (very silent)			collecting box	cca 60 l

www.hecht.cz

HECHT 6173

KNIVES SHREDDER

Shredded branches

Box ca. 30 l

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

displacement	173 cm³	collecting box	cca 30 l
max. torque	9 Nm	cut branches up to	3,6 cm
weight	38,5 kg		

HECHT 6208

PETROL SHREDDER

Automatic branching

Max. torque 13,5 Nm

Shredded branches

displacement	212 cm³	cut branches up to	7 cm
max. torque	13,5 Nm	weight	56 kg
		wheels	8,7"

HECHT 6421

PETROL SHREDDER

Max. torque 26,5 Nm

Towing rod

Crushing toothed knives

Shredded branches

displacement	420 cm³	cut branches up to	8,9 cm
max. torque	26,5 Nm	automatic branch pulling	
weight	100 kg	wheels	12"

HECHT 6642

PETROL SHREDDER

SHREDDING KNIVES

Max. torque 28 Nm

EASY ELECTRIC START - JUST TURN THE KEY -

Towing rod 2"

Shredded branches

displacement	420 cm³	cut branches up to	10 cm
max. torque	28 Nm	weight	180 kg
		wheels	16"

EXPLANATION: ball bearings in all wheels

HECHT 6645

PETROL WOOD LOGGER

NEW

CHOPS INTO 10–22 cm

EASY ELECTRIC START - JUST TURN THE KEY -



Bag 120 l included

displacement	457 cm³	cuts branches up to Ø	12 cm
max. torque	26 Nm	automatic branch pulling	
weight	249 kg	wheels	16“
chops into*	10-22 cm	6 high quality knives, CE approved, not intended for operation on public roads	

HECHT 9250

ACCU BLOWER

ACCU program 6020 · Li-ion Powered · ECO FRIENDLY

accu Li-ion	DC 20 V	air velocity	162 km/h
weight	1,9 kg	air volume	7,5 m³/min
battery and charger not included			

HECHT 9440

ACCU LEAF VAC / BLOWER

Li-ion Powered · ECO FRIENDLY · ACCU program 5040

Li-ion	DC 40 V / 1x 2,5/4/5 Ah	air volume blower	4,2 m³/min
weight blower	2,14 kg	air volume vacuum cleaner	6 m³/min
weight vacuum cleaner	2,88 kg	battery and charger not included	

HECHT 6290

ACCU BLOWER

Li-ion Powered · ECO FRIENDLY · ACCU program 6260

replaces the petrol engine in terms of performance

Li-ion	DC 62 V / 1× 2,5 / 4 Ah	air volume	18,5 m³/min
weight	2 kg	air velocity	55 m/s
no-load speed	28000 min⁻¹	battery and charger not included	

HECHT 3000

LEAF VAC / BLOWER

2 IN 1

electric	230 V/50 Hz	air velocity	275 km/h
power input	3000 W	air volume	13 m³/min
weight	4,4 kg	collecting bag	45 l

LEGEND: Ball bearings in all wheels.

* The length is not adjustable, it depends on the hardness of the wood.

Air flow speed control

Metal blade

Rakes

HECHT 3003

LEAF VAC / BLOWER

2 IN 1

	electric	230 V/50 Hz		air velocity	270 km/h
	power input	3300 W		air volume	12,6 m³/min
	weight	2,8 kg		collecting bag	45 l

Air flow speed control

HECHT 3303

2 IN 1

BLOWER

LEAF VAC / BLOWER

LEAF VAC

	electric	230 V/50 Hz		air velocity	280 km/h
	power input	3000 W		air volume	13,8 m³/min
	weight	4,1 kg		collecting bag	45 l

HECHT 9254

PETROL LEAF VAC / BLOWER

LEAF VAC

2 IN 1

BLOWER

2–stroke engine

	engine volume	25,4 cm³		air velocity	245 km/h
	power output	1 HP		air volume	6 m³/min
	weight without accessory	5,8 kg		collecting bag	37 l

HECHT 9280

LEAF VAC / BLOWER

2 IN 1

LEAF VAC

BLOWER

2–stroke engine

adjustment of engine power

	engine volume	28 cm³		air velocity	252 km/h
	power output	1 HP		air volume	12 m³/min
	weight without accessory	4,5 kg		collecting bag	40 l

HECHT 943

PETROL BLOWER

Blower only

2–stroke engine

	engine volume	43 cm³		air velocity	223 km/h
	power output	1,6 HP		air volume	15 m³/min

HECHT 952

PETROL BLOWER

Blower only

2–stroke engine

	engine volume	52 cm³		air velocity	275 km/h
	power output	1,9 HP		air volume	14,4 m³/min
	weight	8,3 kg			

4-stroke

HECHT 976 4T
PETROL BLOWER

4–stroke engine

	engine volume	76 cm³		air velocity	309 km/h
HP	power output	3 HP		air volume	19,2 m³/min
	weight	13 kg			

HECHT 972 PROFI
PETROL BLOWER

Filter for dusty environments

2–stroke engine

	engine volume	79,4 cm³		air velocity	378 km/h
HP	power output	4,6 HP		air volume	24 m³/min
	weight	11 kg		adjustment of engine power	

HECHT 8514
PETROL CLEANER / BLOWER

2 IN 1

HECHT 008514
SWEEPING ROLLER FOR HECHT 8514 (NOT INCLUDED)



4–stroke engine

	engine volume	173 cm³		air velocity	270 km/h
	max. torque	9,9 Nm		air volume	18 m³/min
	weight	46,6 kg		height adjustment	15-50 mm
	drive, 1 gear forward			collecting box	135 l

HECHT 8574 PROFI
PETROL CLEANER / SHREDDER

2 IN 1

4–stroke engine

	engine volume	196 cm³		cut branches up to	5 cm
	max. torque	13 Nm		collecting box	120 l
	weight	96 kg		2 gears forward, 2 gears reverse	

www.hecht.cz

ACCU PROGRAMS

ACCU 6020
ACCU 1278
ACCU 5040
ACCU 6260

ACCU program 6020

ECO FRIENDLY

13in1

(13 products with 1 battery and charger)

HECHT 5025
LAWN MOWER

Slot for 2 batteries

Working time ≤ 20 min

PUSHED

	accu Li-Ion	DC 20 V		height adjustment	25–65 mm
	Li-Ion	2× 2,5 Ah		chassis	plastic
	working width	32 cm		collecting box	26 l
	wheels (front/rear)	5,5/6"		central adjustment of cutting height	

HECHT 6025
HEDGE TRIMMER

Working time ≤ 20 min



	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	50 cm
max	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			

HECHT 9025
POLE PRUNER

Bar + chain OREGON

Working time ≤ 20 min

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	20 cm
	length	2–2,5 m		weight	3,5 kg

www.hecht.cz

ACCU program 6020

BATTERY
000625B
DC 20 V, 2,5 Ah

Charging time approx. 2 h

HECHT 3025
HIGH-PRESSURE WASHER

Working time ≤ 20 min

	Accu Li-ion	DC 20 V / 1× 2,5 Ah	max	max. pressure	22 bar
max	max. delivery volume	180 l/h		weight	1,3 kg

Selfsuction hose included

HECHT 9250
BLOWER

Working time ≤ 10 min

	accumulator	Lithium--ion		air velocity	162 km/h
	accu article (V)	DC 20 V / 1× 2,5 Ah		air volume	7,5 m³/min
	weight	1,9 kg			

HECHT 3425
HIGH-PRESSURE WASHER

Working time ≤ 20 min

Slot for 2 batteries

4m SELFSUCTION HOSE INCLUDED

2× 20 V

	Accu Li-ion	2× DC 20 V	max	max. pressure	40 bar
max	max. delivery volume	240 l/h		weight	3,5 kg

All products from this accu program are delivered without charger and battery.

HECHT 5020
GRASS TRIMMER

Working time
≤ 20 min



	Accu Li-ion	DC 20 V / 1× 2,5 Ah		working width	25 cm
	working time without load	cca 20 min		weight	2 kg

HECHT 5225
GRASS TRIMMER

2× 20 V

Working time
≤ 30 min

2× 20 V

	Accu Li-ion	DC 20 V		Li-Ion	2× 2,5 Ah
	working time without load	cca 30 min		working width	32 cm

HECHT 7025
TILLER

Working time
≤ 20 min

	Accu Li-ion	DC 20 V / 1× 2,5 Ah		working width	20 cm
	4×4 knives			weight	3,4 kg

Li-ion Powered

CHARGER
000620CH



HECHT 920
CHAIN SAW

Bar + chain
OREGON

Working time
≤ 15 min

Quick chain tension system

	Accu Li-ion	DC 20 V / 1× 2,5 Ah		bar length	25,4 cm
	weight	2,8 kg		chain speed	5,5 m/s
				chain type	31E40E

HECHT 6020
HEDGE TRIMMER

Working time
≤ 50 min

Laser cut blade

	Accu Li-ion	DC 20 V / 1× 2,5 Ah		bar length	45 cm
	cutting diameter	15 mm		weight	2 kg

HECHT 6225
HEDGE TRIMMER

2× 20 V

Working time
≤ 50 min

Rotary

Laser cut blade

2× 20 V

	Accu Li-ion	DC 20 V		cutting diameter	24 mm
	Li-Ion	2× 2,5 Ah		bar length	55 cm

HECHT 9925
CHAIN SAW

Working time
≤ 20 min

2× 20 V

Quick chain tension system

2× 20 V

	Accu Li-ion	DC 20 V		bar length	30 cm
	Li-Ion	2× 2,5 Ah		max. chain speed	12 m/s

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ACCU program 1278

You buy a drill HECHT 1277, HECHT 1278 or HECHT 1289 to have no longer to re-buy batteries for other products.

HECHT 5070
LAWN MOWER (Model 2024)

More info on page 16

HECHT 9410
SPRAYER

More info on page 74

HECHT 1435
GRASS TRIMMER

More info on page 61

ECO FRIENDLY

HECHT 6022
HEDGE TRIMMER

Rotary handle

More info on page 31

Laser cut blade

20in1
(20 products with the same battery)

HECHT 1278

Li-ion Powered

Drills including 2 batteries and quick charger in package

HECHT 9922
CHAIN SAW

More info on page 36

HECHT 9920
CHAIN SAW

More info on page 36

HECHT 9520
PRUNNING SAW

More info on page 33

HECHT 9620
TELESCOPIC POLE



HECHT 1023
ROTARY HAMMER

PROFI TOOL

NEW

Available from 5/24

Brushless motor

More info on page 100

HECHT 5022
GRASS TRIMMER

More info on page 61

502200033
PLASTIC BLADES 20 PCS

www.hecht.cz

All products from this accu program are delivered without charger and battery (except for HECHT 1277, HECHT 1278 and HECHT 1289).

Compatible with batteries for HECHT 1277, 1278 and HECHT 1289

HECHT 1706
LED LIGHT

More info on page 93

Rotary

HECHT 1670
CIRCULAR SAW

More info on page 106

HECHT 001670
SAW BLADE FOR WOOD
24 teeth, 150×10×1,6 mm

Laser

HECHT 001277BX
SPARE BATTERY 2 AH, 20 V

HECHT 001278BX
SPARE BATTERY 4 AH, 20 V

HECHT 001289BX
SPARE BATTERY 6 AH, 20 V

HECHT 1277

HECHT 1289

More info on page 97–98

HECHT 1531
JIGSAW

More info on page 101

Blade quick release guard

HECHT 001277CH
QUICK 3 A SUPERCHARGER

HECHT 001289CH
QUICK 3 A SUPERCHARGER FOR TWO BATTERIES

HECHT 1320
ANGLE GRINDER

More info on page 102

HECHT 1510
RECIPROCATING SAW

More info on page 105

PROFI TOOL

HECHT 1256
IMPACT WRENCH

Long life brushless motor

More info on page 98

HECHT 2090
COMPRESSOR

Digital display

Ideal for inflating tires, bicycles or balls

More info on page 95

HECHT 2190
MULTIFUNCTIONAL COMPRESSOR

More info on page 95

HECHT 5034
LAWN MOWER

More info on page 15

HECHT 5038
LAWN MOWER

More info on page 15

HECHT 5041
LAWN MOWER

More info on page 16

HECHT 5043
LAWN MOWER

More info on page 15

HECHT 5045 S
LAWN MOWER

More info on page 16

24in1

24 products with 1 battery and charger

Li-ion Powered

BATTERY HECHT
005025B
DC 40 V, 2,5 Ah

BATTERY HECHT
005040B
DC 40 V, 4 Ah

BATTERY HECHT
005050B
DC 40 V, 5 Ah

HECHT 1384
2 in 1
LAWN AERATOR

More info on page 24

HECHT 6040
HEDGE TRIMMER

More info on page 32

Laser cut blade

HECHT 9040
SNOW THROWER

More info on page 66

ECO FRIENDLY

HECHT 9440
VAC / BLOWER

More info on page 48

2 IN 1

www.hecht.cz

All products from this accu program are delivered without charger and battery.

HECHT 5041 S
LAWN MOWER

More info on page 16

HECHT 5046 S 5in1
LAWN MOWER

Mulching kit included

More info on page 16

Alternative side ejection

HECHT 5051 S 5in1
LAWN MOWER

Mulching kit included

More info on page 16

Alternative side ejection

HECHT 9415
KNAPSACK SPRAYER

More info on page 74

HECHT 9504
POLE PRUNER

Bar + chain OREGON

More info on page 35

ACCU program 5040

CHARGER
HECHT 005046

HECHT 6504
HEDGE TRIMMER

More info on page 33

HECHT 1040
GRASS TRIMMER

More info on page 61

HECHT 1440
BRUSH CUTTER

More info on page 61

HECHT 1441
MULTIFUNCTION BRUSHCUTTER

More info on page 34

	Optional accessories		Optional accessories
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

HECHT 9936
CHAIN SAW

More info on page 37

Quick chain tension system

Bar + chain OREGON

HECHT 9940
CHAIN SAW

More info on page 37

Quick chain tension system

Bar + chain OREGON

* Net weight of grass trimmers and brush cutters is without cutting cover, tools and battery.

HECHT 6246 S
LAWN MOWER

Patented wheel design

EDGE CUTTING
Ability of mowing at fence or wall

Replaces gasoline mowers in terms of performance

self-propelled	3 km/h		working height	25–75 mm
accu	DC 62 V		chassis	steel
Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
working width	46 cm		central adjustment of cutting height	
weight	32 kg		charging time	≤ 75 min.
Ø wheels front/ back	8/11"		working time	≤ 58 min.

HECHT 6251 S
LAWN MOWER

Patented wheel design

EDGE CUTTING
Ability of mowing at fence or wall

Replaces gasoline mowers in terms of performance

self-propelled	3 km/h		working height	25–75 mm
accu	DC 62 V		chassis	steel
Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
working width	51 cm		central adjustment of cutting height	
weight	33 kg		charging time	≤ 75 min.
Ø wheels front/ back	8/11"		working time	≤ 50 min.

5in1

5 products with 1 battery and charger

BATTERY
006225B
DC 62 V, 2,5 Ah

BATTERY CHARGER
006260

ECO FRIENDLY

BATTERY
006240B
DC 62 V, 4 Ah

ACCU program 6260

Li-ion Powered

HECHT 6210
BRUSHCUTTER

Replaces gasoline brushcutters in terms of performance

accu	Li–ion		working width	35,6 cm
voltage (V)	DC 62 V 1× 2,5 / 4 Ah		charging time	≤ 75 min.
no-load working time	50 min			

HECHT 6294
CHAINSAW

Replaces gasoline chainsaws in terms of performance

accu Li-ion	DC 62 V / 1× 2,5 / 4 Ah		bar length	40 cm / 16"
weight	4,3 kg		chain type	33E57E
charging time	≤ 75 min.		chain speed	20 m/s

HECHT 6290
BLOWER

accu Li-ion	DC 62 V / 1× 2,5 / 4 Ah		air velocity	55 m/s
weight	2 kg		air volume	18,5 m³/min
no-load speed	28000 min⁻¹		working time	≤ 102 min.
charging time	≤ 75 min.			

Replaces gasoline blowers in terms of performance

All products from this accu program are delivered without charger and battery.

		HECHT MACHINE																
	item number	HECHT 1299	HECHT 1445	HECHT 690	HECHT 124 R	HECHT 126	HECHT 130R	HECHT 134 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330, 1331	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 155	HECHT 150, 163
	HECHT 000109		x						x	x	x	x	x	x	x	x	x	
	HECHT 000129* EASY-load							x				x	x	x	x	x	x	
	HECHT 000130									x	x	x	x	x	x	x	x	
	74201080 EASY-load	x																
	124R00004				x		x											
	16300000H																	x
	690002432			x														
	600050 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
	600040 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
	600250 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
	600600 ø 250x3,0mm							x				x	x	x	x	x		
	600610 ø 300x3,0mm							x				x	x	x	x	x		
	600590 ø 255x1,4mm													x	x	x		
	600640 ø 255x1,8mm													x	x	x		

Strings for grass trimmers HECHT

- ● Ø 1,3 x 15 m (10001513)
- ● Ø 1,65 x 15 m (10001516)
- ● Ø 2,0 x 15 m (10001520)
- ● Ø 2,4 x 15 m (10001524)
- ■ Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- ■ Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)

- ● Ø 1,6 x 180 m (10018016)
- ● Ø 2,0 x 130 m (10013020)
- ● Ø 2,4 x 90 m (10009024)
- ● Ø 3,0 x 60 m (10006030)
- ■ Ø 2,4 x 60 m (10106024)
- ■ Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)

- ● Ø 2,4 x 360 m (10036024)
- ● Ø 3,0 x 240 m (10024030)
- ● Ø 4 x 150 m (10015040)
- ■ Ø 2,4 x 345 m (10134524)
- ■ Ø 3,0 x 232 m (10123230)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)

■ square cross strings ● circular cross strings ★ star cross strings ■ square cross strings ● circular cross strings

Strings with core – DUAL POWER

- ● Ø 1,65 x 15 m (10301516)
- ● Ø 1,65 x 180 m (10318016)
- ● Ø 2 x 15 m (10301520)
- ● Ø 2 x 130 m (10313020)
- ● Ø 2,4 x 15 m (10301524)
- ● Ø 2,4 x 90 m (10309024)
- ● Ø 2,4 x 360 m (10336024)
- ● Ø 3 x 60 m (10306030)
- ● Ø 3 x 240 m (10324030)
- ■ Ø 2,4 x 15 m (10401524)
- ■ Ø 2,4 x 60 m (10406024)
- ■ Ø 2,4 x 345 m (10434524)
- ■ Ø 3 x 15 m (10401530)
- ■ Ø 3 x 40 m (10404030)
- ■ Ø 3 x 232 m (10423230)

EASY-load

Easy load system - really quick string change without using any tools.

Illustrative image

GREASE GX 100 ml

PLASTIC LUBRICANT FOR ANGLE DRIVES 100 ML

Min. order 10 pcs

HECHT 000104

SHOULDER STRAP

PROFI

Adjustable, softened, plastic quick release buckle, metal hanging hook

HECHT 000103

SHOULDER STRAP

PROFI

Adjustable, softened, plastic quick release buckle, metal hanging hook

HECHT 000102

SHOULDER STRAP

Adjustable, metal hanging hook

HECHT 5013
ACCU GRASS SHEAR & HEDGE TRIMMER

2 in 1

Working time 40 min.

Scissors

Hedge

	accu Li-ion	DC 3,6 V / 1,3 Ah		weight	0,8 kg *
	working width	7,5/11 cm		charging time	cca 4 h

HECHT 5036
ACCU GRASS SHEAR & HEDGE TRIMMER

Separable handle

To be used with or without handle, as ACCU shears or hedge trimmer

Working time 40 min.



2 in 1

Scissors

Hedge

	Li-ion Samsung	DC 3,6 V / 1,3 Ah		working width	8/11 cm
	charging / working time	4 h / 40 min		weight	2,2 kg

HECHT 444
ELECTRIC WEED SWEEPER

Order no. 444000006

Order no. 444000043



Removes weed from pathways, terraces etc

	electric	DC 3,6 V / 1,3 Ah		working width	11 cm
	power input	400 W		weight	2,2 kg

Plastic and wire brush included

For joints

2 pcs – order no. HECHT 0004452

For larger areas

2 pcs – order no. HECHT 000445

HECHT 445
ELECTRIC WEED SWEEPER

Twist grip

2 in 1

Included

Removes weed from pathways, terraces etc

	electric	230 V / 50 Hz		working width	19,5 cm
	power input	550 W		weight	2,9 kg

HECHT 300
GRASS TRIMMER

Semiautomatic string head

CUTTING HEAD
HECHT 003003

	electric	230 V / 50 Hz		working width	22 cm
	power input	300 W		weight	1,4 kg
✓	semiautomatic string head		✓	spare spool	HECHT 003003

HECHT 530
GRASS TRIMMER

Twist grip

Semiautomatic string head



Adjustable angle

	electric	230 V /50 Hz		working width	30 cm
	power input	550 W		weight	2,6 kg
✓	semiautomatic string head		✓	spare spool	530000043 (2 pcs)

www.hecht.cz

Net weight of grass trimmers and brush cutters is without cutting cover and tools.

HECHT 630
GRASS TRIMMER

	electric	230 V / 50 Hz		working width	30 cm
	power input	600 W		weight	2,8 kg
✓	semiautomatic string head		✓	spare spool	000630 (2 pcs)

HECHT 5020
ACCU GRASS TRIMMER



Li-ion Powered
ACCU program 6020
ECO FRIENDLY

	Accu Li-ion	DC 20 V / 1× 2,5 Ah		working width	25 cm
	working time	cca 20 min		weight with battery	2,2 kg
✓	spare spool 005020 (2 ks)			charging time	cca 120 min

HECHT 5022
ACCU GRASS TRIMMER

502200033
Spare plastic blades 20 ks



Li-ion Powered
ACCU program 1278
ECO FRIENDLY

	Accu Li-ion	DC 20 V, 1× 2/4/6 Ah		working width	25,4 cm
	tel. handle	110–139 cm		weight	1,9 kg
	charging time	cca 60 min		working time	cca 60 min *

HECHT 1040
ACCU GRASS TRIMMER

Li-ion Powered

Battery and charger not included

ACCU program 5040
ECO FRIENDLY

	accumulator	Li–ion		working width	28-32 cm
	accu article (V)	DC 40 V 1× 2,5/4/5 Ah		weight	3,8 kg
	working time without load	cca 40 min		charging time	cca 120 min

HECHT 1440
ACCU BRUSHCUTTER

Li-ion Powered

Basic accessories includes: string cutting head and metal blade, shoulder belt

Removable handle

CUTTING HEAD
HECHT 000109

Battery and charger not included

ACCU program 5040
ECO FRIENDLY

	accumulator	Li–ion Samsung		working width blade / string head	25,4 / 30 cm
	accu article (V)	DC 40 V 1x 2,5/4/5 Ah		charging time	cca 120 min
	weight	5,5 kg		working time without load	40–55 min

HECHT 1435
ACCU BRUSHCUTTER

Li-ion Powered

ACCU program 1278

CUTTING HEAD

CUTTING BLADE

ECO FRIENDLY

Basic accessories includes: string cutting head and metal blade, shoulder belt

	Accu Li-ion	DC 20+20 V, 2× 2/4/6 Ah		working width blade / string head	25,5 / 35 cm
	charging time	cca 60 min *		working time without load	cca 30 min
	weight	4,3 kg			

Net weight of grass trimmers and brush cutters is without cutting cover and tools. * Maximum working time without load with 2 Ah battery.

Li-ion Powered

ACCU program 6260

ECO FRIENDLY

HECHT 6210

ACCU GRASS TRIMMER

	accumulator	Li–ion		working width	35,6 cm
	accu article (V)	DC 62 V 1× 2,5 / 4 Ah		charging time	≤ 75 min.
	working time without load	50 min *			

Li-ion Powered

ACCU program 6020

ECO FRIENDLY

HECHT 5225

ACCU GRASS TRIMMER

Battery and charger not included

Separable shaft

2×20 V

	accumulator	Li–ion		working width	32 cm
	accu article (V)	DC 20 V 2× 2,5 Ah		line feeding Tap&Go, 2 speed, aluminium tube and coupler	
	working time without load	cca 20 min *			

HECHT 1299

ELECTRIC GRASS TRIMMER

Separable shaft

NEW

CUTTING HEAD
1299010361

	electric	230 V/50 Hz		working width	38 cm
	power input	1400 W		weight	4,8 kg
✓	shoulder belt		✓	cutting head	1299010361

HECHT 1445

ELECTRIC BRUSHCUTTER

Separable shaft

Removable handle

CUTTING BLADE
600250

CUTTING HEAD
13602060

	electric	230 V/50 Hz		working width - blade / head	25,4 / 42 cm
	power input	1400 W		weight	5 kg
✓	removable handle		✓	cutting blade	600250
✓	cutting head	13602060	✓	shoulder belt	

HECHT 126 R

PETROL GRASS TRIMMER

Separable shaft

NEW

2-stroke

ULTRA LIGHT

CUTTING HEAD
124R00004

Crankshaft mounted on both sides

	engine volume	25,4 cm³		weight	5,1 kg
	power output	0,9 HP		working width	40 cm
✓	shoulder belt		✓	cutting head	124R00004

HECHT 129 BTS

PETROL BRUSHCUTTER

CUTTING BLADE
600250

2-stroke

ULTRA LIGHT

CUTTING HEAD
HECHT 000109

	engine volume	25,4 cm³		working width - blade / head	25,5 / 43 cm
	power output	1 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

* Maximum working time without load with 2 Ah battery.

www.hecht.cz

HECHT 135 BTS

PETROL BRUSHCUTTER

Separable shaft

	engine volume	33 cm³		working width - blade / head	25,5 / 43 cm
	power output	1,5 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

HECHT 142 BTS

PETROL BRUSHCUTTER

Separable shaft

CUTTING HEAD
HECHT 000109

	engine volume	43 cm³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,45 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	separable shaft	

HECHT 145

PETROL BRUSHCUTTER

CUTTING HEAD
HECHT 000129

	engine volume	43 cm³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129			

HECHT 152 BTS

PETROL BRUSHCUTTER

Separable shaft

CUTTING HEAD
HECHT 000129

	engine volume	52 cm³		working width - blade / head	25,5 / 43 cm
	power output	2,2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	removable handle, separable shaft	

HECHT 143 R

PETROL BRUSHCUTTER

CUTTING HEAD
HECHT 000109

CUTTING BLADE
600250

	engine volume	42,5 cm³		working width - blade / head	25,5 / 43 cm
	power output	1,6 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109			

HECHT 150

PETROL BRUSHCUTTER

CUTTING HEAD
16300000H

	engine volume	51,7 cm³		working width - blade / head	30 / 43 cm
	power output	2 HP		weight	10 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

Net weight of grass trimmers and brush cutters is without cutting cover and tools.

HECHT 154
PETROL BRUSHCUTTER

Carburetor WALBRO

Easy start

Self-locking shaft lock

	engine volume	52 cm³		working width - blade / head	25,5 / 43 cm
	power output	2,6 HP		weight	8,7 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	Autochoke	

HECHT 163 PROFI
PETROL BRUSHCUTTER

A robust cleaning brush cutter for demanding applications

3,1 HP

CUTTING HEAD
16300000H

	engine volume	63,3 cm³		working width - blade / head	30 / 43 cm
	power output	3,1 HP		weight	10,8 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

HECHT 1331
MULTIFUNCTION BRUSHCUTTER

4in1

2-stroke

	engine volume	32,7 cm³	saw blade bar length	30 cm
	power output	1,5 HP	hedge trimmer bar length	40 cm
	weight without accessories	3,8 kg	working width - blade / head	255 / 430 mm

HECHT 000155
ADDITIONAL SWEEPING ROLLER for HECHT 155

(not included)

Rotary base 45°

HECHT 155
PETROL BRUSHCUTTER

Fixed shaft mounting - no stress on the motor silentblock (better vibration suspension for the operator).

	engine volume	52 cm³		working width	45,5 cm
	power output	2 HP		weight	15 kg

HECHT 52
EARTH AUGER

DRILLING AUGER BITS

Diameter	Part no.
100 mm	0052100
150 mm	0052150
200 mm	0052200
250 mm	0052250

EXTENSION TUBE

Diameter	Part no.
400 mm	0052400

DRILLING AUGER BIT 150 mm INCLUDED

	engine type	2-stroke		displacement	52 cm³
	weight	8,5 kg		rotation speed	260-310 rpm
	power output	2,4 HP		drilling depth	730 mm

www.hecht.cz

HECHT 280 GT

Snow shovel for children, stroke 28 cm.

HECHT 205 GT

Folding shovel, aluminum tube shaft, stroke 20,5 cm.

SUITABLE FOR CAR

HECHT 275 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 27 cm.

HECHT 180 GT

Stainless steel ice scraper, foam handle, blade thickness 3 mm, stroke 18 cm, weight 1,3 kg.

HECHT 460 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 46 cm.

SNOW SHOES

Covers the common shoes in sizes S, M, L with metal antislip tips.

size	
S	35–38
M	39–42
L	42–46

HECHT 505 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 50 cm.

HECHT 5400 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 54 cm.

HECHT 465 AL

Plastic grip with aluminium handle, stroke 46 cm.

HECHT 750 GT

Metal bar, wheels, stroke 75 cm.



HECHT 661 GT

Snow scraper with wheels, metal bar and loose handle, stroke 66 cm.

HECHT 9015

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.

	electric	230 V / 50 Hz		clean up area	180 m³/hod
	power input	1300 W		weight	9,3 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9014

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.

	electric	230 V / 50 Hz		clean up area	180 m³/hod
	power input	1300 W		weight	11 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9200

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.

	electric	230 V / 50 Hz		stroke height	25 cm
	power input	2000 W		weight	13,1 kg
	working / total width	40/50 cm		pushed	

HECHT 9201 E

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.

	electric	230 V / 50 Hz		clean up area	250 m³/hod
	power input	2000 W		weight	17 kg
	working / total width	43/51 cm		pushed	

HECHT 9235

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.

	electric	230 V / 50 Hz		max. throwing distance	9 m
	power input	2300 W		weight	13,3 kg
	working width / height	50/25 cm		pushed	

HECHT 9040

SINGLE-STAGE ACCU THROWER

ACCU program 5040

Li-ion Powered

ECO FRIENDLY

Battery and charger not included

	accu Li-Ion	DC 40 V / 4 Ah		stroke width	46 cm
	no load speed	2600 / min.		stroke height	27 cm
	adjustable chimney by	190 °		weight	19,5 kg

HECHT 9555

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

4-stroke

Sheet metal chimney

Propel:
4 gears forward
1 gear reverse

	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm³		wheels	12“
	stroke width	56 cm		weight	55 kg
	stroke height	40 cm			

HECHT 9555 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

LED light

Sheet metal chimney

Propel:
4 gears forward
1 gear reverse

	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm³		wheels	12“
	stroke width	56 cm		weight	56 kg
	stroke height	40 cm			

www.hecht.cz

HECHT 9661

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

Adjustable chimney by 190 °

Propel: 6 gears forward 2 reverse gears

	engine HECHT	4-stroke OHV		max. throwing distance	13 m
	displacement	196 cm³		adjustable chimney by	190 °
	stroke width	61 cm		wheels	13×4,1-6"
	stroke height	53 cm		weight	80,3 kg

HECHT 9661 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

LED light

Adjustable chimney by 190 °

Propel: 6 gears forward 2 reverse gears

	engine HECHT	4-stroke OHV		max. throwing distance	13 m
	displacement	196 cm³		adjustable chimney by	190 °
	stroke width	61 cm		wheels	15×5.00-6"
	stroke height	53 cm		weight	83,5 kg

HECHT 9666

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

LED light

Heated handles

Propel: 6 gears forward 2 reverse gears

	engine HECHT	4-stroke OHV		max. throwing distance	> 15 m
	displacement	252 cm³		adjustable chimney by	190 °
	stroke width	66 cm		weight	110 kg
	stroke height	54 cm			

HECHT 9334 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

Propel: 6 gears forward 2 reverse gears

230 V/50 Hz electric starter

Heated handles

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	375 cm³		wheels	16×6,5-6"
	stroke width	87 cm		weight	127 kg
	stroke height	51 cm			

HECHT 9542 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

16" chains for HECHT 9542 TD, 9542 SQ, 9334 SQ

nr.: 009129

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm³		adjustable chimney by	190 °
	stroke width	106 cm		wheels	16×6,5-8"
	stroke height	51 cm		weight	143,6 kg

HECHT 9534 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

LED light

Heated handles

Height adjustment during work and transport

Propel: 6 gears forward 2 reverse gears

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm³		adjustable chimney by	180 °
	stroke width	87 cm		weight	146 kg
	stroke height	51 cm			

HECHT 8615
PETROL SWEEPER

3 in 1

engine HECHT	4-stroke OHV	weight	69 kg
displacement	196 cm³	5 gear forward, 2 gear reverse	
max. torque	12,4 Nm	sweeper speed	250 rpm
working width	55/61/62 cm	wheels	13 x 4,1–6"

HECHT 8616 SE
PETROL SWEEPER

With 230 V electric starter and adjustable light

4 in 1

engine HECHT	4-stroke OHV	weight	72 kg
displacement	196 cm³	4 gear forward, 2 gear reverse	
max. torque	12,5 Nm	sweeper speed	570 rpm
working width	55/61/62 cm	wheels	13 x 4,1–6"

HECHT 8680 SE
PETROL SWEEPER

4 in 1

Available from 5/24

engine HECHT	4stroke OHV	weight	80 kg
displacement	196 cm³	4 gear forward, 2 gear reverse	
max. torque	12,5 Nm	sweeper speed	570 rpm
working width	80 cm	wheels	13 x 4,1–6"

HECHT 8101
PETROL SWEEPER

Variable brush speed

engine HECHT	4-stroke OHV	weight	76 kg
displacement	196 cm³	3 gear forward, 1 gear reverse	
max. torque	10,5 Nm	sweeper speed	180 - 350 rpm
working width	100/100 cm	wheels	13 x 4,1–6"

HECHT 8101 S
PETROL SWEEPER

Heimwerker Praxis 2-2015 — Oberklasse 1,4 — Preis/Leistung: gut – sehr gut

Variable brush speed

Equipped with battery starter

engine HECHT	4-stroke OHV	weight	76 kg
displacement	196 cm³	3 gear forward, 1 gear reverse	
max. torque	10,5 Nm	sweeper speed	180 - 350 rpm
working width	100/100 cm	wheels	13 x 4,1–6"

HECHT 8101 BS
PETROL SWEEPER

BRIGGS&STRATTON

Variable brush speed



4-stroke engine B&S	750 EX	weight	76 kg
displacement	161 cm³	3 gear forward, 1 gear reverse	
max. torque	9,5 Nm	sweeper speed	180 - 350 rpm
working width	100/100 cm	wheels	13 x 4,1–6"

www.hecht.cz

Accessories for HECHT 8615 / 8616 / 8616 E / 8616 SE / 8680 SE

PLOUGHSHARE 61 CM
000861 A
for HECHT 8616, 8616 E, 8616 SE

PLOUGHSHARE 61 CM
008680 A
for HECHT 8680 SE

13" CHAINS
009551

COLLECTING BOX 61 CM
000861 B
for HECHT 8616, 8616 E, 8616 SE

COLLECTING BOX 80 CM
008680 B
for HECHT 8680 SE

SNOW THROWER
000861 C
for HECHT 8616, 8616 E, 8616 SE, 8680 SE

PLOUGHSHARE
008615 A
for HECHT 8615

COLLECTING BOX 60 CM
008615 B
for HECHT 8615

Accessories for HECHT 8101 / 8101 S / 8101 BS

PLOUGHSHARE
008101 A
for HECHT 8101, 8101 S, 8101 BS

COLLECTING BOX 61 CM
008101 B
for HECHT 8101, 8101 S, 8101 BS

HECHT 8065
MECHANICAL SWEEPER

Ideal for paved outdoor areas, captures both wet and dry material

806500004
ONE PAIR OF SPARE DISC BRUSHES

pushed			working width	65 cm
debris collector	20 l		weight	9,6 kg

HECHT 33
HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Spreading regulation

manual			max capacity	cca 3 l
weight	0,5 kg		max. width of spreading	2 m*

HECHT 212
HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Spreading regulation

manually pushed			max capacity	12 l
weight	2 kg		max. width of spreading	45 cm*

HECHT 220
HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Spreading regulation

manually pushed			max capacity	20 l
weight	2,9 kg		max. width of spreading	48 cm*

* The spreading width depends mainly on the speed / movement and the type of spreading material.

HECHT 270

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Spreading regulation

manual pushed		max capacity	27 l
weight	4,4 kg	max. width of spreading	3 m*
wheels	9x3"		

HECHT 229

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Cover sheet included

Spreading regulation

manual pushed		max. volume / capacity	29 l / 36 kg
weight	11 kg	max. width of spreading	3 m*
wheels	12×3"		

HECHT 256

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Cover sheet included

Spreading regulation

manual pushed		max capacity	60 l/56 kg
weight	17,3 kg	max. width of spreading	3,5 m*
wheels	15×6.00-6"		

HECHT 260

TOW-BEHIND SPREADER

For large areas of ground for distribution of fertilizers, seeds or salt

Cover sheet included

Spreading regulation

Suitable for lawn tractors

manual pushed		max capacity	60 l/56 kg
weight	12,6 kg	max. width of spreading	4 m*
wheels	12×3"		

HECHT 3060

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

Easy assemlby

Made of durable plastic

MADE IN EU

max. capacity	360 l
dimensions	689 × 689 × 839 mm

HECHT 6600

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

Easy assemlby

Made of durable plastic

MADE IN EU

max. capacity	600 l
dimensions	933 x 933 x 805 mm

HECHT 2600

EXTENSION KIT FOR COMPOSTER HECHT 6600

MADE IN EU

max. capacity	260 l
dimensions	800 x 140 x 370 mm

www.hecht.cz

* The spreading width depends mainly on the speed / movement and the type of spreading material.

420 CC

length	215 mm
cutting diameter	20 mm
blade material	S50C

421

length	215 mm
cutting diameter	20 mm
blade material	SK5

493 A

length	215 mm
cutting diameter	20 mm
blade material	SK5

435 HB 2L

length	225 mm
cutting diameter	20 mm
blade material	SK5

434DLA08

Ratchet shears

length	200 mm
cutting diameter	20 mm
blade material	SK5

494 ADN

length	213 mm
cutting diameter	20 mm
blade material	SK5

023–2W

length	500 mm
cutting diameter	-
blade material	S50C

018KB

length	710 mm
cutting diameter	35 mm
blade material	S50C

020 AKB

length	710 mm
cutting diameter	38 mm
blade material	S50C

018 LGG



length	950 mm
cutting diameter	35 mm
blade material	S50C

020 ALGG



length	950 mm
cutting diameter	38 mm
blade material	S50C

036 WLG

length	835 mm
cutting diameter	-
blade material	S50C

0182036L

length	870 mm
cutting diameter	38 mm
blade material	SK5

060AH9L

length	875 mm
cutting diameter	-
blade material	SK5

050TAH9L

length	1040 mm
cutting diameter	45 mm
blade material	SK5

050GAH9L



length	1040 mm
cutting diameter	45 mm
blade material	SK5

Blade material	
SK5	Japanese carbon steel
S50C	Carbon steel

HECHT 600635

GARDEN KNIFE 35 CM WITH GUT HOOK, NYLON SHEATH, BLADE 19 CM

F2AD

foldable

HECHT 600636

MACHETE 64 CM, BLADE 44 CM WITH SAW, NYLON SHEATH, STAINLESS STEEL

HECHT 900813

Length 13“

Belt hinge with sheath

HECHT 901018

Length 18“

HECHT 600618

Length 18“

HECHT 600621

Length 21“

HECHT 900400

30 cm

HECHT 900300

30 cm

HECHT 900200

32,5 cm

HECHT 900025 - TELESCOPIC PRUNNING SAW - 250 cm

HECHT 900375 - UNIVERSAL GARDEN PRUNNING SHEARS

length	375 cm	cutting diameter	20 mm	blade material	SK5

JZN200 - UNIVERSAL GARDEN PRUNNING SHEARS 200 CM

length	200 cm	cutting diameter	30 mm	blade material	SK5

JZN356 - UNIVERSAL GARDEN PRUNNING SHEARS 200-356 CM

length	200-356 cm	cutting diameter	30 mm	blade material	SK5

M4 T2A - ALUMINIUM - TELESCOPIC HANDLE

130–243 cm

HECHT 900376 - TELESCOPIC FRUIT PICKER



max. 300 cm

HECHT 176 GT

M4B1

PRUNNING SHEARS
for trimming branches and tall trees

R4

G02FHN

M9GLC

TOOL HOLDER
5 pcs set



4in1

(4 blades with 1 handle)

You can buy one handle HECHT 600101 and then buy the rake blades individually.



HECHT 600101

OVAL AUMINUM HANDLE WITH PLASTIC SLEEVE, SOFT GRIP AND END HOOK

HECHT 600112

Nylon rake blade *12 teeth*
size *410 mm*

Box: 6 pcs



HECHT 600118

Nylon rake blade *18 teeth*
size *580 mm*

Box: 6 pcs



HECHT 600123

PET rake blade *23 teeth*
size *480 x 260 mm*

Box: 12 pcs

HECHT 600135

PET rake blade *35 teeth*
size *760 x 310 mm*

Box: 12 pcs

www.hecht.cz

HECHT 401
HAND SPRAYER

manual		container volume	0,9 l

HECHT 415 V
HAND SPRAYER

Adjustable spraying jet



Pressure relief valve

manual		weight	0,5 kg
max. pressure	2 bar	piston	
container volume	1,5 l		

HECHT 405
HAND SPRAYER

Pressure relief valve

Adjustable spraying jet



Shoulder strap included

manual		weight	1,3 kg
max. pressure	3 bar	piston	
container volume	5 l	telescopic pole max. length	150 cm

HECHT 408
HAND SPRAYER

Adjustable spraying jet



Shoulder strap included

Pressure relief valve

manual		weight	1,4 kg
max. pressure	3 bar	piston	
container volume	8 l	telescopic pole max. length	150 cm

HECHT 4500
HAND SPRAYER

Adjustable spraying jet



Manometer

Pressure relief valve

Shoulder strap included

manual		weight	1,4 kg
max. pressure	3 bar	piston	
container volume	5 l	telescopic pole max. length	150 cm

HECHT 4122
KNAPSACK SPRAYER

Shoulder strap included

manual		container volume	12 l
max. pressure	4 bar	weight	2,8 kg
spraying pole length	58 cm	piston	

HECHT 4166
KNAPSACK SPRAYER

Li-ion Powered

ECO FRIENDLY

Shoulder strap included

Charging indicator

Shoulder strap included

	manual			weight	3,1 kg
max	max. pressure	4 bar	litres	container volume	16 l
	spraying pole length	71 cm		piston	

HECHT 4005
ACCU HAND SPRAYER

Battery included

	accu Li-ion	5 V / 2,5 Ah	litres	container volume	5 l
max	max. pressure	2 bar	max	water flow	0,3 l/min
	working time without load	cca 2 h		weight	1,1 kg
	charging time	cca 4 h		spraying pole length	up to 60 cm

ACCU program 1278

Li-ion Powered

ECO FRIENDLY

HECHT 9410
ACCU KNAPSACK SPRAYER

Battery and charger not included

	accu Li-ion	20 V	litres	container volume	10 l
max	max. pressure	3 bar		weight	4,9 kg
	working time without load	cca 2 h		spraying pole length	60 cm
	charging time	60 min.			

HECHT 410 ACCU
ACCU KNAPSACK SPRAYER

Li-ion Powered

ECO FRIENDLY

Battery included

	accu Li-ion	10,8 V / 2,5 Ah	litres	container volume	10 l
max	max. pressure	2,5 bar		weight	2,9 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 2,5 h			

ACCU program 5040

Li-ion Powered

ECO FRIENDLY

HECHT 9415
ACCU KNAPSACK SPRAYER

Battery and charger not included

	accu Li-ion	DC 40 V, 2,5 / 4 / 5 Ah	litres	tank capacity	15 l
max	max. pressure	2,8 bar		weight	4 kg
	working time without load	max. 16 h		spraying pole length	72 cm
	charging time	cca 2 h		battery and charger not included	

HECHT 416 ACCU
ACCU KNAPSACK SPRAYER

Li-ion Powered

ECO FRIENDLY

Battery included

	accu Li-ion	10,8 V / 2,5 Ah	litres	container volume	16 l
max	max. pressure	2,5 bar		weight	4 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 3 h			

www.hecht.cz

ACCESSORIES

1.	003016	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	the ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	HECHT 00415A	nozzle „F-type" for HECHT 416 ACCU
8.	000410	telescopic rod for HECHT 410 ACCU
9.	009410A	set of nozzles for HECHT 9410
10.	009410B	prolonging rod for HECHT 9410

ACCESSORIES

HECHT 000431
SPRAY COVER

HECHT 000432
EXTENSION STEEL PIPE 60 CM

HECHT 000433
F-NOZZLE

HECHT 433

PETROL KNAPSACK SPRAYER

Nozzle 120 cm

	engine HECHT	4-ütemű		container volume	15 l
	engine output	0,75 HP		max. flow	≤7 l/min
	weight	9,3 kg			

HECHT 443

PETROL KNAPSACK SPRAYER

Including applicator for granules

With auxiliary pump

	engine HECHT	2 stroke		weight	10,6 kg
	engine volume	43 cm³		container volume	14 l
	power output	2,2 HP	range		≤12 m

HECHT 459

PETROL KNAPSACK SPRAYER

Including applicator for granules

Can be used as a blower

With auxiliary pump

	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm³		container volume	14 l
	power output	2,5 HP	range		≤16 m

HECHT 3350

WATER BARREL PUMP



plastic chassis

	electric	230 V/50 Hz		max.delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clean water			max. delivery volume	5000 l/h

HECHT 3400

SUBMERSIBLE PUMP

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

plastic chassis

	electric	230 V/50 Hz		max.delivery height	5 m
	power input	400 W		10 m rubber power cable	
	dirty water			max. delivery volume	7500 l/h

HECHT 3415
SUBMERSIBLE PUMP

3in1

1. **Min. suction level 1 mm**

2. **Clear water (2-3 mm grain)**

3. **Dirty water**

plastic chassis

	electric	230 V/50 Hz		max.delivery height	6,3 m
	power input	400 W		max. delivery volume	11500 l/h
	clean / dirty water			10 m rubber power cable	

HECHT 3752
SUBMERSIBLE PUMP

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

plastic chassis

	electric	230 V/50 Hz		max.delivery height	8 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	14000 l/h

HECHT 3775
SUBMERSIBLE PUMP

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

Integrated float switch

Min. suction head level 70 mm

plastic chassis

	electric	230 V/50 Hz		max.delivery height	9 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	13000 l/h

HECHT 3011
SUBMERSIBLE PUMP

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 m / 1"

inox chassis

	electric	230 V/50 Hz		max.delivery height	9,5 m
	power input	1100 W		10 m rubber power cable	
	dirty water			max. delivery volume	18000 l/h

HECHT 3122 INOX
SUBMERSIBLE PUMP

Multi stage pump

4 impellers

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

inox chassis

	electric	230 V/50 Hz		max.delivery height	44 m
	power input	1200 W		max. delivery volume	5800 l/h
	clean water			10 m rubber power cable	

HECHT 3301
VIBRATION DROWNED PUMP

Vibration pump - allows using in drilled wells from diameter of 110 mm

300 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	300 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h

HECHT 3166

VIBRATION DROWNED PUMP

Vibration pump - allows using in drilled wells from diameter of 110 mm

600 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	70 m
	power input	600 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h

HECHT 3520

DEEP WELL PUMP

Borehole diameter 11 cm

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	1000 W		20 m rubber power cable	
	clean water			max. delivery volume	5200 l/h

HECHT 3080

GARDEN PUMP

	electric	230 V/50 Hz		max.delivery height	40 m
	power input	800 W		max. delivery volume	3200 l/h
max	max. pressure	4 bar		weight	6,9 kg

HECHT 3800

GARDEN PUMP

HECHT 000031

7m / 1" SUCTION HOSE with possibility of easy shortening for the length required.

	electric	230 V / 50 Hz		max. delivery volume	3200 l/h
	power input	800 W		tank volume	20 l
	max. delivery height	38 m		weight	12,3 kg
	max. suction lift	8 m			

HECHT 3101 INOX

GARDEN PUMP

	electric	230 V/ 50 Hz		max. delivery volume	3500 l/h
	power input	1000 W		tank volume	19 l
max	max. pressure	3 bar		weight	13,3 kg
	max.delivery height	44 m			

HECHT 3131

GARDEN PUMP

	electric	230 V/ 50 Hz		max. delivery volume	4600 l/h
	power input	1100 W		max.suction lift	8 m
max	max. pressure	4,5 bar		weight	10 kg
	max.delivery height	45 m			

HECHT 3133
GARDEN PUMP

High pressure

5 impellers

	electric	230 V /50 Hz		max.delivery height	55 m
	power input	1300 W		max. delivery volume	5400 l/h
	weight	11,5 kg		max.suction lift	8 m
max	max. pressure	5,5 bar			

HECHT 3331
GARDEN PUMP

	electric	230 V /50 Hz		max.delivery height	45 m
	power input	1100 W		max. delivery volume	4600 l/h
	weight	18 kg		max.suction lift	8 m
max	max. pressure	4,5 bar			

HECHT 3331 INOX
GARDEN PUMP

	electric	230 V /50 Hz		max.delivery height	45 m
	power input	1100 W		max. delivery volume	4600 l/h
	weight	18 kg		max.suction lift	8 m
max	max. pressure	4,5 bar			

HECHT 343
PETROL GARDEN PUMP

	engine HECHT	2-stroke		max.suction lift	8 m
	engine volume	43 cm³		weight	9,5 kg
	max. delivery height	35 m		max. delivery volume	15 000 l/h

HECHT 3635
PETROL PUMP

Suction strainer included

	engine HECHT	OHV, 4-stroke		max.suction lift	8 m
	engine volume	212 cm³		max. delivery volume	36000 l/h
	max. delivery height	28 m		weight	23,5 kg

HECHT 3680
PETROL PUMP

FOR DIRTY WATER

	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	engine volume	196 cm³		max. delivery volume	45000 l/h
	max. delivery height	23 m		weight	37 kg

www.hecht.cz

CONNECTION

08010C 1/2"

Available from 4/24

TAP EXTENTION

08028C 1"

Available from 4/24

CONNECTION



08029C 3/4"

SPRAYING GUN

02095

02096

IRRIGATION NOZZLE

08024C 1/2" & 3/4"

Available from 4/24

CONNECTION

HECHT 08010

1/2" hoses

HECHT 08011

1/2" hoses

HECHT 08029

3/4" hoses

HECHT 08111

3/4" - 5/8" - 1/2" hoses

TAP EXTENSION

HECHT 08023

3/4" & 1" hoses

HECHT 08024

1/2" & 3/4' hoses

TWO-WAY CONNECTION

HECHT 08016

Available from 4/24

IMPLUSE SPRINKLER

HECHT 02677

CONNECTION SET

HECHT 08025

Available from 4/24

SPRINKLER

HECHT 08109

up to 10 m diameter

MECHANICAL TIMER

HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"

ELECTRONIC TIMER

HECHT 08907

multifunction pre-set
watering selection
digital LCD time display
only 2 AA batteries
required (not included)
adaptor 3/4 and 1" hose

TWO-WAY TAP EXTENSION

HECHT 08002

TWO-WAY TAP EXTENSION

HECHT 08104

IMPLUSE SPRINKLER

HECHT 01023

Available from 4/24

HECHT 08103

HECHT 06043

HECHT 06023

SHOWERS

HECHT 08230

65 cm

10 patterns

HECHT 00202

172-229 cm



SPRAYING GUNS

HECHT 02063



HECHT 02064



Available from 4/24

HECHT 02094



8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018

2bar min / 4bar max

Max 8L/min

0-360°

8 patterns:
circle, semicircle, rectangle, sector, shower, square, triangle, semiflat

8 PATTERN SPRINKLER

HECHT 07060

2bar min / 4bar max

Max 20L/min

280m²

pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

OSCILLATING SPRINKLERS

HECHT 08601

max. 4 bar,
12,4 m diameter

2bar min / 4bar max

Max 30L/min

R 6,2m 121m²

0-360°

HECHT 08702

17 holes

2bar min / 4bar max

Max 20L/min

342m²

HOSE REEL

HECHT 08666

20 m of 1/2" hose
Hose and accessories included

Available from 4/24

1/2" 20m

1/2" 5/8"

1/2" 3/4"

AUTO STOP

HECHT 00627

max 50 m of 1/2" hose

HOSE

HECHT 05915

1/2"

15m

1/2" 3/4"

HOSE CART

HECHT 08623

hose 50 m of 1/2"

3/4" Max. 45m

1/2" Max. 50m

HECHT 00638

hose 100 m of 1/2"

3/4" Max. 60m

1/2" Max. 100m

HOSE HANGER

HECHT 00632



www.hecht.cz

HECHT AQUA 1215
WATER HOSE 15 M / 1/2“

High quality ★★★★ garden hoses

Max. working pressure 10 Bar,
max. total pressure 30 Bar (for 1215 and 1225).

HECHT AQUA 3415
WATER HOSE 15 M / 3/4“

HECHT AQUA 1225
WATER HOSE 25 M / 1/2“

HECHT AQUA 1020
WATER HOSE 20 M / 1 “

MADE IN CZECH REPUBLIC

HECHT AQUA 3425
WATER HOSE 25 M / 3/4“

HECHT 322
HIGH PRESSURE WASHER

Side view

NEW

Selfpriming

Easy handling

SELFSUCTION HOSE - 0000324 (NOT INCLUDED)

	electric	230 V / 50 Hz		delivery volume	420 l/h
	power input	1800 W		weight	6,1 kg
max	max. pressure	140 bar		hose length	5 m
	working pressure	100 bar		power cord length	5 m
✓	high pressure hose with gun, water inlet connector, adjustable nozzle				

HECHT 323
HIGH PRESSURE WASHER

Side view

	electric	230 V / 50 Hz		delivery volume	438 l/h
	power input	2200 W		weight	8,2 kg
max	max. pressure	165 bar		hose length	5 m
	working pressure	110 bar		power cord length	5 m
✓	variojet, bottle for cleaner woth foam jet, power cable 5 m, high pressure hose with gun 5 m, accessories hook				

HECHT 324
HIGH PRESSURE WASHER

Side view

Adaptor for accessories 000318 and 000326 included

Possibility of independent water suction or connection to the supply

SELFSUCTION HOSE - 0000324 (NOT INCLUDED)

	electric	230 V / 50 Hz		delivery volume	360 l/h
	power input	2000 W		weight	12,3 kg
max	max. pressure	150 bar		hose length	8 m
	working pressure	100 bar		power cord length	5 m
✓	bottle for cleaner woth foam jet, high pressure hose with gun 8 m, power cable 5 m, adaptor for selected accessories				

HECHT 326
HIGH PRESSURE WASHER

Side view

	electric	230 V / 50 Hz		delivery volume	420 l/h
	power input	2600 W		weight	22,7 kg
max	max. pressure	200 bar		hose length	5 m
	working pressure	135 bar		power cord length	5 m
✓	variojet, bottle for cleaner woth foam jet, power cable 5 m, high pressure hose with gun 5 m				

HECHT 3025
ACCU HIGH PRESSURE WASHER

Li-ion Powered

ACCU program 6020

Selfsuction hose included

ECO FRIENDLY

	Accu Li-ion	DC 20 V 1× 2,5 Ah		weight	1,3 kg
max	max. pressure	22 bar		charging time	≤ 20 min.
	working pressure	8 bar		working time	2 h
	max. delivery volume	180 l/h		battery and charger not included	

4m selfsuction hose included

HECHT 3425
ACCU HIGH PRESSURE WASHER

ACCU program 6020

2× 20 V

ECO FRIENDLY

Li-ion Powered

	Accu Li-ion	DC 20 V 2× 2,5 Ah		weight	6,8 kg
max	max. pressure	40 bar		charging time	≤ 20 min.
	working pressure	40 bar		working time	2 h
	max. delivery volume	240 l/h		battery and charger not included	

HECHT 3230
PETROL HIGH PRESSURE WASHER



	engine HECHT	4-taktní	max	max. pressure	207 bar
	engine volume	196 cm³		delivery volume	681 l/h
Nm	max.torque	12,7 Nm		weight	37,5 kg
	hose lenght	10 m		wheels	3/8"
i	10 m pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool				

Accessories for HECHT high-pressure washers

HECHT 000317

15 M

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 322, 326, 3230 use the reduction H318326).

REDUCTION
Part no.: H318326



ROTATING BRUSH FOR THE TERRACE CLEANING - 000326 (for HECHT 318, 322, 326, 3220, 3230, 3227 use the reduction H318326)

ROTATING BRUSH - 000318 (for HECHT 318, 322, 326, 3220, 3230, 3227 use the reduction H318326)

000320A	**PATIO CLEANER** pro HECHT 320, 322, 323	
000320B	**BRUSH** pro HECHT 320, 322, 323	
000320C	**TURBO NOZZLE** pro HECHT 320, 322, 323	
000320D	**PRESSURE HOSE 10 M** pro HECHT 320, 322, 323	
000320E	**ROTARY BRUSH** pro HECHT 319, 320, 322, 323, 351	
000320F	**ANGLE NOZZLE** pro HECHT 320, 322, 323	

www.hecht.cz

HECHT TILT II

GARDEN FOIL

Spacious foil

UV resistant film

Galvanised steel frame 0.5 mm

Tube diameter 16 mm

2 shelves around the entire inner perimeter

	dimensions	140×140×200 cm		area	1,96 m²
ALU	alu frame	Ø 0,5 mm	green PE mesh cloth 140 g/m², 1 door		

TUNNEL I

GARDEN FOIL

Spacious foil

UV resistant film

Galvanised steel frame 0.5 mm

Tube diameter 25 mm

	dimensions	300 × 200 × 200 cm		area	6 m²
ALU	galvanized steel tubes	Ø 0,5 mm	green PE mesh cloth 140 g/m², 6 windows, 1 door		

HECHT GREENHOUSE I.

GREENHOUSE

1 roof vent

Door 59x164 cm

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

ALU frame 1,2 mm + Polycarbonate

BASE INCLUDED (GALVANIZED STEEL)

000608

AUTO VENT OPENER

Suitable for HECHT GREENHOUSE I. and HECHT RANCHER II.

	dimensions	250×190×195 cm		area	4,8 m²
ALU	alu frame	Ø 1,2 mm	4 mm twin wall polycarbonate		

HECHT RANCHER II.

GREENHOUSE

ALU frame 1,2 mm + Polycarbonate

BASE INCLUDED (GALVANIZED STEEL)

2 roof vents

Door 59x164 cm

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

Available from 3/24

	dimensions	311×190×195 cm		area	5,91 m²
ALU	alu frame	Ø 1,2 mm	4 mm twin wall polycarbonate		

WORKSHOP & POWER TOOLS

CONSTRUCTION
WORKSHOP
POWER TOOLS
HEATERS

HECHT 12E
ASH SEPARATOR

800 W

Container 12 L

Package contents:
- prefilter
- filter element
- metal mesh cover

	electric	230 V/50 Hz		tank volume	12 l
	power input	800 W		air flow	1,5 m³/min

HECHT 22E
ASH SEPARATOR

Filter cleaning function

1200 W

20 L

	electric	230 V/50 Hz		tank volume	20 l
	power input	1200 W			

ACCESSORIES for HECHT vacuum cleaners

Order No.	Product
HECHT 008215A	**HEPA FILTER** for HECHT 8215, 8330, 8335Z
HECHT 008215B	**FOAM FILTER** for HECHT 8215, 8330, 8335Z
HECHT 008215C	**TEXTILE PREFILTER** for HECHT 8215, 8320, 8330, 8335Z
HECHT 008215D	**REPLACEMENT PAPER FILTER** for HECHT 8215, 8320 – 3 pcs/pac.
HECHT 008335D	**REPLACEMENT PAPER FILTER** for HECHT 8330, 8335Z – 3 pcs/pac.

HECHT 8215
VACUUM CLEANER

Wet & dry cleaning

15 kPa
15 l

1250 W

	electric	230 V/50 Hz		tank volume	15 l
	power input	1250 W		weight	4 kg
	vacuity	15 kPa		hose	1,5 m

HECHT 008330
5 M HOSE FOR HECHT 8320, 8330, 8335Z

HECHT 8330
VACUUM CLEANER

Wet & dry cleaning

18 kPa
30 l
1400 W

Can be used as a blower

	electric	230 V/50 Hz		tank volume	30 l
	power input	1400 W		weight	5,6 kg
	vacuity	18 kPa		hose	1,5 m

HECHT 8335Z
VACUUM CLEANER

Wet & dry cleaning

1400 W

18 kPa
35 l

With socket 230 V / 50 Hz

Max. 2000 W
Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).

Can be used as a blower

	electric	230 V/50 Hz		tank volume	35 l
	power input	1400 W		weight	6,6 kg
	vacuity	18 kPa		hose	1,5 m

HECHT 008380A
FRONT VACUUMING BRUSH

MODEL 2024

HECHT 08380
7M HOSE Ø 38 mm for HECHT 8360, 8380

3 MOTORS

3000 W

23 KPA

HECHT 8380
VACUUM CLEANER

PROFI TOOL

electric	230 V/50 Hz	vacuity	23 kPa
power input	3000 W	hose length	3 m
tank volume	80 l	hose diameter	4,5 cm
weight	29 kg	power cable length	4 m

HECHT 8490
CHAIN HOIST

max. load	1000 kg	fastening hook diameter	23 mm
weight	8 kg	load hook diameter	23 mm
chain diameter	6 × 18 mm	chain lenght	3 m

HECHT 8425
ELECTRIC CABLE HOIST

The fixing accessories is included

450 W

electric	230 V / 50 Hz	load without pulley / with pulley	125 / 250 kg
power input	450 W	stroke height without pulley / with pulley	12 / 6 m
wire diameter	3 mm	stroke speed without pulley / with pulley	8 / 4 m/min
control panel cable length	1,6 m	power cord length	0,65 m

HECHT 8450
ELECTRIC CABLE HOIST

The fixing accessories is included

800 W

electric	230 V / 50 Hz	load without pulley / with pulley	250 / 500 kg
power input	800 W	stroke height without pulley / with pulley	12 / 6 m
wire diameter	4 mm	stroke speed without pulley / with pulley	8 / 4 m/min
control panel cable length	1,6 m	power cord length	0,65 m

HECHT GG 950

SINGLE PHASE GENERATOR

2-stroke engine

	displacement	63 cm³ / 2 HP		voltage	~230 V
	max.torque	2,6 Nm		noise level	95 dB
	DC 230 V	2,83 A		tank	4,2 l
	steady electrical output	650 W		weight	16,5 kg
	max. electrical output	720 W		sockets	1× 230 V
	fuse				

HECHT GG 2500

SINGLE PHASE GENERATOR

4-stroke engine

	displacement	196 cm³		voltage	~230 V/=12 V
	max.torque	11,5 Nm		noise level	90 dB
	DC 12 V/230 V	8,3/8,7 A		tank	15 l
	steady electrical output	2000 W		weight	39 kg
	max. electrical output	2200 W		sockets	1× 12 V DC, 2× 230 V
	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300

SINGLE PHASE GENERATOR

AVR

4-stroke engine

	displacement	208 cm³		voltage	~230 V/=12 V
	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3/11,3 A		tank	15 l
	steady electrical output	2600 W		weight	46,5 kg
	max. electrical output	3000 W		sockets	1× 12 V DC, 2× 230 V
	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300W

SINGLE PHASE GENERATOR

AVR

Folding handle

4-stroke engine

	displacement	208 cm³		voltage	~230 V/=12 V
	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3 / 11,3 A		tank	15 l
	steady electrical output	2600 W		weight	48 kg
	max. electrical output	3000 W		sockets	1× 12 V DC, 2× 230 V
	fuse, voltmeter, automatic voltage regulation, wheels and folding handle for easier handling				

HECHT GG 6500

SINGLE PHASE GENERATOR

AVR

Folding handle

industrial socket 230 V

4-stroke engine

	displacement	389 cm³		voltage	~230 V/=12 V
	max.torque	23 Nm		noise level	96 dB
	DC 12V/230V	8,3/21,7 A		tank	25 l
	steady electrical output	5000 W		weight	84 kg
	max. electrical output	5500 W		sockets	1× 12 V DC, 3× 230 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 8000

THREE-PHASE GENERATOR

AVR

Folding handle

4-stroke engine

	displacement	420 cm³		voltage	~230 V / 400 V =12 V
	max.torque	24,5 Nm		noise level	98 dB
	DC 12V/230V	8,3/9,4 A		tank	25 l
	steady electrical output	6500 W		weight	88 kg
	max. electrical output	7000 W		sockets	1× 12 V DC, 2× 230 V, 1× 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 10000

THREE-PHASE GENERATOR

4-stroke engine

displacement	459 cm³	voltage	~230 V / 400 V =12 V
max.torque	29 Nm	noise level	97 dB
DC 12V/230V	8,3/10,8 A	tank	25 l
steady electrical output	7500 W	weight	102 kg
max. electrical output	8500 W	sockets	1× 12 V DC, 2× 230 V, 1× 400 V

fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included

HECHT GG 11000

SINGLE/THREE-PHASE HYBRID GENERATOR

4-stroke engine

displacement	459 cm³	voltage	~230 V / 400 V =12 V
output power	16 HP	tank	25 l
steady electrical output	8000 W	weight	105 kg
max. electrical output	8500 W	sockets	1× 12 V DC, 1× 230 V / 16 A 1× 230 V / 32 A 1× 400 V / 16 A

automatic voltage regulation, e-start, 12V DC terminal clamps, wheels, folding handles, single/three phase hybrid system

HECHT IG 1100

SINGLE PHASE INVERTOR

Ideal for camping and fishing

Low weight

4-stroke engine

displacement	53,5 cm³	voltage	~230 V
max.torque	2,65 Nm	noise level	95 dB
DC 230 V	4,3 A	weight	13 kg
steady electrical output	1000 W	tank	4,5 l
max. electrical output	1020 W	sockets	1× 230 V

HECHT IG 2201

SINGLE PHASE INVERTOR

Also suitable for powering sensitive electronics

Ideal for camping and fishing

Low weight

4-stroke engine

displacement	79,8 cm³	voltage	~230 V/=12/5 V
max.torque	4,5 Nm	noise level	89 dB
5V/12V/230V	1; 2,1/8,3/7,8 A	weight	18,5 kg
steady electrical output	1800 W	tank	4 l
max. electrical output	2000 W	sockets	1×230 V, 1×12V, 2×5V

HECHT IG 3601

SINGLE PHASE OPEN FRAME INVERTOR

2× USB

Also suitable for powering sensitive electronics

4-stroke engine

displacement	208 cm³	voltage	~230 V/=12/5 V
max. torque	10,8 Nm	noise level	95 dB
5V/12V/230V	1; 2,1/8,3/13 A	weight	33,5 kg
steady electrical output	3000 W	tank	12 l
max. electrical output	3200 W	sockets	2×230 V, 1×12 V, 2×5 V

HECHT IG 4500

SINGLE PHASE INVERTOR

Also suitable for powering sensitive electronics

4-stroke engine

displacement	223 cm³	voltage	~230 V/=12/5 V
max. torque	13 Nm	noise level	93 dB
12 / 230 V	8,3 / 15,2 A	weight	40 kg
steady electrical output	3500 W	tank	12 l
max. electrical output	4000 W	sockets	2 × 230 V, 1 × 12 V DC, 2 × USB 5 V

fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle

www.hecht.cz

HECHT 1111
PLATE COMPACTOR

Folding wheels and damping pad included

Powered By LONCIN

steel chasis

engine	OHV	compaction pressure	11000 N
displacement	196 cm³	compaction depth	25 cm
max.torque	12,4 Nm	dimensions of plate	530 × 370 mm
weight	63 kg		

HECHT 1113
PLATE COMPACTOR

Folding wheels and damping pad included

Powered By LONCIN

steel chasis

engine	OHV	compaction pressure	13000 N
displacement	196 cm³	compaction depth	30 cm
max.torque	12,4 Nm	dimensions of plate	540 × 420 mm
weight	83 kg		

HECHT 1114
PLATE COMPACTOR

Folding wheels and damping pad included

Powered By LONCIN

steel chasis

engine	OHV	compaction pressure	20000 N
displacement	196 cm³	compaction depth	35 cm
max.torque	12,4 Nm	dimensions of plate	580 × 500 mm
weight	92 kg		

HECHT 1118
UPRIGHT RAMMER

Wheel kit included



Powered By LONCIN

Plastic engine protective cover

steel chasis

engine	OHV	compaction pressure	25000 N
displacement	196 cm³	ramming energy	70 Nm
max.torque	12,4 Nm	dimensions of plate	275 × 335 mm
weight	82 kg	working speed	15 m/min

HECHT 9588
PETROL CUT-OFF CHAIN SAW

Carrying case included

Spare saw blade
nr.: 958800134

engine volume	54 cm³	blade diameter	305 mm
power output	3,4 HP	weight	9,8 kg

HECHT 9744
PETROL CUT-OFF CHAIN SAW

NEW

engine volume	74 cm³	blade diameter	350 mm
power output	4,8 HP	weight	10,1 kg

Powered By LONCIN

HECHT 1900
CONCRETE CUTTER

HECHT 001900
SPARE DIAMOND BLADE FOR HECHT 1900

steel chasis

engine	OHV	cutting blade speed	1800 min^{-1}
displacement	196 cm^3	blade diameter	350 mm / 14"
weight	102 kg	water cooling, water tank capacity 14 l	

HECHT 2620
ACCU WHEELBARROW

ECO FRIENDLY

self-propelled		max capacity	80 l
accu	20,5–27 V	max speed	6 km/h
power input	250 W	weight	40 kg
wheel	5.00–8"	charging time	7 hrs
max load	260 kg	working time	2-10 hrs

HECHT 2636
PETROL TRANSPORTER

300 KG LOAD

Powered By LONCIN

steel chasis

engine	4-stroke	max load	300 kg
displacement	196 cm^3	weight	160 kg
max.torque	12,4 Nm	bed size	94 × 63,5 × 33 cm
self propelled	3 gears forward, 1 reverse		

HECHT 2650
PETROL TRANSPORTER

500 KG LOAD

Powered By LONCIN

front doublewheels
steel chasis

engine	4-stroke	max load	500 kg
displacement	196 cm^3	weight	170 kg
max.torque	12,4 Nm	bed size	1050 × 750 × 700 mm
self propelled	3 gears forward, 1 reverse		

HECHT 2625
ACCU TRANSPORTER

ELECTRIC MOTOR
500 KG LOAD
HYDRAULIC LIFTING

ECO FRIENDLY

Available from 4/24

steel chasis

accu	48 V / 45 Ah	max load	500 kg
power input	1000 W	weight	136 kg
working time	8,4 hrs	bed capacity	260 l
charging time	9 hrs	max speed forward	6 km/h
self propelled			

HECHT 2950
TRACKS TRANSPORTER

500 KG LOAD

Powered By LONCIN

steel chasis hydraulic lifting

engine	4-stroke	max load	500 kg
displacement	270 cm^3	weight	270 kg
max. torque	17,7 Nm	bed size	1000 × 700 × 450 mm
Self propelled	3 gears forward, 1 reverse		

www.hecht.cz

HECHT 2955
TRACKS TRANSPORTER

Powered By LONCIN

				steel chasis	hydraulic lifting
	engine	4-stroke		max load	500 kg
	displacement	270 cm³		weight	366 kg
	max. torque	17,7 Nm		bed size	1065 × 715 × 660 mm

Self propelled, hydrostatic transmission

HECHT 2117
MIXER

Real drum volume 120 l

Rubber wheels

550 W

transmission detail

	electric	230 V/50 Hz		weight	49,5 kg
	power input	550 W		drum volume	120 l

HECHT 2141
MIXER

Real drum volume 140 l

Rubber wheels

650 W

transmission detail

	electric	230 V/50 Hz		weight	51,5 kg
	power input	650 W		drum volume	140 l

HECHT 2185
MIXER

Real drum volume 180 l

Rubber wheels

850 W

transmission detail

	electric	230 V/50 Hz		weight	55,5 kg
	power input	850 W		drum volume	180 l

HECHT 2223
MIXER

Real drum volume 200 l

1100 W

Big rubber wheels for easy transport

Massive frame

	electric	230 V/50 Hz		weight	81,5 kg
	power input	1100 W		drum volume	200 l

HECHT 1137
PAINT AND MORTAR STIRRER

1400 W

120 mm

Adjustable RPM

Two-stage gearbox

	electric	230 V/50 Hz	tool diameter	120 mm
	power input	1400 W	tool height	590 mm
	no load speed	0-570/ 0-760 rpm	weight	3,5 kg

with mixing tool (connection M14)

HECHT 1138
PAINT AND MORTAR STIRRER

1600 W

140 mm

Adjustable RPM

Two-stage gearbox

	electric	230 V/50 Hz	tool diameter	140 mm
	power input	1600 W	tool height	590 mm
	no load speed	0-580/ 0-780 rpm	weight	4 kg

with mixing tool (connection M14)

HECHT 1140
PAINT AND MORTAR STIRRER

Aluminium handle

1800 W

140 mm

Adjustable RPM

Two-stage gearbox

Soft start effect

	electric	230 V/50 Hz	tool diameter	140 mm
	power input	1800 W	tool height	590 mm
	no load speed	0-440/ 0-780 rpm	weight	7,25 kg

with mixing tool (connection M14)

HECHT 2030
SMART BATTERY CHARGER

5 steps charging

Input cable: 1,5 m
Output cables: 1,5 m

	power output	6V, 12V / 1A	for batteries	4-60 Ah
	power input	230 V/50 Hz 15 W	weight	0,4 kg

5 charging steps, input cable: and output cables: 1,5 m, short-circuit and polarity protection

HECHT 2019
SMART BATTERY CHARGER

Safety Protection:
Reverse polarity
Over heat
Short Circuit
Low voltage
Over charge

Winter mode

5 A

	power output	6V / 2A 12V / 1-5A	for batteries	4-150 Ah
	power input	230 V/50 Hz 70 W	weight	0,75 kg

HECHT 2013
SMART BATTERY CHARGER

15 A

	power output	6V / 2-5 Ah 12V / 2-15 A	for batteries	4-300 Ah
	power input	230 V/50 Hz 200 W	weight	1,5 kg

6 charging steps, up to 15 A, booster - 5 mins fast charging, 12V & 6V (model 2021) socket for connecting accessories, short-circuit and polarity protection

www.hecht.cz

HECHT 2076
TOOL SET 76 PCS

Precision screwdriver	2.5 mm; PH0,PH00	set (3×)
Screwdriver	5*75,6*100 mm; NO. 1*75, NO. 2*100 mm	set (4×)
Spinner handle	1/4"	1×
Combination pliers	7"	1×
Splitting pliers	6"	1×
Bit	25 mm - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm	set (8×)
Bit	25 mm - T10, T15, T20, T25, T27, T30	set (6×)
Bit	25 mm - 2, 3, 4, 5, 6*2,7 mm	set (7×)
Bit	25 mm - PH0, PH1, PH2*2, PH3	set (5×)
Bit	25 mm - PZ0, PZ1, PZ2*2, PZ3	set (5×)
Magnetic bit holder	60 mm	1×
Ratchet handle	3/8"	1×
Combination wrench	7, 8, 9, 10, 11, 12,13 mm	set (7×)
Sockets	3/8":14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm	set (10×)
Sockets	1/4" 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8×)
Universal joint	3/8"	1×
Ratchet handle adaptor	1/4" x 3/8"	1×
Spinner handle adaptor	1/4"	1×
Extension bar	3/8" - 75, 150 mm	set (2×)
Sliding T bar head	3/8"*1/2"	set (2×)
Spark plug socket	3/8"16mm	1×

Available from 4/24

HECHT 2094
TOOL SET 94 PCS

Spark plug socket	1/2" - 16, 21 mm	set (2×)
Flexible extension bar	1/4"	1×
Deep socket	1/2" - 14, 15, 17, 19 mm	set (4×)
Deep socket	1/4" - 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8×)
Bits socket	1/4" - SL 4, 5.5, 7; PH1, PH2, PZ1, PZ2; T8, T10, T15, T20, T25, T30; H 3, 4, 5, 6	set (17×)
Bit	8*30 mm - SL 8, 10, 12; PH3, PH4; T40, T45, T50, T55; H 8, 10, 12, 14; PZ3, PZ4	set (15×)
Socket adaptor	1/4"	1×
Coupler	3/8"	1×
Sockets	1/2" - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm	set (18×)
Socket	1/4" - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	set (13×)
Ratchet handle	1/4" & 1/2"	set (2×)
Universal joint	1/4" & 1/2"	set (2×)
Extension bar	1/4" - 2" & 4"	set (2×)
Spinner handle	1/4"	1×
Extension bar	1/2" - 5" & 10"	set (2×)
3-Way sliding adaptor		1×
Sliding T bar	1/4"	1×
Hex key	- 1.5, 2, 2.5 mm	set (3×)

Available from 4/24

WORKSHOP / TOOLS

HECHT 0003
FOLDABLE WORK TABLE

Leg frame profile 30 × 30 mm

dimensions	60,5×63,5×80 cm
max. load capacity	100 kg
weight	7 kg

ACCU program 1278

HECHT 1706
ACCU LED LIGHT

Adjustable lighting direction

	accu	20 V	LEDs / light intensity	3 W / 260 lumen
	battery	Li-ion, 2/4/6 Ah	weight	0,25 kg
	charging time	60 min.	lighting time at full charge	12 hrs

HECHT 2091
WORKBENCH

Available from 4/24

dimensions	120 × 174 × 58 cm
max. load capacity	450 kg
weight	53 kg

HECHT 2022
HOT AIR GUN

Air volume setting 300/500 l / min

HECHT 2023
HOT AIR GUN

Adjustable temperature setting 60-600 °C

Available from 4/24

HECHT 2212
WEED BURNER / HOT AIR GUN



Accessories included

	electric	230 V/ 50 Hz	°C	temperature setting	350 / 550 °C
	power input	2000 W		air volume	300 / 500 l/min
	weight	0,7 kg			

	electric	230 V/ 50 Hz	°C	temperature setting	60–350 °C / 60–600 °C
	power input	2000 W		air volume	300 / 500 l/min
	weight	0,9 kg			

	electric	230 V/ 50 Hz	°C	temperature setting	80 / 650 °C
	power input	2000 W		air volume	500 l/ min
	weight	1,4 kg			

HECHT 2003
LASER DISTANCE MEASURER

Measurement of distances, calculation of area, calculation of volume, indirect height measurement, combined height, partial heigh, min/max function, addition/substraction, 2 reference points, stake out function, storage of the last 20 results, laser technology, display with backlighting, including belt pouch, wrist strap and batteries, spirit level

Range max. 50 m
Spirit level

	battery	2× 1,5 V AAA
	weight	88 g
	dimensions	120 × 54 × 29 mm

HECHT 600637
MEASURING TAPE 3 M

12 pcs in packing

HECHT 002024
INFLATOR
+ 5 M HOSE
+ 2 ADAPTORS

HECHT 002026
2 INFLATORS
+ 5 M HOSE
+ LARGE SET OF ADAPTORS

HECHT 002075A
air hose 10m, 6.3 x 11.3 mm, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"

HECHT 002075B
self-winding drum with pressure hose 12 m, 5x8 mm, PU

max. pressure 10 bar
quick coupler 1/4"
inlet hose 3 m

HECHT 002075C
winding drum with pressure hose 20 m, 6.3 x 11.3 mm, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"

HECHT 002075D
pneumatic impact wrench set

310 Nm, min 300l/min
10 pcs adaptors (9, 10, 11, 13, 14, 17, 19, 22, 24, 27 mm)
allen key and other accessories

HECHT 002075E
pneumatic tools set 71 pcs

- impact Wrench
  310 Nm, min 300 l / min
- air grinder
  22000 rpm, 330 l / min
- air hammer
  3500 beats / min, 320 l / min
- blow gun
- ratchet 60 Nm, 300 l / min
- set of adapters and accessories

max. pressure 6.3 bar

www.hecht.cz

Auto shutdown when the preset pressure is reached

HECHT 2090
ACCU COMPRESSOR

Digital display

Nozzles included

Battery and charger not included

ACCU program 1278

	ACCU	20 V		weight	1 kg
	battery	Li-ion, 2 Ah		max. pressure	7 bar
	charging time	60 min		no load working time	35 min*

HECHT 2190
4in1

MULTIFUNCTIONAL ACCU COMPRESSOR

Battery and charger not included

ACCU program 1278

High pressure up to 11 bar

Large volume up to 360 l/min

Discharge function

LED light

	ACCU	20 V		weight	1,6 kg
	battery	Li-ion, 2/4/6 Ah		max. pressure	11 bar
	charging time	60 min		no load working time	30 min*

HECHT 2888
COMPRESSOR

Standard accessories: air gun with hose and pressure gauge, adapter set

Available from 5/24

	electric	230 V / 50 Hz		hose	3 m
	power input	1100 W		number of outlets	1
	max. output presure	8 bar		max. suction power	180 l/min.

HECHT 2027
OIL COMPRESSOR

24 l

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1,5 kW / 2 HP		weight	22 kg
	max. suction power	186 l/min.		number of outlets	1
	air tank volume	24 l			

HECHT 2053
OIL COMPRESSOR

50 l

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1,5 kW / 2 HP		weight	30 kg
	max. suction power	186 l/min.		number of outlets	2
	air tank volume	50 l			

HECHT 2353
TWIN CYLINDER OIL COMPRESSOR (MODEL 2024)

10 bar

50 l

	electric	230 V / 50 Hz		max. output presure	10 bar
	power input	2,2 kW / 3 HP		weight	36 kg
	max. suction power	326 l/min.		number of outlets	2
	air tank volume	50 l		dimensions	68 × 38 × 70 cm

* Maximum working time without load with 2 Ah battery.

HECHT 2355
TWIN CYLINDER OIL COMPRESSOR

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	2,2 kW / 3 HP		weight	50 kg
	max. suction power	316 l/min.		number of outlets	2
	air tank volume	100 l			

HECHT 2360
OIL-FREE COMPRESSOR

max pressure 10 bar

	electric	230 V / 50 Hz		tank	50 l
	power input	1500 W / 2 HP		max. output presure	10 bar
	no-load speed	4000 min^{-1}		weight	22,5 kg
	max. suction power	240 l/min.		number of outlets	2

HECHT 20171
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

One outlet

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1100 W		weight	17,5 kg
	max. suction power	214 l/min.		number of outlets	1
	air tank volume	6 l		dimensions	49 × 43 × 45 cm

HECHT 2075
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	750 W		weight	22 kg
	max. suction power	132 l/min.		number of outlets	1
	air tank volume	24 l		dimensions	59 × 28 × 61 cm

HECHT 2086
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

Two outlets

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1500 W		weight	32 kg
	max. suction power	264 l/min.		number of outlets	2
	air tank volume	50 l		dimensions	76 × 32 × 62 cm

HECHT 2089
OIL-FREE COMPRESSOR

Max. suction power 528 l/min

Very quiet operation

Oil and maintenance-free

2 engines

	electric	230 V / 50 Hz		air tank volume	50 l
	power input	3000 W		max. pressure	8 bar
	no-load speed	2800 min^{-1}		number of outlets	2
	max. suction power	528 l/min.			

HECHT 1240
SCREWDRIVER

USB charging available

	ACCU	3,6 V		max. torque	4 N.m
	battery	LI-ion, 1,5 Ah		weight	0,3 kg
	no load speed	230 rpm	2 bits, integrated battery, charger (3-5 h)		

HECHT 1241
SCREWDRIVER

USB charging available

	ACCU	3,7 V		max. torque	4 N.m
	battery	LI-ion, 2 Ah		weight	0,3 kg
	no load speed	230 rpm	52 bits, integrated battery, charger (3-5 h)		

HECHT 1242
SCREWDRIVER

HECHT 001242
BATTERY 1,5 AH
for HECHT 1242

- battery and charger included
- 1 × battery 001242

	ACCU	12 V	chuck capacity		10 mm
	battery	LI-ion, 1,5 Ah		max. torque	22 N.m
	no load speed	0-350/0-1300 rpm		weight	1 kg
2 speed, battery, charger (3-5 h)					

HECHT 1245
DRILL

HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245

- quick charger 1 h
- charging indicator
- 1 × battery HECHT 001245B

	ACCU	16 V	chuck capacity		1-10 mm
	battery	LI-ion, 1,5 Ah		max. torque	30 N.m
	no load speed	0-400/ 0-1300 rpm		weight	1,5 kg
2 speed, battery, quick charger (1 h), charging indicator					

HECHT 1247
DRILL

HECHT 001246
BATTERY 2 AH
for HECHT 1247

- quick charger 1 h
- charging indicator
- 1 × battery HECHT 001246

	ACCU	20 V	chuck capacity		1-10 mm
	battery	LI-ion, 2 Ah		max. torque	40 N.m
	no load speed	0-400/ 0-1400 rpm		weight	1,5 kg
2 speed, battery, quick charger (1 h)					

HECHT 1277
IMPACT DRILL

Case included

- quick charger 1 h
- charging indicator
- 2× battery HECHT 001277BX

ACCU program 1278

	ACCU	20 V	chuck capacity		0,8-10 mm
	battery	LI-ion 2 Ah		max. torque	30 N.m
	no load speed	0-350/0-1250 rpm		weight	1,4 kg
2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake					

HECHT 1278
IMPACT DRILL

Double speed gearbox

LED light

Case included

- quick charger 1 h
- charging indicator
- 2× battery

HECHT 001277BX

ACCU program 1278

ACCU	20 V	chuck capacity		2-13 mm
battery	Li-ion 2 Ah	impact rate		0-525/0-18750
no load speed	0-350/0-1250 rpm	weight		1,54 kg
max. torque	35 N.m			

2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

HECHT 1289
IMPACT DRILL

PROFI TOOL

Double speed gearbox

LED light

Case included

- quick charger 1 h
- charging indicator
- 2× battery

HECHT 001277BX

Brushless motor

ACCU program 1278

ACCU	20 V	chuck capacity		2-13 mm
battery	Li-ion 2 Ah	impact rate		0-7500/0-25500
no load speed	0-500/0-1700 rpm	weight		1,49 kg
max. torque	50 N.m			

2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, metal chuck, long life brushless motor, electric brake

HECHT 1256
IMPACT WRENCH

PROFI TOOL

ACCU program 1278

Long life brushless motor

3 torque options 120/180/300 Nm

ACCU	20 V	chuck capacity		1/2"
battery	Li-ion, 2/4/6 Ah	max. torque		300 N.m
no load speed	0-2700 rpm	weight		1,6 kg
impact rate	0-3780 min^{-1}	Battery and charger not included		
charging time	60 min	working time		40 min*

HECHT 1070
IMPACT DRILL

650 W

electric	230 V/50 Hz	drilling capacity - steel		13 mm
power input	650 W	max. chuck size		13 mm
no load speed	0-3000 rpm	weight		1,8 kg
impact rate	0-48000 min^{-1}			

variable speed, auxiliary handle, depth gauge, key chuck

HECHT 1071
IMPACT DRILL

750 W

electric	230 V/50 Hz	drilling capacity - steel		13 mm
power input	750 W	max. chuck size		13 mm
no load speed	0-3000 min^{-1}	weight		1,85 kg
impact rate	0-54000 min^{-1}			

✓ variable speed, auxiliary handle, depth gauge, keyless chuck

HECHT 1072
IMPACT DRILL

900 W

electric	230 V/50 Hz	drilling capacity - steel		13 mm
power input	900 W	max. chuck size		13 mm
no load speed	0-3000 min^{-1}	weight		2,05 kg
impact rate	0-48000 min^{-1}			

✓ variable speed, auxiliary handle, depth gauge, keyless chuck

HECHT 1073
IMPACT DRILL

1000 W

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1000 W	drilling capacity - concrete	13 mm
	no load speed	0-2800 min^{-1}	drilling capacity - wood	25 mm
	max. chuck size	13 mm	weight	2 kg
✓	variable speed, auxiliary handle, depth gauge			

NEW

HECHT 1077
IMPACT DRILL

Available from 5/24

1200 W

Aluminium alloy 2 speed gearbox

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1200 W	max. chuck size	13 mm
	no load speed	0-1000 rpm	weight	3,6 kg
	no load speed	0-2800 rpm	impact rate	0-44800 min^{-1}
variable speed, auxiliary handle, depth gauge				

NEW

HECHT 1082
ROTARY HAMMER

SDS PLUS

2,4 J

800 W

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	800 W	drilling capacity - concrete	24 mm
	no load speed	0-1470 rpm	impact power	2,4 J
	impact rate	0-5100 rpm	weight	2,4 kg
i	SDS plus drive, auxiliary handle, 1pc point chisel, 1 pc flat chisel, 3 drill bits, key			

SDS PLUS

HECHT 1028
ROTARY HAMMER

4,5 J

1050 W

	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	950 rpm	impact power	4,5 J
	impact rate	4250 rpm	weight	4,5 kg
SDS plus drive, auxiliary handle, 1pc point chisel 14×250mm, 1 pc flat chisel 14×250mm, 3 drill bits-8/10/12×150mm, depth gauge, wrench, plastic carrying case				

SDS PLUS

HECHT 1036
ROTARY HAMMER

6 J

1500 W

	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1500 W	drilling capacity - concrete	32 mm
	no load speed	860 rpm	impact power	6 J
	impact rate	4250 rpm	weight	5,2 kg
SDS plus drive, auxiliary handle, 2 pcs chisel, 3 pcs drill bit, dust cover, wrench, plastic carrying case				

SDS MAX

Model 2023

HECHT 1069
ROTARY HAMMER

9 J

1600 W

	electric	230 V/50 Hz	tool holder	SDS max
	power input	1600 W	drilling capacity - concrete	40 mm
	no load speed	560 rpm	impact power	10 J
	impact rate	3800 rpm	weight	7,3 kg
SDS max drive, auxiliary handle, 1pc point chisel 18×320mm, 1 pc drill bit 18×320mm, wrench, plastic carrying case				

SDS MAX

HECHT 1090
DEMOLITION HAMMER

15 J

1300 W

electric	230 V/50 Hz	tool holder		SDS max
power input	1300 W	impact power		15 J
impact rate	3600 rpm	weight		7,2 kg

SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case

PROFI TOOL

HECHT 1097
DEMOLITION HAMMER

45 J

1700 W

SDS MAX

electric	230 V/50 Hz	tool holder		SDS max
power input	1700 W	impact power		45 J
impact rate	2200 rpm	weight		11,5 kg

SDS max drive, auxiliary handle, 2× chisel, 1× lubricant, plastic carrying case

PROFI TOOL

SDS-HEX

HECHT 1093
DEMOLITION HAMMER

60 J

1700 W

electric	230 V/50 Hz	tool holder		SDS-HEX
power input	1700 W	impact power		60 J
impact rate	1900 min^{-1}	weight		14,9 kg

✓ SDS-HEX mounting, additional handle, 1× pointed chisel, 1× flat chisel, 1× lubricant, carbon brush, plastic carrying case

PROFI TOOL

HECHT 1023
ACCU ROTARY HAMMER

NEW

Available from 5/24

ACCU program 1278

4,5 J

BRUSHLESS MOTOR

Battery and charger not included

ACCU	20 V	chuck capacity		14 mm
battery	Li-ion	impact rate		4350 bpm
no load speed	950 rpm	drilling capacity - concrete		26 mm
impact power	4,5 J	weight		3,8 kg

6 pcs drill bits, 2 pcs chisels, plastic carrying case, depth gauge, dust cover

HECHT 1055
DRILL PRESS

60 cm

HECHT 001055
Vise for HECHT 1055 and 1063
2,5“

Quality gearbox

Available from 4/24

electric	230 V/50 Hz	lift height		50 mm
power input	500 W	chuck capacity		16 mm
no load speed	420-2700 rpm	number of gears		9
weight	15 kg			

HECHT 1063
DRILL PRESS

84 cm

Powerful motor 600 W

Quality gearbox

electric	230 V/50 Hz	lift height		60 mm
power input	600 W	chuck capacity		16 mm
no load speed	420-2700 rpm	number of gears		12
weight	30 kg			

www.hecht.cz

* Maximum working time without load with 2 Ah battery.

HECHT 1545
JIG SAW

500 W

	electric	230 V/50 Hz	cutting depth - wood	55 mm
	power input	500 W	cutting depth - steel	6 mm
	no load speed	0–3000 rpm	weight	1,21 kg

With saw blade, hex key

HECHT 1546
JIG SAW

600 W

	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	600 W	cutting depth - steel	6 mm
	no load speed	800-3000 rpm	weight	2,1 kg

with saw blade for wood, dust tube, hex key

HECHT 1560
JIG SAW

650 W

	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	650 W	cutting depth - steel	10 mm
	no load speed	0-3100 rpm	weight	1,5 kg

with saw blade, dust adaptor

HECHT 1561
JIG SAW

810 W

	electric	230 V/50 Hz	cutting depth – wood	80 mm
	power input	800 W	cutting depth – steel	10 mm
	no load speed	0-3100 rpm	weight	1,5 kg

with saw blade, guide fence

ACCU program 1278

HECHT 1531
JIG SAW

	ACCU	20 V DC	cutting depth - wood	80 mm
	battery	Li-ion, 2/4/6 Ah	cutting depth - steel	10 mm
	no load speed	0-2400 min^{-1}	weight	1,7 kg
	charging time	60 min	no load working time	30 min*

Battery and charger not included

HECHT 1307
ANGLE GRINDER

650 W

	electric	230 V / 50 Hz	disc diameter	115 mm
	power input	650 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,8 kg

auxiliary handle, wrench, the grindstone is not included

* Maximum working time without load with 2 Ah battery.

HECHT 1372
ANGLE GRINDER

Quick-release disc guard

	electric	230 V/50 Hz	disc diameter	115 mm
	power input	710 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,9 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1391
ANGLE GRINDER

Quick-release disc guard

	electric	230 V/50 Hz	disc diameter	125 mm
	power input	900 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,1 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1309
ANGLE GRINDER

Quick-release disc guard

	electric	230 V/50 Hz	disc diameter	125 mm
	power input	1200 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,6 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1314
ANGLE GRINDER

Quick-release disc guard

Adjustable speed

	electric	230 V/50 Hz	disc diameter	150 mm
	power input	1400 W	sprindle thread	M14
	no load speed	4000-8600 rpm	weight	3,1 kg

auxiliary handle, wrench, the grindstone is not included, variable speed

HECHT 1323
ANGLE GRINDER

Soft start

Quick-release disc guard

	electric	230 V/50 Hz	disc diameter	230 mm
	power input	2350 W	sprindle thread	M14
	no load speed	6500 rpm	weight	4,9 kg

auxiliary handle, wrench, soft start, the grindstone is not included

HECHT 1320
ANGLE GRINDER

ACCU program 1278

	ACCU	20 V DC	disc diameter	115 mm
	battery	Li-ion, 2/4/6 Ah	sprindle thread	M14
	no load speed	1000 min^{-1}	weight	1,7 kg
	charging time	60 min	no load working time	20 min*

Battery and charger not included

* Maximum working time without load with 2 Ah battery.

HECHT 1300
POLISHER & GRINDER

electric	230 V / 50 Hz	disc diameter	180 mm
power input	1300 W	sprindle thread	M14
no load speed	1000-3000 rpm	weight	3,5 kg

auxiliary D-front handle, wrench, sanding pad, sanding paper, wool bonnet, spongy cushion

HECHT 1660
WALL CHASER

electric	230 V/50 Hz		cutting depth	5–30 mm
power input	1600 W		cutting width	8–30 mm
no load speed	9000 rpm		blade diameter	125 mm

soft start, anti-slip grip, 2 diamond blades, 1 spanner, 1 chisel, 1 dust tube

HECHT 1722
BENCH GRINDER

electric	230 V/50 Hz	disc diameter	150 mm
power input	150 W	grinding wheel grain	K60+K36
no load speed	2950 min^{-1}	weight	4,8 kg

HECHT 1723
BENCH GRINDER

electric	230 V/50 Hz	disc diameter	200 mm
power input	350 W	grinding wheel grain	K60+K36
no load speed	2950 min^{-1}	weight	9,5 kg

HECHT 1710
DRYWALL SANDER

HECHT 00171020
SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 120

HECHT 00171050
SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 150

HECHT 00171080
SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 180

HECHT 1711
DRYWALL SANDER

electric	230 V/50 Hz	tube diameter	32 mm
power input	710 W	sandpaper diameter	225 mm
no load speed	800-1700 rpm	weight	3,9 kg

4 m power cord, 2 m dust collection pipe, 3 pcs of sanding paper

electric	230 V/50 Hz	tube diameter	32 mm
power input	800 W	sandpaper diameter	225 mm
no load speed	800-1800 rpm	weight	4,5 kg

foldable, LED light, auto dust collection system, 4 m power cord, with portable bag and dust bag, 3 pcs of sanding paper

HECHT 1766
FINISHING SANDER

001176660
SANDPAPER
roughness 60, 10 pcs

001176680
SANDPAPER
roughness 80, 10 pcs

001176620
SANDPAPER
roughness 120, 10 pcs

200 W

	electric	230 V/50 Hz		baseboard size	140 × 140 × 80 mm
	power input	200 W		weight	1,6 kg
	no load speed	15500 rpm			

sandpaper, plastic dust container

HECHT 1767
FINISHING SANDER

001176760
SANDPAPER
10 pcs, roughness 60

001176780
SANDPAPER
10 pcs, roughness 80

001176720
SANDPAPER
10 pcs, roughness 120

220 W

	electric	230 V/50 Hz		baseboard size	187 × 90 mm
	power input	220 W		weight	1,65 kg
	no load speed	12000 rpm			

sandpaper, plastic dust container

HECHT 1768
ORBITAL SANDER

001176860
SANDPAPER
10 pcs, roughness 60

001176880
SANDPAPER
10 pcs, roughness 80

001176820
SANDPAPER
10 pcs, roughness 120

450 W

	electric	230 V/50 Hz		baseboard size	Ø 125 mm
	power input	450 W		weight	2 kg
	no load speed	13000 rpm			

sandpaper, plastic dust container

HECHT 1781
BELT SANDER

0001781060
SANDPAPER
5 pcs, 533×76 mm, roughness 60

0001781080
SANDPAPER
5 pcs, 533×76 mm, roughness 80

0001781120
SANDPAPER
5 pcs, 533×76 mm, roughness 120

	electric	230 V/50 Hz		sanding size	140 X 76 mm
	power input	810 W		sanding belt	533 x 76 mm
	no load speed	380 rpm		weight	3,2 kg

sanding belt, dust bag

HECHT 001790
UPSIDE DOWN TABLE FOR HECHT 1790

HECHT 1790
PLANER

900 W

	electric	230 V/50 Hz		max. planing width	82 mm
	power input	900 W		max. planing depth	3 mm
	no load speed	16000 rpm		max. rebating depth	15 mm
	weight	2,8 kg		with accesories box (key, allen key), guide fence	

HECHT 1795
TOP MILLING TOOL

HECHT 001795
SET OF MILLING BITS - 12 ks

1200 W

	electric	230 V/50 Hz		cutting depth	55 mm
	power input	1200 W		collet hole	6/8 mm
	no load speed	11000-30000 min^{-1}			
✓	1,85 supply cable, 2× guide rail, ruler, dust extraction adapter, collet chuck (pre-assembled), centering pin				

www.hecht.cz

HECHT 1630
OSCILLATING MULTI-TOOL

AVAILABLE ACCESSORIES

0001630A	0001630B	0001630C
2 pcs saw blades	10 pcs sanding papers roughness 60, 100, 120, 240	2 pcs abrasive blades

STANDARD ACCESORIES

Sandpapers | Sanding plate | Saw blade | Scraper

electric	230 V/50 Hz	Quick Change Multi-function Tool		
power input	300 W	no load speed	15000 - 22000 rpm	

1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plactic cyrrying case

HECHT 1572
RECIPROCATING SAW

710 W

Blade for wood and steel included

electric	230 V/50 Hz	cutting depth – wood	115 mm
power input	710 W	cutting depth – steel	5 mm
no load speed	0-2800 min^{-1}	weight	2,4 kg

HECHT 1575
RECIPROCATING SAW

1050 W



Blade for wood and steel included

electric	230 V/50 Hz	cutting depth – wood	150 mm
power input	1050 W	cutting depth – steel	10 mm
no load speed	0-2500 min^{-1}	weight	3,4 kg

ACCU program 1278

HECHT 1510
ACCU RECIPROCATING SAW

Quick blade change system

Accu Li-Ion	DC 20 V / 1× 2/4/6 Ah	cutting depth – steel	10 mm
no load speed	0-3000 min^{-1}	weight	2 kg
cutting depth - wood	115 mm	Battery and charger not included	

HECHT 1613
CIRCULAR SAW

1200 W

HECHT 001613
SAW BLADE
for HECHT 1613, 1624, 1626
ø 185 mm

electric	230 V/50 Hz	blade diameter	185 mm
power input	1200 W	max. cutting depth	65 mm
no load speed	5500 min^{-1}	weight	3,7 kg

with saw blade, guide fence

HECHT 1627
CIRCULAR SAW

1500 W

electric	230 V /50 Hz	blade diameter	185 mm
power input	1500 W	max. cutting depth	63 mm
no load speed	4700 min^{-1}	weight	4,3 kg

✓ pilový kotouč, vodící pravítko

HECHT 1620
CIRCULAR SAW

1800 W

	electric	230 V /50 Hz		blade diameter	210 mm
	power input	1800 W		max. cutting depth	73 mm
	no load speed	5000 min^{-1}		weight	6,4 kg
✓	pilový kotouč, vodící pravítko				

ACCU program 1278

HECHT 1670
ACCU CIRCULAR SAW

HECHT 001670
SAW BLADE FOR WOOD
24T, 150×10×1,6 mm

	accu	20 V DC		blade diameter	150 mm
	battery	DC 20 V / 1× 2/4/6 Ah		cutting depth	48 mm
	no load speed	0-4200 min^{-1}		weight	2,37 kg
	charging time	60 min		no load working time	35 min*
Battery and charger not included					

HECHT 813
MITRE SAW WITH AC LASER

SAW BLADE
48T×210 mm×25,4 mm
for HECHT 814, 818, 828, 813
nr.: HECHT 00828

1400 W

ANGLE / CUT

90° × 90°	55 × 120 mm
45° × 45°	30 × 83 mm
45° × 90°	30 × 120 mm
90° × 45°	55 × 83 mm

	electric	230 V/50 Hz		tilting range	-45° / 0° / 45°
	power input	1400 W		mitre cuts	90°–45° left
	saw blade	ø 210 mm		weight	6,3 kg
	no load speed	5000 min^{-1}			

HECHT 829
MITRE SAW WITH AC LASER

2000 W

Double bevel

ANGLE / CUT

0° × 90°	65 × 340 mm
45° × 90°	65 × 240 mm
0° × 45° L	38 × 340 mm
45° × 45° L	38 × 240 mm

	electric	230 V/50 Hz		tilting range	-45° / 0°
	power input	2000 W		mitre cuts	90°–45° right + left
	saw blade	ø 210 mm		weight	12,2 kg
	no load speed	4800 min^{-1}			

HECHT 820
MITRE SAW WITH AC LASER

2350 W

Double bevel

ANGLE / CUT

0° × 90°	L75 × 340 mm
0° × 45°	L45 × 340 mm
45° × 90°	L75 × 240 mm
45° × 45°	L45 × 240 mm
0° × 45° R	25 × 340 mm
45° × 45° R	25 × 240 mm

	electric	230 V/50 Hz		tilting range	-45° / 0° / 45°
	power input	2350 W		mitre cuts	90°–45° right + left
	saw blade	ø 255 mm		weight	18 kg
	no load speed	4200 min^{-1}			

HECHT 8254
BENCH SAW

HECHT 008254
SAW BLADE
for HECHT 8254
ø 254 mm × ø 30 mm × 48T

CUT DEPTH

90°	85 mm
45°	65 mm

2000 W

	electric	230 V / 50 Hz		table height	829 mm
	power input	2000 W		mitre cuts	90°–45° right + left
	saw blade	ø 250 mm		weight	19 kg
	no load speed	5000 min^{-1}			

www.hecht.cz

HECHT 8751
JOINTER AND PLANER

HECHT 008751
SPARE KNIVES
for HECHT 8751 (2 pcs)

1250 W

	electric	230 V / 50 Hz		table dimensions planing / stretching	740 × 210 mm / 250 × 204 mm
	power input	1250 W		max. cutting width	204 mm
	cutting depth	0–2 mm		length of the supply cable	200 cm
	no load speed	8000 min^{-1}		weight	21 kg

HECHT 8916
SCROLL SAW

HECHT 008916
SAW BLADE
for HECHT 8916
5 pcs/package

120 W

	electric	230 V / 50 Hz		blade length	127 mm
	power input	120 W		stroke	19 mm
throat capacity		406 mm		table size	255×415 mm
stroke speed		400–1650 min^{-1}		weight	13 kg

HECHT 8925
BAND SAW

HECHT 008925
SAW BLADE FOR HECHT 8925

250 W

	electric	230 V/50 Hz		cut depth at 90°	80 mm
	power input	250 W		cut depth at 45°	45 mm
	saw blade length	1400 mm		weight	17 kg
	no load speed	1487 min^{-1}			

HECHT 8950
BAND SAW

HECHT 008950
SAW BLADE FOR HECHT 8950

HECHT 008950A
STAND FOR HECHT 8950

500 W

Available from 4/24

	electric	230 V/50 Hz		cut depth at 90°	115 mm
	power input	500 W		cut depth at 45°	65 mm
	saw blade length	1712 mm		table size	302×304 mm
	no load speed	2982 min^{-1}		weight	24 kg

HECHT 835
CUT OFF SAW

2600 W

HECHT 00835
SAW BLADE FOR HECHT 834

	electric	230 V/50 Hz		blade diameter	355 mm
	power input	2600 W		mitre cuts	-30°– +45°
	no load speed	4100 min^{-1}		weight	12,3 kg

HECHT 8400
ELECTRIC WOOD LATHE

Accessories included

400 W

	electric	230 V/50 Hz		spindle head threat	M18
	power input	400 W		max. workpiece length / diameter	1000 / 350 mm
	no load speed	890/1260/ 1760/2600 min^{-1}		weight	21 kg

Accessories for HECHT 8410

HECHT 008410A
Lathe knife set 8x8 mm
HECHT 008410B
Swivel tip MT2
HECHT 008410C
Clamping disc Ø 160 mm
HECHT 008410D
Clamping set for disc Ø 160 mm
HECHT 008410E
4-jaw chuck 100 mm
HECHT 008410F
Fixed bezel
HECHT 008410G
Sliding bezel
HECHT 008410H
Fixed tip MT3
HECHT 008410I
Drill chuck 13mm + MT2

HECHT 8410
ELECTRIC MINI LATHE



370 W

Standard accessories included

	electric	230 V/50 Hz		swing over bed	180 mm
	power input	250 W		distance between centers	300 mm
	no load speed	100–1100 min^{-1}, 100–2500 min^{-1}		cross slide travel / compound travel	65 / 55 mm
	spindle taper	MT2, MT3		weight	37 kg

Accessories for HECHT 8420

HECHT 008420A
Lathe knife set 10x10mm
HECHT 008420B
Swivel tip MT2
HECHT 008420C
Clamping disc Ø 220 mm
HECHT 008420D
Clamping set for disc Ø 220 mm
HECHT 008420F
Fixed bezel
HECHT 008420G
Sliding bezel

HECHT 8420
ELECTRIC BENCH LATHE

960 W

Standard accessories included

	electric	230 V/50 Hz		swing over bed	250 mm
	power input	550 W		distance between centers	550 mm
	no load speed	125–2000 min^{-1}		cross slide travel / compound travel	110 / 75 mm
	spindle / tailstock taper	MT2 / MT3		weight	145 kg

HECHT 1824
MMA ELECTRODE WELDER - INVERTOR

140 A

	input capacity	5,1 kVA		electrode diameter	1–3,2 mm
	welding current	20–140 A		weight	3,4 kg
	welding voltage	25,6 V		efficiency	70 %
	duty cycle	40 %		electrode holder, ground clamp	

HECHT 1826
MMA ELECTRODE WELDER - INVERTOR

160 A

	input capacity	6 kVA		electrode diameter	1–4 mm
	welding current	20–160 A		weight	4,2 kg
	welding voltage	26,4 V		efficiency	70 %
	duty cycle	40 %		electrode holder, ground clamp	

HECHT 1828
MMA ELECTRODE WELDER - INVERTOR

180 A

	input capacity	7 kVA		electrode diameter	1–4 mm
	welding current	20–180 A		weight	4,6 kg
	welding voltage	27,2 V		efficiency	70 %
	duty cycle	40 %		electrode holder, ground clamp	

HECHT 1830
MMA, MIG, MAG WELDER INVERTOR

Digital control panel

CO_2
ARC FORCE, HOT START, ANTI STICK

200 A

	input capacity	6,9 kVA		welding wire diameter	0.8+1 mm
	welding current	20–200 A		electrode diameter	1–4 mm
	welding voltage	27,2 V		weight	5 kg
	duty cycle	40 %		efficiency	70 %

HECHT 900255
WELDING SHIELD (MODEL 2024)

Welding + grinding function

	filter size	110 × 90 mm		UV / IR	DIN 16
	window dimensions	92 × 42 mm		dark state shade	DIN 9–DIN 13
	response time	≤ 1/25000 s		weight	0,5 kg
	solar cells + battery, sensitivity control, fully automatic on/off				

www.hecht.cz

HECHT 3544
ELECTRIC HEATER

	electric	230 V / 50 Hz		heating area	20 m²
	power input	2000 W		airflow	190 m³/h
	weight	1,3 kg		setting	22 / 1000 / 2000 W
IP	protection degree	IP20	thermal fuse		✓
	electronic temperature control in the room				

HECHT 3545
ELECTRIC HEATER

	electric	230 V / 50 Hz		heating area	30 m²
	power input	3000 W		airflow	238 m³/h
	weight	1,8 kg		setting	30 / 2000 / 3000 W
IP	protection degree	IP20	thermal fuse		✓
	electronic temperature control in the room				

HECHT 3329
ELECTRIC HEATER WITH THERMOSTAT

	electric	230 V / 50 Hz		heating area	60 m³
	power input	3000 W		airflow	354 m³/h
	weight	3,4 kg		setting	40 / 1500 / 3000 W
IP	protection degree	IPX4	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface treatment				

HECHT 3422
ELECTRIC HEATER WITH THERMOSTAT

	electric	230 V / 50 Hz		heating area	60 m³
	power input	3000 W		airflow	354 m³/h
	weight	5 kg		setting	40 / 1500 / 3000 W
IP	protection degree	IP24	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface treatment				

HECHT 3610
CERAMIC HEATER

	electric	230 V/ 50 Hz		heating area	15-20 m²
	power output	2000 W		airflow	80 m³/h
	weight	4,5 kg		setting	1200 / 2000 W
IP	protection degree	IP24	thermal fuse		✓
	thermostat, timer, remote control, ceramic heating element				

HECHT 3611
CERAMIC HEATER

	electric	230 V / 50 Hz	°C	max. output temperature	130 °C
	power output	2200 W		setting	1200 / 2200 W
	weight	5,3 kg			
IP	protection degree	IP24	thermal fuse		✓
	thermostat, timer, remote control, ceramic heating element				

HECHT 3525
ELECTRIC CEILING HEATER

Ideal for pergolas, conservatories and front gardens

	electric	230 V/ 50 Hz	manual control	✓
	power output	2500 W	dimensions	61×61×35 cm
	weight	3,2 kg	2× carbon tube	

HECHT 3015
GAS HOT AIR TURBINE
(Not intended for DE)

HECHT 003015A
HOSE WITH REGULATOR 1,5 M FOR HECHT 3015

Includes hose and regulator

	electric	230 V / 50 Hz		heating area	100 m³
	power input	28 W		heat output	15 kW
	weight	4,7 kg		consumption	1,07 kg/h
IP	protection degree	IP44	fan, termostat		

HECHT 3016
GAS HOT AIR TURBINE
(Not intended for DE)

HECHT 003016
HOSE WITH REGULATOR 1,5 M FOR HECHT 3016

Includes hose and regulator

Power regulation

	electric	230 V / 50 Hz		heating area	280 m³
	power input	57 W		heat output	12–30 kW
	weight	6,5 kg		consumption	1,07–2,13 kg/h
IP	protection degree	IP44	fan, termostat		

HECHT 3020
DIESEL HOT AIR TURBINE

	electric	230 V / 50 Hz		heating area	166 m³
	power input	200 W		heat output	20 kW / 70000 BTU
	tank volume	19 l		consumption	2 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3021
DIESEL HOT AIR TURBINE

Transport wheels

	electric	230 V / 50 Hz		heating area	166 m³
	power input	200 W		heat output	20 kW / 70000 BTU
	tank volume	19 l		consumption	2 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3038
DIESEL HOT AIR TURBINE

Transport wheels

	electric	230 V / 50 Hz		heating area	295 m³
	power input	280 W		heat output	37 kW / 125000 BTU
	tank volume	38 l		consumption	3,6 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3039
DIESEL HOT AIR TURBINE

Transport wheels

	electric	230 V / 50 Hz		heating area	415 m³
	power input	280 W		heat output	51 kW / 175000 BTU
	tank volume	50 l		consumption	5 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3040
DIESEL HOT AIR TURBINE

Indirect combustion
Flue gas discharge through the chimney

Heating with clean hot air

Transport wheels

	electric	230 V / 50 Hz		heating area	150 m³
	power input	280 W		heat output	18 kW / 62000 BTU
	tank volume	38 l		consumption	1,8 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

www.hecht.cz

HOME & GARDEN

AIR COOLERS
WOOD STOVES
GRILLS
GARDEN FURNITURE
PARASOLS
GARDEN SHEDS

HECHT 3804

ELECTRIC VENTILATOR

FUNCTION:
fan
cooling
humidification

	electric	230 V/50 Hz		watertank volume	4 l
	power input	75 W		airflow	252 m³/h
	weight	4,5 kg		class	Climate T
	3 ventilator speeds, water level indication				

HECHT 3810

BLADELESS AIR COOLER

FUNCTION:
fan
cooling
humidification

Remote control

	electric	230 V/50 Hz		watertank volume	3,5 l
	power input	110 W		airflow	428 m³/h
	weight	5,7 kg		class	Climate T
	remote control, 3-speed ventilator, temperature display, 8 hours timer, 3 fan settings - swing, timer; 3 modes - natural, normal, sleep				

HECHT 3809

AIR COOLER

FUNCTION:
fan
cooling
humidification

Remote control

	electric	230 V/50 Hz		watertank volume	9 l
	power input	75 W		airflow	222 m³/h
	weight	11,5 kg		class	Climate T
	remote control, 3 ventilator speeds, water level indication, 3 fan settings - swing, anion, timer				

HECHT 3907

PORTABLE AIR CONDITIONER

Environmentally friendly coolant R290

FUNCTION:
fan
cooling
dehumidification

Remote control

	electric	230 V/50 Hz		dimensions	67 × 28 × 29 cm
	power input	770 W		airflow	240 m³/h
	weight	20 kg		cooling performance	7000 BTU
	cooling area	40 m³ *			
	remote control, 1,5 m vent hose, window kit, LED display with blue backlight, 360° swivel castors				

HECHT 3909

PORTABLE AIR CONDITIONER

Environmentally friendly coolant R290

FUNCTION:
fan
cooling
dehumidification

Remote control

	electric	230 V/50 Hz		dimensions	77 × 31 × 36 cm
	power input	1000 W		airflow	366 m³/h
	weight	22 kg		cooling performance	9000 BTU
	cooling area	45 cbm *			
	remote control, 1,5 m vent hose, window kit, active carbon filter, LED display with blue backlight, antibacterial water tank, night mode, timer 360° swivel castors				

HECHT 3912

PORTABLE AIR CONDITIONER

Environmentally friendly coolant R290

FUNCTION:
fan
cooling
dehumidification

Remote control

HECHT 003912
Window kit for HECHT 3907, 3909, 3912, 3913

	electric	230 V/50 Hz		moisture removal	70 l/day
	power input	1337 W / 5,9 A		dimensions	72 × 42 × 36 cm
	weight	29,5 kg		airflow	410 m³/h
	cooling area	70 cbm *		cooling performance	12000 BTU
	remote control, 1,5 m vent hose, selectable fan speed, LED display, timer, 360 ° swivel castors				

* This value may vary depending on the influence of: environment, temperature, air flow, room sealing, room location in the house, thermal insulation, room cardinal directions orientation and other factors.

HECHT SPARKLIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Fuel: wood, wooden briquettes

Energy class A

firebox dimensions: 250×230×350 mm

	heat output	5–7 kW	Ø	flue	120 mm
	combustion efficiency	74 %		weight	36 kg
	dimensions	330×368 ×940 mm		material	steel

HECHT VERVIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top / back flute position

Cast iron door

Heatproof glass

Made in Europe

Fuel: wood, wooden briquettes

Energy class A

firebox dimensions: 250×280×350 mm

	heat output	6–7 kW	Ø	flue	120 mm
	combustion efficiency	75 %		weight	48 kg
	dimensions	400×460 ×900 mm		material	steel, cast iron

HECHT FLEMIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Heatproof glass

Made in Europe

Fuel: wood, wooden briquettes

Energy class A

firebox dimensions: 340×325×350 mm

	heat output	7–9 kW	Ø	flue	120 mm
	combustion efficiency	76 %		weight	55 kg
	dimensions	485×435 ×945 mm		material	steel

HECHT FENIXE

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Made in Europe

Heatproof glass

Ceramic siding

Fuel: wood, wooden briquettes

Energy class A

firebox dimensions: 335×320×350 mm

	heat output	9-10 kW	Ø	flue	120 mm
	combustion efficiency	77 %		weight	82 kg
	overall dimensions	490×460×1040 mm		material	steel, ceramic

HECHT ARDENIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Made in Europe

Cast iron door

Heatproof glass

Varnished siding

Fireplace tiled with vermiculite

Fuel: wood, wooden briquettes

Energy class A

firebox dimensions: 320×350×360 mm

	heat output	7-8 kW	Ø	flue	120 mm
	combustion efficiency	75 %		weight	64 kg
	dimensions	480×460 ×930 mm		material	steel, cast iron

HECHT MAGNIS

WOOD STOVES *
WITH HOT WATER EXCHANGER
(not intended for A, CH, F)

Max. operating pressure 2.5 bar

Top flute position

Exchanger volume 22 l

Heatproof glass

Air flow adjustment

Ceramic siding

Cast iron grate

Fuel: wood, wooden briquettes

Energy class A

firebox dimensions: 310×300×530 mm

	max. heating output / in water	20–22 / 15–17 kW	Ø	flue	120 mm
	combustion efficiency	77 %		weight	90 kg
	overall dimensions	485×455×1070 mm		material	steel, ceramics

* The heating capacity of fireplace stoves ranges from 11-15 m³/kW.
However, this figure is indicative, in fact it depends greatly on the thermal insulation properties of the buildings and the climate. More info at www.hecht.cz in the Stoves section.

HECHT SOLIS GREY

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Heatproof glass

Fireplace tiled with vermiculite

Fuel: wood, wooden briquettes

Tertiary combustion

Energy class A+

MADE IN EU

firebox dimensions: 400×370×400 mm

	heat output	9 kW	Ø	flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT SOLIS BEIGE

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Heatproof glass

Fireplace tiled with vermiculite

Fuel: wood, wooden briquettes

Tertiary combustion

Energy class A+

MADE IN EU

firebox dimensions: 400×370×400 mm

	heat output	9 kW	Ø	flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT HELIS GREY

WOOD STOVES *
(not intended for A, CH, F)
With stone clading: polished limestone

Air-flow adjustent

Heatproof glass

Fireplace tiled with vermiculite

Fuel: wood, wooden briquettes

Tertiary combustion

Energy class A+

MADE IN EU

firebox dimensions: 400×370×400 mm

	heat output	9 kW	Ø	flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel, stone
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT HELIS BEIGE

WOOD STOVES *
(not intended for A, CH, F)
With stone clading: polished limestone

Air-flow adjustent

Heatproof glass

Fireplace tiled with vermiculite

Fuel: wood, wooden briquettes

Tertiary combustion

Energy class A+

MADE IN EU

firebox dimensions: 400×370×400 mm

	heat output	9 kW	Ø	flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel, stone
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT VULCANUS GREY

WOOD STOVES WITH OVEN *
(not intended for DE, A, CH, F)

Flue Ø 130 cm

Adjustable oven power

Top hob 5 mm

Heatproof glass

Thermometer

Fuel: wood, wooden briquettes

Energy class A

MADE IN EU

	heat output	6 kW		weight	65 kg
	combustion efficiency	74 %		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

HECHT VULCANUS BEIGE

WOOD STOVES WITH OVEN *
(not intended for DE, A, CH, F)

Flue Ø 130 cm

Adjustable oven power

Top hob 5 mm

Heatproof glass

Thermometer

Ceramic siding

Fuel: wood, wooden briquettes

Energy class A

MADE IN EU

	heat output	6 kW		weight	65 kg
	combustion efficiency	74 %		material	steel, ceramic
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

www.hecht.cz

* The heating capacity of fireplace stoves ranges from 11-15 m³/kW.
However, this figure is indicative, in fact it depends greatly on the thermal insulation properties of the buildings and the climate. More info at www.hecht.cz in the Stoves section.

ACCESSORIES for wood stoves with Ø120 / 130 / 150 mm flue

HECHT SAVER	HOT AIR EXCHANGER (material steel, ø 120 mm, dimensions 22×32×94-100 cm, thickness 0,5 mm)
HECHT PIPE 1	FLUE PIPE 1 m / Ø 120 mm / 0,5 mm
HECHT PIPE 05	FLUE PIPE 0,5 m / Ø 120 mm / 0,5 mm
HECHT PIPE CURVE	FLUE ELBOW 90 ° / Ø 120 mm / 0,5 mm
HECHT PIPE 113	FLUE PIPE 1 m / Ø 130 mm / 1,5 mm
HECHT PIPE 0513	FLUE PIPE WITH A FLAP 0,5 m / Ø 130 mm / 1,5 mm
HECHT PIPE CURVE 13	FLUE ELBOW 90 ° / Ø 130 mm / 1,5 mm
HECHT PIPE 115	FLUE PIPE 1 m / Ø 150 mm / 1,5 mm
HECHT PIPE 0515	FLUE PIPE WITH A FLAP 0,5 m / Ø 150 mm / 1,5 mm
HECHT PIPE CURVE 15	FLUE ELBOW 90 ° / Ø 150 mm / 1,5 mm

HECHT MERIDA
CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas

Available from 5/24

material	heat resistant sheet steel	steel thickness	0,8 mm	
dimensions	54 × 57 × 92 cm	cooking area	53,5 cm	
weight	11,5 kg			
heat-resistant black color, stainless steel grill, ashtray, transport wheels				

HECHT VESUV
CHARCOAL GARDEN GRILL

BBQ & FIRE PIT



3 IN 1

material	heat resistant sheet steel	steel thickness	1,2 mm	
dimensions	88 × 73 × 92 cm	cooking area	46 × 46 cm	
weight	21 kg			
heat-resistant black color, stainless steel grill, two wooden shelves				

HECHT BARREL
CHARCOAL GARDEN GRILL

Available from 3/24

material	heat resistant sheet steel	steel thickness	1 mm	
dimensions	108 × 72 × 102 cm	cooking area	73 × 37 cm	
weight	19,8 kg			
2 cooking areas, stacking area, ashtray, transport wheels				

HECHT SENTINEL MINOR
CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas

material	heat resistant sheet steel	steel thickness	1 mm	
dimensions	112 × 63 × 116,5 cm	cooking area main / minor	30 × 52 cm / 30 × 22 cm	
weight	21 kg			
2 heating chambers, 2 cooking areas, stacking area, thermometer, transport wheels				

HECHT SENTINEL
CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas

	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	115 × 65 × 133 cm		cooking area main / minor	60 × 40 cm / 35 × 30 cm / 59 x 19 cm
	weight	35 kg			
	2 heating chambers, 2 cooking areas, stacking area, thermometer, transport wheels				

HECHT 000666
ALLOY PLATE

HECHT SENTINEL MAX
CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas

	material	heat resistant sheet steel		steel thickness	1,5 mm
	dimensions	175 × 76 × 154 cm		cooking area main / minor	100 × 45 cm / 43 × 38 cm
	weight	76 kg			
	2 heating chambers, 3 cooking areas, stacking area, thermometer, transport wheels				

HECHT FERNO BLACK
CERAMIC CHARCOAL GARDEN GRILL

Ceramic grill with unique thermal properties

Lower charcoal consumption by up to 50 %

Designed for grilling, baking, smoking or slow stewing

Ceramic chamber keeps meat juicy and undried

Integrated thermometer

Stainless steel ventilation for easy temperature control

Cast iron fireplace

Rubber wheels with brake

Cast iron air regulation on the cover

	material	ceramics, stainless steel, cast iron, bamboo wood			
Ø	body diameter	550 mm		wall thickness	20 mm
	dimensions	130 × 73 × 121 cm		cooking area	460 mm
	weight	82 kg	°C	temperature range	100–425 °C
	built-in thermometer, wooden folding bamboo sides, self-cleaning function, upper air regulator, stainless steel ventilation grille				

www.hecht.cz

HECHT FIRE 2
GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate

Intergrated thermometer

Transport wheels

grill dimensions	104 × 56 × 106 cm	weight	20,5 kg
2 main burners, cast iron grate, total burner output 7 kW		cooking area	45 × 41 cm

HECHT CONTACT 3
GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate

Intergrated thermometer

Transport wheels

Available from 5/24

grill dimensions	120 × 56 × 106 cm	weight	25,5 kg
3 main burners, cast iron grate, total burner output 10,5 kW		cooking area	61 × 41 cm

HECHT FIREWOOD 3
GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Combination of wood and steel

Cast iron grate and grill plate

Intergrated thermometer

Transport wheels

grill dimensions	130 × 56 × 106 cm	weight	30,5 kg
3 main burners, cast iron grate and grill plate, total burner output 10,5 kW		cooking area	60 × 40 cm

HECHT ADELLE 5
GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate and grill plate

Intergrated thermometer

Transport wheels

grill dimensions	132 × 51,5 × 111 cm	weight	35 kg
4 main burners, 1 side burner, total burner output 12,5 kW, door		cooking area	60 × 40 cm

HECHT 003101R
REGULATOR FOR GAS GRILLS

28–30 mbar, ∅ 8 mm, length 1,5 m

Intended for CZ, SK, HU or on request.

Available from 5/24

HECHT COVER 2
(for HECHT FIRE 2)
Available from 5/24

HECHT COVER 3C
(for HECHT CONTACT 3)
Available from 5/24

HECHT COVER 3F
(for HECHT FIREWOOD 3)
Available from 5/24

HECHT COVER 5
(for HECHT ADELLE 5)
Available from 5/24

HECHT FOLDIS SET 6

GARDEN FURNITURE SET

HECHT FOLDIS CHAIR
GARDEN CHAIR

foldable

board strength 4 cm

HECHT FOLDIS TABLE
GARDEN TABLE

board strength 3,5 cm



foldable

table dimensions	L 180 x W 74 x H 74 cm	chair max. load	120 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
chair dimensions	L 56 x W 46 x H 84 cm	table, chair	1×, 6×	Folding set of six chairs and one table made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

HECHT FOLDIS WHITE

GARDEN FURNITURE SET (1x table, 2x bench)

NEW

Available from 5/24

HECHT FOLDIS WHITE BENCH
GARDEN BENCH



foldable

board strength 4 cm

HECHT FOLDIS WHITE TABLE
GARDEN TABLE

board strength 4 cm

foldable

HECHT FOLDIS WHITE STOOL
GARDEN STOOL

board strength 3 cm

foldable

table dimensions	L 180 x W 74 x H 74 cm	max. load bench	400 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
bench dimensions	L 180 x W 30 x H 43 cm	max. load stool	120 kg	Set of table and two benches made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	
stool dimensions	L 32 x W 29 x H 46 cm	table, bench	1×, 2×	Stool available for additional purchase.	

HECHT FOLDIS RATTAN

GARDEN FURNITURE SET (1x table, 2x bench)

NEW

Available from 5/24

HECHT FOLDIS RATTAN BENCH
GARDEN BENCH

foldable

board strength 4 cm

HECHT FOLDIS RATTAN TABLE
GARDEN TABLE

board strength 4 cm

foldable

table dimensions	L 180 x W 74 x H 74 cm	bench max. load	400 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
bench dimensions	L 180 x W 30 x H 43 cm	table, bench	1×, 2×	Set of table and two benches made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

www.hecht.cz

EKONOMY SET 4
GARDEN FURNITURE SET

EKONOMY SET 6
GARDEN FURNITURE SET

Tempered glass

EKONOMY CHAIR
GARDEN CHAIR

EKONOMY TABLE
GARDEN GLASS TABLE

table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of steel and aluminum profiles.	

SOFIA SET 4
GARDEN FURNITURE SET

SOFIA SET 6
GARDEN FURNITURE SET

Tempered glass

SOFIA CHAIR
GARDEN CHAIR

SOFIA TABLE
GARDEN GLASS TABLE

Aluminium

table dimensions	L 150 × W 90 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for use also in wet conditions.
chair dimensions	L 55 × W 75 × H 95 cm	table, chair	1×, 4/6×	Combined set of chairs (stackable) and a table made of aluminum profiles. Suitable for use outside and inside.	

HONEY SET 4
GARDEN FURNITURE SET

HONEY SET 6
GARDEN FURNITURE SET

Tempered black glass

HONEY CHAIR
GARDEN CHAIR

HONEY TABLE
GARDEN GLASS TABLE

Aluminium

table dimensions	L 150 × W 90 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.
chair dimensions	L 58 × W 74 × H 97 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



SHADOW SET

GARDEN FURNITURE SET

Tempered black glass

HECHT SHADOW PARASOL

Available from 4/24



8 ribs

Foldable

SHADOW CHAIR

GARDEN ADJUSTABLE CHAIR

www.hecht.cz 360°

SHADOW TABLE

GARDEN GLASS TABLE

Available from 4/24

Aluminium

table dimensions	L 150 × W 90 × H 72 cm	parasol	Ø 270 cm, V 220 cm, 8 ribs, foldable	Table with hardened black glass. Max. load of chair 120 kg.	Suitable for exteriors and interiors, also for use in humid environments.
chair dimensions	L 56 × W 65 × H 107 cm	table, chair, parasol	1×, 6×, 1×	Combined set of six chairs (adjustable - 7 positions), one table made of aluminum profiles with Komaxit surface treatment and one parasol.	



HONEY SET MAXI

GARDEN FURNITURE SET

Extended backrest

HONEY MAXI CHAIR

GARDEN CHAIR

HONEY MAXI TABLE

GARDEN GLASS TABLE

www.hecht.cz 360°

Aluminium

Tempered black glass

table dimensions	L 168 × W 97 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.
chair dimensions	L 57 × W 86 × H 111 cm	table, chair	1×, 6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	

HECHT SAMANA CHAIR GRAPHITE

GARDEN CHAIR

HECHT JARDIN GRAPHITE TABLE

GARDEN TABLE MADE OF REINFORCED PLASTIC

HECHT JARDIN GRAPHITE CHAIR

GARDEN RECLINING CHAIR MADE OF REINFORCED PLASTIC

www.hecht.cz 360°

MADE IN NETHERLANDS

HECHT SAMANA SET GRAPHITE 4	1× HECHT JARDIN GRAPHITE TABLE, 4x HECHT SAMANA CHAIR GRAPHITE
HECHT SAMANA SET GRAPHITE 6	1× HECHT JARDIN GRAPHITE TABLE, 6x HECHT SAMANA CHAIR GRAPHITE
HECHT JARDIN SET GRAPHITE 4	1× HECHT JARDIN GRAPHITE TABLE, 4x HECHT JARDIN CHAIR GRAPHITE
HECHT JARDIN SET GRAPHITE 6	1× HECHT JARDIN GRAPHITE TABLE, 6x HECHT JARDIN CHAIR GRAPHITE

Jardin table dimensions	L 157 × W 98 × H 74 cm	Elisa chair dimensions	L 50 × W 60 × 78 cm	Suitable for exterior and interior. Chair max. load 120 kg.	Also suitable for use in humid environments.
Samana chair dimensions	L 50 × W 59 × 84 cm	Jardin chair dimensions	L 61 × W 72 × 110 cm	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.	

www.hecht.cz

HECHT NAVASSA SET 4
GARDEN FURNITURE SET

HECHT NAVASSA SET 6
GARDEN FURNITURE SET

Expanded metal

HECHT NAVASSA CHAIR
GARDEN CHAIR

HECHT NAVASSA TABLE
GARDEN TABLE

www.hecht.cz 360°

Quality steel construction

table dimensions	L 153 × W 96 × H 73 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Not suitable for use in wet conditions.
chair dimensions	L 56 × W 72 × H 99,5 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of expanded metal with komaxit surface.	



HECHT LIMA SET 4
GARDEN FURNITURE SET

HECHT LIMA SET 6
GARDEN FURNITURE SET

HECHT LIMA CHAIR
GARDEN CHAIR

HECHT LIMA TABLE
GARDEN TABLE

Polywood

Aluminium

www.hecht.cz 360°

table dimensions	L 150 × W 90 × H 75 cm	chair/table max. load	120/80 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 55 × W 56 × H 84 cm	table, chair	1×, 4/6×	A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top, seat and backrest from polywood.	

HECHT MONTANA
GARDEN FURNITURE SET

Convertible table

Acacia wood

HECHT MONTANA CHAIR
GARDEN CHAIR

HECHT MONTANA TABLE
GARDEN FOLDABLE TABLE

Adjustable chairs

www.hecht.cz 360°

table dimensions	L 140/180 × W 90 × H 77,5 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 69 × W 59 × H 111,5 cm	table, chair	1×, 6×	A luxury combined set of six adjustable chairs from waterproof fabric and one convertible table made all of aluminium profiles with powdercoating finishing and acacia wood.	

HECHT BASIC SET 4

GARDEN FURNITURE SET

Available from 6/24

HECHT BASIC SET 6

GARDEN FURNITURE SET

Available from 6/24

HECHT BASIC CHAIR

GARDEN CHAIR

Available from 6/24

www.hecht.cz 360°

HECHT BASIC TABLE

GARDEN TABLE

Available from 6/24

Acacia wood

table dimensions	L 120 × W 75 × H 72 cm	chair max. load	120 kg	Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 53 × W 57 x H 86 cm	table, chair	1×, 4/6×	A luxury garden furniture set consisting of chairs and a table. Made of hard and resistant acacia tree. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.	

HECHT CAMBERET SET

GARDEN FURNITURE SET

Adjustable chairs

www.hecht.cz 360°

HECHT CAMBERET CHAIR / ROYAL CHAIR

GARDEN CHAIR

Available from 6/24

Foldable table

HECHT CAMBERET TABLE

GARDEN TABLE

Acacia wood

table dimensions	L 150/200 × W 100 × H 74 cm	chair max. load	160 kg	Made of hard and resistant acacia tree. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 6×	A luxurious set of folding chairs and a table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

HECHT ROYAL SET

GARDEN FURNITURE SET

Acacia wood

www.hecht.cz 360°

HECHT CAMBERET CHAIR / ROYAL CHAIR

GARDEN CHAIR

Available from 6/24

8 adjustable chairs

Foldable table - 3 different sizes

HECHT ROYAL TABLE

GARDEN TABLE

Massive construction

Table desk thickness cca 4 cm

table dimensions	L 180/280 × W 115 × H 76 cm	chair max. load	160 kg	Made of hard and resistant acacia hardwood. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 8×	A luxurious set of folding chairs and table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

www.hecht.cz

HECHT SIERRA

GARDEN FURNITURE SET



Cushions included

Color fastness
Easy maintenance



MADE IN HUNGARY

www.hecht.cz 360°

table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions	L 75 × W 70 × H 79 cm	table, chair	1×, 2×
Suitable for gardens and interiors.		Also suitable for use in humid environments.	

A luxurious set of two chairs and a table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.

HECHT SIERRA MAXI

GARDEN FURNITURE SET

Cushions included

Color fastness
Easy maintenance



MADE IN HUNGARY

www.hecht.cz 360°

table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions sofa dimensions	L 75 × W 70 × H 79 cm L 128 × W 70 × H 79 cm	table, chair, sofa	1×, 2×, 1×
Suitable for gardens and interiors		Also suitable for use in humid environments.	

A luxurious set of two chairs, sofa and table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.

HECHT SERVING

DUMBWAITER

Practical wheels
Easy handling

www.hecht.cz 360°

Meranti wood

dimensions	L 84 × W 59 × H 84 cm	max. load	12 kg
Made of tropical wood Meranti. Suitable for sheltered garden areas.		With appropriate impregnation, it can be used outdoors.	

Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.

HECHT MATHEO CHAIR

GARDEN CHAIR

High durability



www.hecht.cz 360°

max. load	120 kg
dimensions	Š 58 × H 63 × V 89 cm
Suitable for exterior and interior.	Also suitable for use in humid environments.

Chair made from aluminium profiles and rope.

HECHT MURCIA

GARDEN FURNITURE SET

Cushions included

Stable construction

Aluminium

Acacia wood

table dimensions	L 70 × W 35 × H 40 cm	sofa/table max. load	160/30 kg	Suitable for indoor and outdoor use. Cushions and pillows included.
sofa dimensions	L 175 × W 78 × H 70 cm	table, sofa	1×, 2×	Luxurious set of two 2-seated sofas and one coffee table in a combination of high quality powder coated alu frame and acacia wood treated with oil stain.

HECHT GABBIANI SET

GARDEN FURNITURE SET

Stable construction

Hardened glass

Cushions included

www.hecht.cz 360°

Available from 4/24



table dimensions	L 160 × W 90 × H 75 cm	chair max. load	150 kg	Suitable for indoor and outdoor use.	Also for use in humid environments.
chair dimensions	L 70 × W 64 × H 85 cm	table, chair	1×, 6×	A luxurious garden set consisting of six chairs and one table. High quality stable aluminum construction and artificial rattan. Including upholstery.	

HECHT RELAXING CHAIR

GARDEN CHAIR

High stability

Adjustable

www.hecht.cz 360°

Available from 5/24

dimensions	L 157,5/81,5 × W 64 × H 90/112 cm	maximum load	120 kg
Luxury adjustable armchair made of steel tubes.		Not suitable for use in humid environments.	
Suitable for indoor garden areas and interiors.			

HECHT PALAWAN

GARDEN LOUNGER

High rigidity

Easy maintenance

Adjustable

www.hecht.cz 360°

MADE IN ITALY

dimensions	L 192 × W 71 × H 100 cm	maximum load	120 kg
weight	12 kg	Luxurious adjustable lounger made of strong plastic.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	

HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability
Adjustable

www.hecht.cz 360°

dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT HONEY LOUNGER

GARDEN LOUNGER

High stability
Adjustable

www.hecht.cz 360°

dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier transport

Chair with shelf for magazines

Adjustable

Meranti wood

www.hecht.cz 360°

dimensions	L 193,5 × W 71 × H 30 cm	maximum load	100 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT RESORT A

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable

dimensions	L 200 × W 60 × H 30 cm	maximum load	200 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Acacia tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT ERA

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable

dimensions	L 195 × W 72 × H 30 cm	maximum load	250 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT BORNEO

GARDEN LOUNGER

High stability
Adjustable

dimensions	L 200 × W 73 × H 36 cm	maximum load	180 kg
weight	14 kg	Very elegant garden chair with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT MANILA

GARDEN LOUNGER

High rigidity
Easy maintenance

dimensions	L 193 × W 65 × H 61 cm	maximum load	180 kg
weight	8 kg	Very elegant garden lounger.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT CLASSIC

GARDEN BENCH

High stability

dimensions	L 158 × W 61 × H 89 cm	chair max. load	300 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious garden bench made of hard exotic Acacia tree Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT BELIZE GREY

GARDEN BENCH

High durability
Stable construction
Easy maintenance

table dimensions	L 180 × W 88 × H 74 cm	max. load	640 kg
bench dimensions	L 180 × W 28 × H 44 cm	Also suitable for use in humid environments.	
Very modern garden benches in a combination of aluminum and polywood.			

www.hecht.cz

HECHT BOX L
GARDEN STORAGE BOX

270 L

www.hecht.cz 360°

dimensions	109 × 51,5 × 55 cm	capacity	270 l
intended for indoor and outdoor use, molded handles, made of PP and steel			

HECHT BOX XL
GARDEN STORAGE BOX

680 L

www.hecht.cz 360°

dimensions	146,5 × 71 × 75 cm	capacity	680 l
intended for indoor and outdoor use, molded handles, vacuum PP panels			

BERLIN
BENCH SWING

Stable construction

www.hecht.cz 360°

dimensions	Š 196 × H 123 × V 179 cm	maximum load	250 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

BERLIN HONEY
BENCH SWING

Stable construction

www.hecht.cz 360°

Luxury storage side pockets included

dimensions	Š 196 × H 123 × V 179 cm	maximum load	250 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

HECHT MARIOLU
BENCH SWING

2 positions: Bench or bed

Mattress included

Quick-drying polyester

www.hecht.cz 360°

Mattress thickness 8 cm

Available from 3/24

bed dimensions (expanded)	L 194 × W 120 × H 173 cm	max. load	240 kg
material	steel frame with powder coating, 180g waterproof polyester cover, PVC coating seat, 160g waterproof polyester cushion		
Suitable for use inside garden rooms and terraces.		Not suitable for use in a humid environment.	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. The backrest can be used in a horizontal or vertical position. A bench suspended on springs.			

HECHT BAHARU LUX
BENCH SWING

2 positions: Bench or bed

Mattress included

Quick-drying polyester

www.hecht.cz 360°

dimensions	L 235 x W 120 x H 178 cm	max. load	300 kg
material	made of hard tropical Meranti hardwood		
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious four-poster swing. The backrest can be used in a horizontal or vertical position. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT DREAM

GARDEN ROCKING CHAIR

dimensions	200 x 140 x 210 cm
maximum load	120 kg

Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.

www.hecht.cz 360°

HECHT DREAM HONEY

GARDEN ROCKING CHAIR

dimensions	200 x 140 x 210 cm
maximum load	120 kg

Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.

www.hecht.cz 360°

HECHT KIKI

GARDEN ROCKING CHAIR

dimensions	106 × 100 × 195 cm
maximum load	120 kg

Stylish rocking chair.
Armchair made of steel, pipes with artificial rattan. Suitable for the garden and interior.
Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included

Available from 5/24

www.hecht.cz 360°

HECHT ARUBA

GARDEN ROCKING CHAIR

dimensions	100 × 100 × 195 cm
maximum load	120 kg

Stylish rocking chair.
Armchair made of aluminium pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Folding frame

Special design

Perfect stability

Upholstery included

www.hecht.cz 360°

www.hecht.cz

HECHT SHADOW
GARDEN PARASOL

Available from 4/24

8 ribs

Protection from UV radiation

Practical roof ventilation

Easy to control

www.hecht.cz 360°

Foldable

ø umbrella	2,7 m	height	2,2 m
crossbars	8 pcs 12×18 mm	cover	polyester 180 g/m²
sunshade with the option of tilting, polyester cover			

SANDY I.
GARDEN PARASOL

Available from 4/24

6 ribs

Protection from UV radiation

Practical roof ventilation

Easy to control

Stable construction

www.hecht.cz 360°

ø umbrella	2,5 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	6 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

SUNNY
GARDEN PARASOL



8 ribs

www.hecht.cz 360°

Protection from UV radiation

Practical roof ventilation

Easy to control

Stable construction

ø umbrella	3 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	8 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

HECHT ROMA
GARDEN PARASOL

8 ribs

ø umbrella	3,5 m	base	100x100 cm
ø frame	53x80 mm	cover	polyester 200 g/m²
crossbars	8 pcs 25×40 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

HECHT ROMA SET
GARDEN PARASOL WITH BASE HECHT ROMA + HECHT ROMA BASE

Vertical tilting

360 ° Rotating system

Protection from UV radiation

Practical roof ventilation

Stable construction

Polyester 200 g/m²

HECHT ROMA BASE
4 PCS OF WATER/SAND FILLABLE LOAD PLATES
(each 50×50×6 cm)
max weight: 4× 26 kg

Compatible with HECHT SANDY I., SUNNY, ROMA

HECHT GAZEBO 34

GAZEBO

size	400 × 300 x 270 cm	top cover	180 g polyester with PA coating
entrance height	200 cm	side wall	160 g polyester, with 40 g netting
frame	aluminium/steel		

www.hecht.cz

HECHT PERGOLA 4×3

PERGOLA



www.hecht.cz 360°

size	392 × 292 × 228 cm	upper sail	160 g/m² polyester
entrance height	207 cm	supporting legs	4 pcs (10 × 10 cm)
frame	1,1 mm aluminium	anchoring supports	20 × 20 cm

ANCHOR KIT
HECHT 000808
for 4×6 PLUS, 6×8 PLUS, 8×8 PLUS, 6x10 NORD, 10×10 PLUS, 12x10 PLUS

HECHT 4×6 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition

Double hinged door
75 ×154 cm

Maintenance free, high quality metal construction, weatherproof

base dimensions 184 × 109 cm	dimensions of the house incl. roof overhangs 195 × 121 × 180 cm
area 2,2 m²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 6×8 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition

Double hinged door
103 ×170 cm

Available from 5/24

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 184 × 248 cm	dimensions of the house incl. roof overhangs 258 × 196 × 208 cm
area 5 m²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 8×8 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition

Double hinged door
103 × 170 cm

Available from 3/24

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 248 × 248 cm	dimensions of the house incl. roof overhangs 258 × 260 × 208 cm
area 6,7 m²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 6×10 NORD

GARDEN SHED
(dark grey)

20 %
thicker material than competition

Transparent window
69 × 71 cm

0,3–0,6 mm coated board

Double hinged door
118 ×176 cm

Available from 5/24

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 290 × 162 cm	dimensions of the house incl. roof overhangs 302 × 172 × 229 cm
area 5,1 m²	0,6 mm zinc steel frame

HECHT 10×10 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition

Double hinged door
125 ×170 cm

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 291 × 291 cm	dimensions of the house incl. roof overhangs 303 × 301 × 214 cm
area 9 m²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 12×10 PLUS

GARDEN SHED
(dark grey)

20 %
thicker material than competition

Double hinged door
125 ×170 cm

Available from 5/24

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 355 × 291 cm	dimensions of the house incl. roof overhangs 367 × 301 × 214 cm
area 11 m²	0,3 mm board, 0,6 mm zinc steel frame

LEISURE TIME

SWIMMING POOLS
FILTRATIONS
POOL ACCESSORIES
SAUNAS

HECHT 3276 BLUESEA
ANNULAR INFLATABLE POOL

Easy and quick installation

Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	3618 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3609 BLUESEA
ANNULAR INFLATABLE POOL

Easy and quick installation

Connectable with cartridge or sand filtration

dimensions	360 x 90 cm	volume	6654 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3476 BLUESEA
ABOVE GROUND POOL

Steel tube frame

Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	4383 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3690 BLUESEA
ABOVE GROUND POOL

Steel tube frame

Connectable with cartridge or sand filtration

dimensions	360 x 76 cm	volume	6125 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 302222
10“ SAND FILTRATION WITHOUT PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	200
sand capacity [kg]	12
water flow [m³/hod]	4,5
hose coupler [mm]	32/38
max. discharge height [m]	7
max. pool volume [m³[*	20

Certification GS/CE

7-way valve

HECHT 302111
10“ SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	250
sand capacity [kg]	12
water flow [m³/hod]	5,0
hose coupler [mm]	32/38
max. discharge height [m]	7,5
max. pool volume [m³]*	25

Certification GS/CE

7-way valve

HECHT 302113
10“ SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	450
sand capacity [kg]	20
water flow [m³/hod]	6,0
hose coupler [mm]	32/38
max. discharge height [m]	10
max. pool volume [m³]*	30

Certification GS/CE

7-way valve

* The maximum volume of the pool is only indicative, this value is influenced by a number of factors such as the length of the pipe, the connection of solar panels, the daily time of operation of the filtration, etc. More info at www.hecht.cz in the Pools and accessories section

HECHT 302016

16“ SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	550
sand capacity [kg]	45
water flow [m³/hod]	7,9
hose coupler [mm]	32/38
max. discharge height [m]	7,5
max. pool volume [m³]*	40

Certification GS/CE

6-way valve

Coarse dirt filter

SAND TANK CAPACITY 45 KG

HECHT BLUESEA80

AUTOMATIC POOL VACUUM CLEANER

For above--ground and in-ground pools

Li-ion Powered

No need to connect to a filter unit

	voltage	DC 12,6 V		max cleaning surface	80 m²
	battery	Li-ion, 5 Ah		max. slope of the bottom of the pool	15°
	power	50 W		max depth	2 m
	weight	5,7 kg		integrated filtration flow rate	10 m³/h
	recommended water temperature	18-32° C		max. working cycle	90 min
	only cleans the bottom of the pool, built-in dirt collection basket			charging time	5-6 h

HECHT 30003

SKIMMER

hose coupler [mm]	32/38

Complete mounting kit

HECHT 003609

CARTRIDGE FILTRATION

voltage [V]	220-240
water flow [m³/hod]	1,2
hose coupler [mm]	32

Complete mounting kit

029587

REPLACEMENT FILTERS FOR CARTRIDGE FILTRATION – 2 PCS

Dimensions: 90 × 80 mm

Hole diameter: 48 mm

HECHT 305810

SOLAR COLLECTOR

dimensions [cm]	96x75	max. pressure [bar]	1
capacity [l]	12	hose coupler [mm]	32/38

Solar collector for water heating with a capacity of 12 liters. 38 mm hose flange. Possibility to adjust the feet towards the sun. Large area of 0,7 m² of high quality and durable material for fast heating of pool water.

HECHT 00090

LADDER FOR POOLS

width x height [cm]	138 × 135,5

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

HECHT 00091

SAFETY LADDER FOR POOLS

width x height [cm]	133 × 164

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



HECHT 00122

LADDER FOR POOLS

width x height [cm]	158 × 177

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

www.hecht.cz

* The maximum volume of the pool is only indicative, this value is influenced by a number of factors such as the length of the pipe, the connection of solar panels, the daily time of operation of the filtration, etc. More info at www.hecht.cz in the Pools and accessories section

HECHT 060501
THERMOMETER

HECHT 060504
FLOATING THERMOMETER

HECHT 060510
THERMOMETER

HECHT 060511
THERMOMETER

HECHT 060512
THERMOMETER

HECHT 060301
LEAF SKIMMER
for surface-collecting debris

HECHT 060302
LEAF SKIMMER
for surface-collecting debris

HECHT 060308
LEAF SKIMMER
for deep-collecting debris

HECHT 060309
LEAF SKIMMER
for deep-collecting debris
(reinforced frame)

HECHT 060307
LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic handle

HECHT 06040218
180 cm RIBBED
ALUMINIUM POOL POLE
0.8 mm thickness

HECHT 060402
TELESCOPIC ROD
two-parts 1,9 - 3,6 m

HECHT 060703
FLOATING CHLORINE
DISPENSER
200g

HECHT 060702
FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g

HECHT 060705
FLOATING CHLORINE DISPENSER
WITH TERMOMETER
medium 20 / 200 g

HECHT 060203
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm

HECHT 060205
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm

HECHT 060104
TRIANGULAR VACUUM
cleaner 30 cm

HECHT 061002
POOL SERVICE KIT
4 PCS

HECHT 060102
VACUUM CLEANER DE LUX
with side brushes

HECHT 060109
VACUUM CLEANER DE LUX – ALUMINIUM
width 30 cm

HECHT 060060
FOOT BASIN

HECHT 061210
REPAIR KIT
including glue and patches

SWIMMING POOLS

Accessories for filtration pumps and solar collectors

HECHT 305811
3-WAY VALVE

HECHT 305813
3× 32/38MM CONNECTORS + 3× HOSE CLAMP

HECHT 305812
32/38MM T-CONNECTOR + 3× HOSE CLAMP

HECHT 060607
4 IN 1 TEST STRIPS
for testing pH, total chlorine, free chlorine and total water quality.

HECHT 060601
TESTER PH/CL
basic set for measuring pH / CL in pool water.

HECHT 000030
COVERING TARP
Ø 300 CM

HECHT 000036
COVERING TARP
Ø 360 CM

HECHT 000300
COVERING TARP
Ø 300 CM

HECHT 000360
COVERING TARP
Ø 360 CM

Drainage holes, pulling rope	material PE	90 g/m²

Drainage holes, pulling rope	material PE	90 g/m²

016123
UNDERLAY PAD FOR POOLS

dimensions [cm]	309×309
material PE [g/m²]	90

HECHT 016124
UNDERLAY PAD FOR POOLS

dimensions [cm]	390×390
material PE [g/m²]	90

Solar tarps for pools	
Nr.	Dimensions
HECHT 060250	ø 2,5 m
HECHT 060300	ø 3 m
HECHT 060360	ø 3,6 m

MADE IN CZECH REPUBLIC

Thickness 180 µm

www.hecht.cz

HECHT ACTIVE

INFRASAUNA

Towel holder

MP3 player, radio

Glass door with stylish accessories

Towel holder

dimensions	1200 x 1000 x 1900 mm	power input	2080 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner control panel	✓
MP3 player, full glass door, 5 heating elements, towel holder			

HECHT ESSENTIAL

INFRASAUNA

Color therapy

Towel holder

Oxygen ionizer

MP3 player, radio

Glass door with stylish accessories

dimensions	1200 x 1150 x 1900 mm	power input	2000 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5 heating elements, color therapy, oxygen ionizer, towel holder			

HECHT DELUXE

INFRASAUNA

Color therapy

MP3 player, radio

Oxygen ionizer

Glass door with stylish accessories

dimensions	1200 x 1150 x 1900 mm	power input	1850 W
temperature	< 60 °C	for 2 persons	✓
voltage	230 V / 50 Hz	carbon heaters	✓
material	kanadský jedlovec	inner and outer control panel	✓
8 carbon heating elements, MP3 player, radio, air ionizer, color therapy, glass door, temperature sensor, indirect lighting			

HECHT FANTASY

INFRASAUNA

MP3 player, radio

Electric massage stones

Oxygen ionizer

Color therapy

dimensions	1800 × 1800 × 1900 mm	power input	2800 W
temperature	15-65 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heater, carbon fiber heater	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5+7 heating elements, control panel, tinted glass, made from canadian hemlock			

HECHT 20020

INFRATED HEATED FLOOR

Infrared underfloor heating grid for HECHT Active and Essential, canadian hemlock, 104×37,5 cm, 180 W



www.hecht.cz

Benefits Of Infra-red Sauna Therapy

- Internal temperature 30-60 °C
- Effective detoxification of organism
- Stress relieve
- Eliminates tiredness
- Cellulite prevention
- Skin purification - clearer, softer and healthier looking skin
- Strengthens immune system
- Pain relief (muscles, joints, back)
- Weight loss at 30 minutes up to 600 kcal
- Suitable for people with allergy, asthma, cardiac and blood pressure problems

BENEFITS

KIDS

TRAMPOLINES
PEDAL CARS
ACCU CARS

HECHT 511001
LUXURY TRAMPOLINE 3,05 m

HECHT 512001
LUXURY TRAMPOLINE 3,66 m

Stairs and net included

dimensions	Ø 305/366 × h 251 cm
max. load	150 kg
jumping surface with 64/72 springs	
spring size	Ø 3,1 mm × 144 mm

INNER SAFETY NET

Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

www.hecht.cz

HECHT 514001
LUXURY TRAMPOLINE SUNK INTO THE GROUND 3,66 m

INNER SAFETY NET

Scheme of immersion of the trampoline in the ground



dimensions	Ø 366 × h 203 cm
max. load	150 kg
jumping surface with 72 springs	
spring size	Ø 3,1 × 144 mm

Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

HECHT 59788, 59789

PEDAL KART

APPROVED

dimensions	94 × 63 × 51 cm	✓	for children aged	3-8 years
max. load	25 kg	Pedal kart with chain drive.		
weight	10,2 kg			

ABARTH RED

ORIGINAL LICENSED ABARTH

PEDAL KART

APPROVED

RIDING/ SKIDDING MODE

Adjustable seat

Handbrake

Rubber wheels 30 cm

dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years
max. load	25 kg	Pedal kart with chain drive		
weight	12,8 kg			

ABARTH WHITE

ORIGINAL LICENSED ABARTH

PEDAL KART

APPROVED

RIDING/ SKIDDING MODE

Adjustable seat

Handbrake

Rubber wheels 30 cm

dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years
max. load	25 kg	Pedal kart with chain drive		
weight	12,8 kg			

ABARTH BLACK

ORIGINAL LICENSED ABARTH

PEDAL KART

APPROVED

RIDING/ SKIDDING MODE

Adjustable seat

Handbrake

Rubber wheels 30 cm

dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years
max. load	25 kg	Pedal kart with chain drive		
weight	12,8 kg			

MERCEDES BENZ PEDAL GO KART WHITE

ORIGINAL LICENSED MERCEDES

Handbrake

Rubber wheels 30 cm

PEDAL GO KART

APPROVED

Adjustable seat

dimensions	108,5 × 61 × 62 cm	✓	for children aged	3-8 years
max. load	25 kg	Pedal kart with chain drive		
weight	13,5 kg			

MERCEDES BENZ PEDAL GO KART RED

ORIGINAL LICENSED MERCEDES

Handbrake

Rubber wheels 30 cm

PEDAL GO KART

APPROVED

Adjustable seat

dimensions	108,5 × 61 × 62 cm	✓	for children aged	3-8 years
max. load	25 kg	Pedal kart with chain drive		
weight	13,5 kg			

ORIGINAL LICENSED MERCEDES

MERCEDES BENZ PEDAL GO KART BLACK

PEDAL GO KART

Handbrake

Rubber wheels 30 cm

Adjustable seat

dimensions	108,5 × 61 × 62 cm	✓	for children aged	3-8 years
max. load	25 kg	Pedal kart with chain drive		
weight	13,5 kg			

ORIGINAL LICENSED BMW

BMW R1200RT POLICE

ACCU BIKE

dimensions	123,5 × 54 × 75 cm	accu	12 V / 7 Ah
max. load	30 kg	power output	35 W
weight	19,2 kg	speed	3-6 km/h
for children aged	3-8 years	Sound and light effects, MP3, start key, battery level indicator, storage compartment	

HECHT 50925 GREEN / RED

ACCU TRACTOR

10 Ah

dimensions	155 × 66,5 × 62 cm	accu	12 V / 10 Ah, 2x 45 W
max. load	30 kg	speed	5-7 km/h
for children aged	3-8 years	✓ MP3 & USB	

BMW X6 WHITE/BLACK

ACCU CAR

ORIGINAL LICENSED BMW

dimensions	116 × 74 × 60 cm	accu	12 V / 7 Ah
max. load	30 kg	power output	2x 35 W
weight	20 kg	speed	3-5 km/h
for children aged	3-8 years	remote control	✓
Sound and light effects, opening doors.			

HECHT 56185

ACCU CAR

10 Ah

dimensions	110 × 73 × 78 cm	accu	12 V / 10 Ah
max. load	30 kg	power output	2x 45 W
weight	17,5 kg	speed	3,2–6,8 km/h
for children aged	3-8 years	remote control	✓
Light and sound effects, reverse, big wheels, audio input.			

HECHT 56187

ACCU CAR

10 Ah

dimensions	110 × 73 × 78 cm	accu	12 V / 10 Ah
max. load	30 kg	power output	2x 45 W
weight	17,5 kg	speed	3,2–6,8 km/h
for children aged	3-8 years	remote control	✓
Light and sound effects, reverse, big wheels, audio input.			

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.
The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

JEEP WRANGLER RUBICON WHITE / RED

(no.: JEEPWRANGLERWHITE)
(no.: JEEPWRANGLERRED)

ACCU CAR

Jeep
ORIGINAL LICENSED
JEEP WRANGLER RUBICON

10 Ah

APPROVED

	dimensions	126 × 80 × 70 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
✓	for children aged	3-8 years		speed	3-6 km/h
Sound and light effects,, MP3, USB, SD.					

HECHT 51818

ACCU CAR

ACCESSORIES INCLUDES:
- Fireman hat
- Functional water gun
- Fire extinguisher

The car is fitted with lights that flash like real fire truck.

10 Ah

APPROVED

	dimensions	115 × 65 × 60 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
✓	for children aged	3-8 years		speed	3-4,5 km/h
	remote control	✓	Sound and light effects, MP3		

HECHT 52108 RED/YELLOW

ACCU FORKLIFT

APPROVED

10 Ah

	dimensions	146 × 63 × 101 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2× 40 W
	front dumper max. load	10 kg		max. speed	2–6 km/h
	weight	22,5 kg	✓	for children aged	3–8
	remote control	✓	USB, bluetooth, lighting		

MERCEDES BENZ XMX606 RED

ACCU CAR

ORIGINAL LICENSED
MERCEDES

4×4

10 Ah

APPROVED

	dimensions	141 × 78 × 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4× 35 W
✓	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓	Sound and light effects, MP3, opening doors		

MERCEDES BENZ XMX606 BLACK

ACCU CAR

ORIGINAL LICENSED
MERCEDES

4×4

10 Ah

APPROVED

	dimensions	141 × 78 × 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4× 35 W
✓	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓	Sound and light effects, MP3, opening doors		

Speed and battery life depends on the terrain and the weight of the operator.
The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

MOBILITY

ATVs and QUADs

E-BIKES

E-SCOOTERS

HELMETS

HECHT 54500
ACCU BIKE

	dimensions	125 × 56 × 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54501
ACCU BIKE

	dimensions	125 × 56 × 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54502
ACCU BIKE

	dimensions	125 × 56 × 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 ORANGE
ACCU BIKE

	dimensions	133 × 64 × 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	12/10"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 GREEN
ACCU BIKE

	dimensions	133 × 64 × 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	12/10"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 BLUE
ACCU BIKE

	dimensions	133 × 64 × 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	12/10"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 59150 GREEN
ACCU BIKE

NEW

dimensions	147 × 64 × 92 cm	accu	48 V / 15,6 Ah, 1500 W
max. load	65 kg	max. speed	42 km/h
wheels	14/12"	charging time	8-12 hours
max. range	28 km	weight	39 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59150 BLUE
ACCU BIKE

NEW

dimensions	147 × 64 × 92 cm	accu	48 V / 15,6 Ah, 1500 W
max. load	65 kg	max. speed	42 km/h
wheels	14/12"	charging time	8-12 hours
max. range	28 km	weight	39 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59150 RED
ACCU BIKE

NEW

dimensions	147 × 64 × 92 cm	accu	48 V / 15,6 Ah, 1500 W
max. load	65 kg	max. speed	42 km/h
wheels	14/12"	charging time	8-12 hours
max. range	28 km	weight	39 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 51125 GREEN
PETROL BIKE

NEW

engine	4-stroke, 125 cm³	max. speed	70 km/h
output	5 kW / 6,8 HP	tank capacity	3 l
max. load	70 kg	weight	57 kg
dimensions	165 x 74 x 110 cm	wheels	14/12"

Chain drive, semiautomatic clutch, front / rear disc hydraulic brakes, e-start + kick start

HECHT 51125 RED
PETROL BIKE

NEW

engine	4-stroke, 125 cm³	max. speed	70 km/h
output	5 kW / 6,8 HP	tank capacity	3 l
max. load	70 kg	weight	57 kg
dimensions	165 x 74 x 110 cm	wheels	14/12"

Chain drive, semiautomatic clutch, front / rear disc hydraulic brakes, e-start + kick start

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 54812 RED
ACCU BUGGY

	dimensions	138 × 83 × 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 × 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 speeds forward + 1 backward, battery indicator

HECHT 54812 SILVER
ACCU BUGGY

	dimensions	138 × 83 × 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 × 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 speeds forward + 1 backward, battery indicator

HECHT 54899 RED
ACCU BUGGY

	dimensions	145 × 78 × 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	14 × 5-6"		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake

HECHT 54899 SILVER
ACCU BUGGY

	dimensions	145 × 78 × 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	14 × 5-6"		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake

HECHT 54103 WHITE
ACCU QUAD

Big front LED light

	dimensions	100 × 59 × 60 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	47 kg

3 speeds forward + 1 backward, big front LED light, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 54100 RED
ACCU QUAD

Digital display

	dimensions	100 × 59 × 60 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

Speed and battery life depends on the terrain and the weight of the operator.

Digital display

HECHT 54100 BLUE
ACCU QUAD

	dimensions	100 × 59 × 60 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

Digital display

Front LED lights

HECHT 56100 RED
ACCU QUAD

	dimensions	110 × 51 × 71 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

Digital display

Front LED lights

HECHT 56100 COMIC
ACCU QUAD

	dimensions	110 × 51 × 71 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

Digital display

Front LED lights

HECHT 56100 ARMY
ACCU QUAD

	dimensions	110 × 51 × 71 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

www.hecht.cz

HECHT batteries

Leaded, maintenance-free batteries for toy cars, quads, scooters and lawnmowers with e-start.

Order No.	Battery	Intended for use with model	Dimensions in mm
561810030	6 V / 7 Ah	2 pcs – BMWX6	151×35×93
561850030	6 V / 10 Ah	2 pcs – 56185, 56787	151×51×94
005484	12 V / 4 Ah	1 pc – 543 SWE, 548 SWE, 5483 SWE, 5484 SXE, 5534 SWE, 5543 SXE	91×71×105
005564	12 V / 9 Ah	1 pc – 5563 SXE, 5564 SXE, 5161, Aprilia Dorsoduro 900, BMW S1000RR, BMW R1200RT 2 pcs – Ford Ranger MT	151×65×94
545000087	12 V / 9 Ah	3 pcs – 54500, 54501, 54502	151×65×94
548000066	12 V / 12 Ah	3 pcs – 50925, 51818, 55999, JeepWrangler, FordRanger, 52108, MercedesBENZXMX606, 59100, 54899, 54803, 54800, 54801, 56801, 56800, 56800COMIC, 51060, 4 pcs – 54812	151×98×96
703110014(e)	12 V / 20 Ah	5 pcs – 56150, Grace 6 pcs – 56155, Equis, Citis, CitisMax	181×77×167
593990013	12 V / 52 Ah	1 pc – 59399	180×225×136

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 51060 GREEN
ACCU QUAD

Front LED lights

	dimensions	118 × 70 × 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator

HECHT 51060 BLUE
ACCU QUAD

Front LED lights

	dimensions	118 × 70 × 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator

HECHT 51060 RED
ACCU QUAD

Front LED lights

	dimensions	118 × 70 × 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator

HECHT 56150 ARMY
ACCU QUAD

8" wheels

	dimensions	145 × 102 × 96 cm		accu	60 V / 20 Ah, 1500 W
	max. load	120 kg		max. speed	70 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	131 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 56150 RED
ACCU QUAD

8" wheels

	dimensions	145 × 102 × 96 cm		accu	60 V / 20 Ah, 1500 W
	max. load	120 kg		max. speed	70 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	131 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 56150 BLUE
ACCU QUAD

8" wheels

	dimensions	145 × 102 × 96 cm		accu	60 V / 20 Ah, 1500 W
	max. load	120 kg		max. speed	70 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	131 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 54125 BLACK
PETROL QUAD

HECHT 0054125
Additional rear hinge 2“



Big front LED light

4-STROKE 125 CM³

	engine	4-stroke, 125 cm³		max. speed	45 km/h
	output	5,6 kW / 7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 × 96 × 97 cm		wheels	8“

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears, flag

HECHT 54125 ORANGE
PETROL QUAD

HECHT 0054125
Additional rear hinge 2“

Big front LED light

4-STROKE 125 CM³

	engine	4-stroke, 125 cm³		max. speed	45 km/h
	output	5,6 kW / 7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 × 96 × 97 cm		wheels	8“

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears, flag

HECHT 56125 ARMY
PETROL QUAD

Front LED lights

4-STROKE 125 CM³

	engine	4-stroke, 125 cm³		max. speed	50 km/h
	output	6 kW / 8,1 HP		tank capacity	2,5 l
	max. load	120 kg		weight	95 kg
	dimensions	148 × 108 × 102 cm		wheels	8“

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V / 5 Ah battery), 3 + 1 gears

HECHT 56125 RED
PETROL QUAD

Front LED lights

4-STROKE 125 CM³

	engine	4-stroke, 125 cm³		max. speed	50 km/h
	output	6 kW / 8,1 HP		tank capacity	2,5 l
	max. load	120 kg		weight	95 kg
	dimensions	148 × 108 × 102 cm		wheels	8“

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V / 5 Ah battery), 3 + 1 gears

HECHT 56155 ARMY
ACCU QUAD

COC Certification

Keyless

	dimensions	154 × 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8“

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56155 RED
ACCU QUAD

COC Certification

Keyless

	dimensions	154 × 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8“

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 56155 BLUE
ACCU QUAD

COC Certification

Keyless

	dimensions	154 × 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8"

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56155 SAND
ACCU QUAD

COC Certification

Keyless

	dimensions	154 × 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8"

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56199 ARMY
ACCU QUAD

COC Certification

Keyless

Box size
96x55x40 cm

Digital display

Storage box 82 l
nr. 5619900128

Rear hinge

	dimensions	160 × 99 × 121 cm		accu	72 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	45 km/h
	calculated range	54 km		charging time	7-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		brakes	disc / disc

COC, homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l, LED lights

HECHT 56199 HURON
ACCU QUAD

COC Certification

Keyless

Box size
96x55x40 cm

Digital display

Storage box 82 l
nr. 5619900128

Rear hinge

	dimensions	160 × 99 × 121 cm		accu	72 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	45 km/h
	calculated range	54 km		charging time	7-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		brakes	disc / disc

COC, homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l, LED lights

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 59399 RED
ACCU QUAD

Rear hinge

Rear disc brakes

Keyless start/stop

COC Certification

	dimensions	184 × 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10"

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 BLUE
ACCU QUAD

Rear hinge

Rear disc brakes

Keyless start/stop

COC Certification

	dimensions	184 × 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10"

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 ARMY
ACCU QUAD

Rear hinge

Rear disc brakes

Keyless start/stop

COC Certification

	dimensions	184 × 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10"

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 59399 HURON
ACCU QUAD

NEW

Rear hinge

Rear disc brakes

Keyless start/stop

COC Certification

	dimensions	184 × 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10"

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 SAND
ACCU QUAD

Rear hinge

Rear disc brakes

Keyless start/stop

COC Certification

	dimensions	184 × 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10"

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT CARGO
CARGO ACCU QUAD

NEW

COC Certification

Available from 5/24

	accu	72 V / 52 Ah, 3000 W		climbing capacity	30 °
	bed dimensions	150 x 110 x 35 cm		wheels front/rear	25x8-12" / 25x10-12"
	brakes front/rear	disc			

COC Certification

E-MOBILITY

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

HELMETS FOR ATVS

Product conforms to relevant EU standards.
European homologation.
Material: ABS
Weight: 1320 g (±50)

Removable and washable insert, clamping strap with quick coupling, adjustable peak. Smooth finishing with high-quality varnishing, cloth bag.

Sizes/Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61-62 cm

HECHT 56915

HECHT 52915

HECHT 54915

HECHT 51915

HECHT 53915

HECHT 55915

HECHT 0054700

FLAG FOR ATVS

HECHT 0056155

SET OF 4 PCS ALUMINIUM DISCS for HECHT 56150, 56152, 56155 (tyres not included).

4 pcs set

ATV BAGS

HECHT 52002 BLACK 70×30×31 cm

Suitable for HECHT 59399

Waterproof, PE board, Velcro straps with reflective elements

HELMETS for scooters

Product conforms to relevant EU standards.
European homologation

Removable and washable insert, clamping strap with quick coupling, adjustable peak. High quality finish.

HECHT 52588, 51588, 51627, 52627, 53627 – Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

HECHT 51631, 52631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

HECHT 51627

HECHT 52627

HECHT 53627

Adjustable inner shade

HECHT 52588

HECHT 52631

HECHT 51631

www.hecht.cz

HECHT RUNNIS SHADOW / RED / BLUE

E-BIKE

Li-ion Powered

SHIMANO

NEW

Available from 5/24

More colors available

Price including battery

	frame	26" steel		battery Li-ion	36 V / 10,4 Ah / 250 W
	wheels	26x1,75"		max. load	100 kg
	calculated range	40-50 km		charging time	5-6 hrs
	max. speed assisted	25 km/h		weight	23 kg

derailleur SHIMANO ARDTZ500GSD, 6 gears, rear carrier, front light, chain wheel cover, V brakes, stand

HECHT PRIME RED

E-BIKE

Li-ion Powered

SHIMANO

DISC BRAKES

Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 10,4 Ah / 250 W
	wheels	26 x 1,75" WANDA		weight / max. load	120 kg
	calculated range	90 km		charging time	4-5 hrs
	real range	60 km *		weight	25,2 kg
	max. speed assisted	25 km/h		brakes	disc / disc

derailleur SHIMANO TOURNEY ARDTZ500GSD, 7 gears, front and rear carrier, front light, chain cover

HECHT PRIME BLUE

E-BIKE

Li-ion Powered

SHIMANO

DISC BRAKES

Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 10,4 Ah / 250 W
	wheels	26 x 1,75" WANDA		weight / max. load	120 kg
	calculated range	90 km		charging time	4-5 hrs
	real range	60 km *		weight	25,2 kg
	max. speed assisted	25 km/h		brakes	disc / disc

derailleur SHIMANO TOURNEY ARDTZ500GSD, 7 gears, front and rear carrier, front light, chain cover

HECHT PRIME WHITE

E-BIKE

Li-ion Powered

SHIMANO

DISC BRAKES

Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 10,4 Ah / 250 W
	wheels	26 x 1,75" WANDA		weight / max. load	120 kg
	calculated range	90 km		charging time	4-5 hrs
	real range	60 km *		weight	25,2 kg
	max. speed assisted	25 km/h		brakes	disc / disc

derailleur SHIMANO TOURNEY ARDTZ500GSD, 7 gears, front and rear carrier, front light, chain cover

HECHT PRIME SHADOW

E-BIKE

Li-ion Powered

SHIMANO

DISC BRAKES

Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 10,4 Ah / 250 W
	wheels	26 x 1,75" WANDA		weight / max. load	120 kg
	calculated range	90 km		charging time	4-5 hrs
	real range	60 km *		weight	25,2 kg
	max. speed assisted	25 km/h		brakes	disc / disc

derailleur SHIMANO TOURNEY ARDTZ500GSD, 7 gears, front and rear carrier, front light, chain cover

HECHT GRIMIS MATT

E-BIKE

Li-ion Powered

SHIMANO

LCD DISPLAY

Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 14 Ah / 250 W
	wheels	27,5×2,1"		max. load	100 kg
	calculated range	110 km		charging time	6-7 hrs
	real range	100 km *		weight	20,5 kg
	max. speed assisted	25 km/h	✓	front suspension	

derailleur SHIMANO ALTUS ARDM310DLC, 21 gears, disc brakes

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

Li-ion Powered

SHIMANO

HECHT LEONIS GREY

NEW

Available from 5/24

Internal battery

Price including battery

	frame	29" 700C aloy		battery Li-ion	36 V / 15 Ah / 250 W
	wheels	28" KENDA		charging time	5-6 hrs
	calculated range	30-50 km		max. speed assisted	25 km/h

derailleur SHIMANO ARDM310DLC, 8 gears, rear carrier, disc brakes, stand

Li-ion Powered

SHIMANO

HECHT COMPOS GREY

NEW

Available from 5/24

Price including battery

	frame	20" alloy		battery Li-ion	36 V / 10 Ah / 350 W
	wheels	20"		charging time	5-6 hrs
	calculated range	40 km		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, bottle holder, disc brakes, front and rear light, stand, bell

Li-ion Powered

SHIMANO

HECHT COMPOS BLUE

NEW

Available from 5/24

Price including battery

	frame	20" alloy		battery Li-ion	36 V / 10 Ah / 350 W
	wheels	20"		charging time	5-6 hrs
	calculated range	40 km		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, bottle holder, disc brakes, front and rear light, stand, bell

Li-ion Powered

SHIMANO

HECHT COMPOS XL GREY

NEW

Available from 5/24

Price including battery

	frame	20" alloy		battery Li-ion	36 V / 10 Ah / 350 W
	wheels	20x4.0" KENDA		charging time	5-6 hrs
	calculated range	40 km		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, bottle holder, disc brakes, front and rear light, stand, bell

Li-ion Powered

SHIMANO

HECHT COMPOS XL BLUE

NEW

Available from 5/24

Price including battery

	frame	20" alloy		battery Li-ion	36 V / 10 Ah / 350 W
	wheels	20x4.0" KENDA		charging time	5-6 hrs
	calculated range	40 km		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, bottle holder, disc brakes, front and rear light, stand, bell

HECHT 5177

E-SCOOTER

Easy folding

Stand included

Honeycomb tires

	frame	aluminium		battery	36 V / 7,5 Ah / 350 W
	wheels	8,5"		climbing capacity	11 °
	max. range *	25 km		charging time	3-5 hours
	max. speed assisted	25 km/h		weight	12 kg
	max. load	100 kg		motor	front
	brakes	rear, disc	✓	Integrated light, stand, honeycomb tires	

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

HECHT 5201 ORANGE / BLACK
E-SCOOTER

NEW

Stand included

Storage box

Easy folding

	frame	steel		battery	48 V / 10 Ah / 1000 W
	wheels	10/10“		climbing capacity	15 °
	max. range *	50 km		charging time	6-8 hours
	max. speed	50 km/h		weight	32,5 kg
	max. load	120 kg		motor	back
	brakes front/rear	disc			
Integrated light, stand, shock absorber, digital display					

HECHT TERRIS WHITE / BLACK
FOLDABLE E-SCOOTER

Li-ion Powered

COC Certification

2× front light

Folding frame

Digital display



Front and rear suspension

	power	3000 W		battery	60 V / 20 Ah
	tubeless tyres	145/70-6“		max. speed	45 km/h
	max. range	50 km		charging time	8–12 hours
	technically permisible load	150 kg		weight	55 kg
	brakes front/rear	disc	✓	removable seat, metal wheel trim, two front lights	

Anti-slip board

HECHT 00513
ADDITIONAL BASKET

COC Certification

Li-ion Powered

LCD display

Large wheels and shock absorbers make it easier to drive off-road and on dirt roads

HECHT BETIS RED / GREEN / SILVER
E-SCOOTER

Thanks to the pedals it is possible to adapt the riding style like on an e-bike with minimal effort and thus increase the overall range or performance.

electromotor

40 km

∞

	power	800 W		battery	48 V / 12 Ah
	tubeless tyres	14“ × 2,25 14“ × 2,25		max. speed	45 km/h
	max. range	40 km		charging time	6–7 h
	brakes	disc / disc		weight incl. batteries	58 kg
	dimensions	170 × 62 × 105 cm	✓	Front and rear suspension	

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

HECHT COCIS MINI RED / BLACK
E-SCOOTER

NEW

COC Certification

Li-ion Powered

	power	1000 W		battery	48 V / 13 Ah
	tubeless tyres	14x6.00-10"		max. speed	42 km/h
	max. range	35 km		charging time	6-8 hours
	max. load	115 kg		weight	37 kg
	brakes front/rear	disc	✓	front LED light, digital display	

HECHT COCIS ZERO RED / BLUE / BLACK
E-SCOOTER

Li-ion Powered

COC Certification

	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	technically permisible load	219 kg		climbing capacity	15 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight without batteries	69 kg
	brakes	disc		wide tyres	225×55-8"
✓	front and rear suspension		✓	detachable battery, one extra battery space, bluetooth	

HECHT COCIS RED / BLUE / BLACK
E-SCOOTER

Li-ion Powered

COC Certification

	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	technically permisible load	219 kg		climbing capacity	15 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight inc. batteries	69 kg
	brakes	disc		wide tyres	225×55-8"
✓	front and rear suspension		✓	detachable battery, one extra battery space, bluetooth	

www.hecht.cz

HECHT COCIS MAX RED / GREEN / BLACK

E-SCOOTER

NEW

Li-ion Powered

COC Certification

***Additional battery**
60 V 20 Ah
No. 704005061

	power	2000 W		battery	60 V / 20 Ah
	technically permisible load	300 kg		climbing capacity	20 °
	max. range on 1 / 2 batteries	50 / 100 km		charging time	4-6 hours
	max. speed	45 km/h		weight incl. battery	61 kg
	brakes	disc/disc		wide tyres	225×40-10"
✓	front and rear suspension		✓	detachable battery, one extra battery space	

HECHT EQUIS BLACK / WHITE

E-SCOOTER

COC Certification

Digital display

Storage place under the seat

	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12" 110/70-12"		climbing capacity	15 °
	max. range	60 km		max. speed	45 km/h
	technically permisible load	271 kg		charging time	6-8 hours
	brakes	disc/disc		weight incl. batteries	121 kg
✓	front and rear suspension		✓	storage place under the seat	

HECHT CITIS WHITE / BLUE
E-SCOOTER

COC Certification

Digital tachometer

	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12", 110/70-12"		max. speed	45 km/h
	max. range	60 km		charging time	8 hours
	technically permisible load	279 kg		weight incl. batteries	130 kg
	brakes	disc / disc			

HECHT STRATIS BLACK
E-SCOOTER

Li-ion Powered

COC Certification

Digital display

Stand

Smartphone holder

	power	2000 W		battery Li-ion	72 V / 20 Ah
	tubeless tyres	130/70-12" 130/70-12"		max. speed	45 km/h
	max. range	50 km		charging time	4 hours
	technically permisible load	259 kg		weight incl. batteries	76 kg
	brakes	disc/disc	✓	two-seated	

www.hecht.cz

HECHT CITIS MAX WHITE / SHADOW / BLUE

E-SCOOTER

Digital tachometer

COC Certification

	power	800 W		battery	60 V / 20 Ah
	tubeless tyres	3.00-10", 3.00-10"		max. speed	15 / 20 / 25 km/h
	max. range	60 km		charging time	8 hours
	technically permisible load	211 kg		weight incl. batteries	111 kg
	dimensions	155,5 × 70 × 109 cm		brakes	drum / drum

HECHT WISE BLUE / RED

ELECTRIC SENIOR WHEELCHAIR

HECHT 00413

ADDITIONAL BASKET

	power	500 W		battery	24 V / 40 Ah
	dimensions	140 × 69 × 126 cm		max. speed	15 km/h
	max. range	42 km		climbing capacity	20 °
	max. load	150 kg		weight incl. battery	108 kg
	wheels	4,10 / 3,50-6"			

PETS

PET FOOD PROMINENT
RABBIT CAGES
HENHOUSES

PROMINENT LUNA B
(beige)

NEW

Ø 70 mm

plush	400 g/m²	sisal	4 mm

PROMINENT LUNA S
(grey)

NEW

Ø 70 mm

plush	400 g/m²	sisal	4 mm

PROMINENT NALA B
(beige)

NEW

Ø 85 mm

plush	400 g/m²	sisal	4 mm

PROMINENT NALA S
(grey)

NEW

Ø 85 mm

plush	400 g/m²	sisal	4 mm

PROMINENT SIMBA B
(beige)

NEW

Ø 145 mm

plush	400 g/m²	sisal	4 mm

PROMINENT SIMBA S
(grey)

NEW

Ø 145 mm

plush	400 g/m²	sisal	4 mm

PROMINENT PERSIAN B
(beige)

NEW

Ø 145 mm

plush	400 g/m²	sisal	4 mm

PROMINENT PERSIAN S
(grey)

NEW

Ø 145 mm

plush	400 g/m²	sisal	4 mm

PROMINENT GARFIELD B
(beige)

NEW

Suitable for
Maine-coon cats

Ø 125 mm

plush	400 g/m²	sisal	6 mm

PROMINENT GARFIELD S
(grey)

NEW

Suitable for
Maine-coon cats

Ø 125 mm

plush	400 g/m²	sisal	6 mm

Prominent cat Chicken

Prominent cat Fish

Prominent cat Beef

Supplementary food for cats. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.

200 g	100 % meat and fresh products
200 g	100 % meat and fresh products
200 g	100 % meat and fresh products

Prominent cat Kitten

Complete extruded feed for kittens up to 12 months, pregnant and lactating cats

- 89 % animal proteins
- Fresh pork liver
- Salmon oil
- Yucca root

1,5 kg	22,5 % meat and fresh products

Prominent cat Adult Chicken

Complete feed for adult cats

- 88 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg	45 % meat and fresh products

Prominent cat Adult Salmon

Complete feed for adult cats

- 87 % animal proteins
- Fresh salmon
- Salmon oil
- Yucca root

1,5 kg	9 % meat and fresh products

Prominent cat Sterilized

Complete food for over-weight adult cats, neu-tered and sterilized cats

- 86 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg	15 % meat and fresh products

Raw meat is added to the granules without any modifications.
The granules therefore contain important nutrients, minerals and vitamins.

Traditional food for dogs and cats in premium quality produced in cooperation with proven feed manufacturers with many years of experience. Meat is added to the feed only in the raw state without further modifications. The granules therefore taste great and contain important nutrients, minerals and vitamins. Give your pets a quality and well balanced food. Product of the Czech republic.

ČESKÝ VÝROBEK®

TREATS FOR DOGS

Prominent Chicken Sandwich

Treats for dogs

80 g	40 % meat

Prominent Duck Sandwich

Treats for dogs

80 g	40 % meat

Prominent Beef Sticks

Treats for dogs

80 g	40 % meat

www.hecht.cz

Prominent dog Chicken & Turkey
400 g 1270 g

Prominent dog Lamb & Rice
400 g 1270 g

Prominent dog Beef & Liver
400 g 1270 g

Prominent dog Venison
400 g 1270 g

Supplementary food for dogs. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.

100 % meat and fresh products

95 % meat and fresh products, 5 % rice

100 % meat and fresh products

100 % meat and fresh products

Prominent Dog biscuits

Supplementary food for dogs

200 g

Prominent dog Puppy

Complete feed for puppies of all breeds, feed is also suitable for pregnant and lactating dogs

3 kg 10 kg

25 % meat and fresh products

Prominent dog Junior Large breeds

Complete feed for young dogs of large and giant breeds

3 kg 10 kg

22,5 % meat and fresh products

Prominent dog Adult MINI

Complete feed for adult dogs of small breeds

3 kg 10 kg

30 % meat and fresh products

Prominent dog Active

Complete feed for adult dogs of all breeds

12 kg

GLUTEN FREE

50 % meat and fresh products

Prominent dog Adult

Complete feed for adult dogs of all breeds

12 kg

20 % meat and fresh products

Prominent dog Adult Large breed

Complete feed for adult dogs of large and giant breeds

12 kg

20 % meat and fresh products

Prominent dog Sensitive

Hypoallergenic feed for adult dogs of all breeds

12 kg

15 % meat and fresh products

Prominent dog Senior

Complete feed for overweight adult dogs or older dogs

12 kg

20 % meat and fresh products

MICKEY
RABBIT CAGE



dimensions	91,5 × 45 × 70 cm
Made from durable fir wood	
Roof covered with asphalt shingle	

BUNNY
RABBIT CAGE WITH PADDOCK

dimensions	111,5 × 45 × 92 cm	Without ground wires
Made from durable fir wood		Roof covered with asphalt shingle

www.hecht.cz

RAPHAELO
TWO-LEVEL RABBIT CAGE

dimensions	101 x 55 x 100 cm
Made from durable fir wood	

PROMINENT SALLY
TWO-LEVEL RABBIT CAGE

Available from 6/24

dimensions	104 x 50 x 104 cm
Made from durable fir wood	

MOLLY
RABBIT CAGE WITH PADDOCK



dimensions	146,5 × 52 × 85,5 cm	Without ground wires	
Made from durable fir wood		Roof covered with asphalt shingle	

HOLIDAY
RABBIT CAGE WITH PADDOCK



dimensions	98 × 50 × 41 cm	Without ground wires
Made from durable fir wood		

PROMINENT OLIVER
HENHOUSE

Available from 6/24

dimensions	134 × 90 × 99 cm	Without ground wires
Made from durable fir wood		Roof covered with asphalt shingle

OREO
HENHOUSE WITH PADDOCK



dimensions	195 × 73 × 98 cm	wires thickness	0,7 mm
wood thickness	20 mm	Roof covered with asphalt shingle	
Without ground wires		Made from durable fir wood	

TWEETY
HENHOUSE WITH PADDOCK



dimensions	201 x 68 x 102 cm	wires thickness	0,7 mm
wood thickness	20 mm	side box	61 x 32 x 40 cm
Made from durable fir wood		Without ground wires	
Roof covered with asphalt shingle			

Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: January 2024

HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov–Tehovec, Czech republic, tel.: +420 321 022 853 / +420 606 609 011

EXPORT@HECHT.CZ **WWW.HECHT.CZ**